FORM A: BID (See B7)

1.	Contract Title		PACKAGE – GARWOOD AVE AVENUE AND VARIOUS OT	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidd	er as it appears on Invoice (if different	from above)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact p of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms u ascribed to them in the 0	sed in the Contract shall has General Condition.	ave the meanings
5.	Offer		rs to perform the Work in ac id Price, in Canadian funds, s	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	CITY FUNDED WORK					
Α	GARWOOD AVENUE FROM STAFFORD STREET	TREET TO HOU	ISE #974	. Concrete		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R17	m³	1300		
A.2	Sub-Grade Compaction	CW 3110-R17	m²	2650		
A.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	2000		
A.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	215		
A.5	Grading of Boulevards	CW 3110-R17	m²	2600		
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	2650		
	ROADWORK - REMOVALS/RENEWALS					
A.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	2215		
A.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	70		
A.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	10		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	45		
b)	5 sq.m. to 20 sq.m.		m²	60		
c)	Greater than 20 sq.m.		m²	150		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		

Name of Bidder

UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	21		
A.13	Detectable Warning Surface Tiles	CW 3326				
i)	610 mm X 1220 mm		each	4		
	ROADWORK - NEW CONSTRUCTION					
A.14	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2180		
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	515		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	45		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	35		
A.16	Supplying and Placing Joint Curing Compound	E11	m	325		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.17	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
A.18	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	22		
A.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		

Name of Bide	der
--------------	-----

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.20	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 300 mm (PVC) Combined Sewer		each	2		
b)	Connecting to 300 mm (Clay) Combined Sewer		each	2		
A.21	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
A.22	Removal of Existing Catch Basins	CW 2130-R12	each	6		
A.23	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
A.24	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	4		
A.25	Catch Basin Cleaning	CW 2140-R3	each	2		
A.26	Installation of Subdrains	CW 3120-R4	m	84		
A.27	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		
	ADJUSTMENTS					
A.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.300		
A.30	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4		
A.31	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.32	Valve Box Extensions	CW 3210-R7	each	1		
A.33	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		

Nam	ne of	Bid	de

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.34	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
A.35	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	2500		
Α	A GARWOOD AVENUE FROM STAFFORD STREET TO HOUSE #974, Concrete Reconstruction					
	1100011011 0011011				Subtotal:	

Name of Bidder

UNIT PRI		2050		455567	LINUT DDIOE	ANACHINIT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	WAVELL AVENUE FROM CASEY STREET Asphalt Reconstruction	TO OSBORNE	SERVIC	E ROAD.		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R17	m³	1650		
B.2	Sub-Grade Compaction	CW 3110-R17	m²	3300		
B.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	2300		
ii)	100 mm		tonne	1200		
B.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	350		
B.5	Grading of Boulevards	CW 3110-R17	m²	3300		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	3300		
B.7	Supply and Install Geogrid	CW 3135-R1	m²	1650		
	ROADWORK - REMOVALS/RENEWALS					
B.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	3070		
B.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	31		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	25		
b	5 sq.m. to 20 sq.m.		m²	30		
С) Greater than 20 sq.m.		m²	1050		
B.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		


ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
B.12	Concrete Curb Removal	REF. CW 3240-R10		QUANTITY		
i)	Barrier 150mm ht		m	20		
B.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	18		
B.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
B.15	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	6		
B.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	50		
	ROADWORK - NEW CONSTRUCTION					
B.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	685		
ii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	32		
iii)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	30		
B.18	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	195		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	40		
	JOINT AND CRACK SEALING					
B.19	Reflective Crack Maintenance	CW 3250-R7	m	850		

Nan	ne of	Bic	dde

UNIT PRI	ÇES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	8		
B.21	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	32		
B.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	6		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	6		
B.23	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Clay Combined Sewer		each	8		
B.24	Removal of Existing Catch Basins	CW 2130-R12	each	8		
B.25	Abandoning Existing Drainage Inlets	CW 2130-R12	each	8		
B.26	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	4		
B.27	Removal of Existing Pipes	E12	m	22		
B.28	Installation of Subdrains	CW 3120-R4	m	96		
B.29	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		
	ADJUSTMENTS					
B.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		

Name of Bid

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	3		
B.32	Lifter Rings	CW 3210-R7				
i)	64 mm		each	6		
B.33	Patching Existing Manholes	CW 2130-R12	vert. m	1		
B.34	Adjustment of Valve Boxes	CW 3210-R7	each	3		
B.35	Valve Box Extensions	CW 3210-R7	each	1		
B.36	Adjustment of Curb Stop Boxes	CW 3210-R7	each	42		
B.37	Curb Stop Extensions	CW 3210-R7	each	5		
	LANDSCAPING					
B.38	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	3300		
В	WAVELL AVENUE FROM CASEY STREE Asphalt Reconstruction	T TO OSBORNE	SERVIC	E ROAD.	Subtotal:	



<u>UNIT PRI</u> ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	T .	REF.		QUANTITY		
С	AVENUE, Asphalt Reconstruction	AVENUE TO M	<u>OUNTB/</u>	ATTEN		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R17	m³	2600		
D.2	Sub-Grade Compaction	CW 3110-R17	m²	5700		
C.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	4200		
ii)	100 mm		tonne	2000		
C.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	750		
C.5	Grading of Boulevards	CW 3110-R17	m²	6250		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	5700		
C.7	Supply and Install Geogrid	CW 3135-R1	m²	2850		
	ROADWORK - REMOVALS/RENEWALS					
C.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	6000		
ii)	Asphalt Pavement		m²	100		
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	25		
b)	5 sq.m. to 20 sq.m.		m²	40		
C.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
C.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	370		
C.12	Interlocking Paving Stones	CW 3335-R1	m²	50		

UNIT PRI		T				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
C.13	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1250		
ii)	Construction of 150 mm Exposed Aggregate Concrete Pavement (Reinforced)	E14	m²	75		
C.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	52		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	810		
iii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	66		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	316		
v)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	15		
C.15	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	1050		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	40		
	JOINT AND CRACK SEALING					
C.16	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	8		
ii)	SD-024, 1800 mm deep		each	1		


ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
C.18	Catch Pit	REF. CW 2130-R12		QUANTITY		
C. 16	Calciffic	CW 2130-K12				
i)	SD-023		each	2		
C.19	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	75		
b)	Trenchless Installation		m	20		
C.20	Drainage Connection Pipe	CW 2130-R12	m	4		
C.21	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12, E16				
i)	450 mm					
a)	Class 3 Backfill		each	10.5		
C.22	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12, E16				
i)	450 mm					
a)	Class 3 Backfill		m	5.5		
C.23	Sewer Inspection	CW 2145-R3, E16				
i)	250 mm Sewer Service Pipe		m	65		
ii)	450 mm		m	350		
C.24	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
C.25	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		

Nan	ne of	Bio	abb


UNIT PRI		0050	LINUT	ABBBOY	LINIT DDIOE	AMOUNT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.26	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	3		
C.27	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Concrete Land Drainage Sewer		each	3		
b)	Connecting to 1050 mm Concrete Land Drainage Sewer		each	1		
C.28	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	3		
C.29	Removal of Existing Catch Basins	CW 2130-R12	each	3		
C.30	Abandoning Existing Drainage Inlets	CW 2130-R12	each	5		
C.31	Catch Basin Cleaning	CW 2140-R3	each	4		
C.32	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	2		
C.33	Removal of Existing Pipes	E12	m	15		
C.34	Installation of Subdrains	CW 3120-R4	m	96		
C.35	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		
	ADJUSTMENTS					
C.36	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10		
C.37	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.300		
C.38	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	1		
C.39	Lifter Rings	CW 3210-R7				

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	51 mm		each	2		
C.40	Adjustment of Valve Boxes	CW 3210-R7	each	10		
C.41	Valve Box Extensions	CW 3210-R7	each	2		
C.42	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
C.43	Barrier Curb and Gutter Frame Riser and Grated Cover (38 mm)	CW 3210-R7	each	1		
C.44	Adjustment of Sprinkler Head	E13	each	20		
C.45	Replace Existing Sprinkler Pipe	E13	m	30		
	LANDSCAPING					
C.46	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
ii)	width > or = 600 mm		m²	6200		
С	LAIDLAW BOULEVARD FROM CORYDON AVENUE, Asphalt Reconstruction	Subtotal:				




UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	DARWIN STREET FROM GLENTHORNE CLEAN Pavement Rehabilitation					
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R17	m³	10		
D.2	Grading of Boulevards	CW 3110-R17	m²	50		
	ROADWORK - REMOVALS/RENEWALS					
D.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	20		
ii)	150 mm Concrete Pavement (Type B)		m²	100		
D.4	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	240		
D.5	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	6		
ii)	20 M Deformed Tie Bar		each	240		
D.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
D.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
	1	1		ļ		



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	30		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	55		
iv)	Modified Lip Curb (75 mm reveal ht, Dowelled)	SD-202C	m	10		
v)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	7		
D.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	11		
D.9	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	200		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	65		
D.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	25		
	JOINT AND CRACK SEALING					
D.11	Reflective Crack Maintenance	CW 3250-R7	m	450		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.12	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
D.13	Catch Basin Cleaning	CW 2140-R3	each	4		

Nan	ne of	Bic	lde

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
D.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		
D.15	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
D.16	Lifter Rings	CW 3210-R7				
i)	64 mm		each	5		
D.17	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	4		
D.18	Patching Existing Manholes	CW 2130-R12	vert. m	1		
	LANDSCAPING					
D.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	50		
D	DARWIN STREET FROM GLENTHORNE Pavement Rehabilitation	Subtotal:				



UNIT PRICES ITEM **DESCRIPTION** SPEC. UNIT APPROX. **UNIT PRICE AMOUNT** REF. QUANTITY WALES AVENUE FROM DAKOTA STREET TO ST. ANNE'S ROAD, Pavement Ε Rehabilitation **EARTH AND BASE WORKS** E.1 Supplying and Placing Base Course Material CW 3110-R17 m³ 15 E.2 Grading of Boulevards CW 3110-R17 m² 1200 **ROADWORK - REMOVALS/RENEWALS** E.3 Partial Slab Patches - Early Opening (72 CW 3230-R7 i) 150 mm Concrete Pavement (Type A) m² 50 ii) 150 mm Concrete Pavement (Type B) m² 850 iii) 150 mm Concrete Pavement (Type C) m² 10 10 iv) 150 mm Concrete Pavement (Type D) m² E.4 Partial Depth Planing of Existing Joints E10 m² 10 E.5 Asphalt Patching of Partial Depth Joints E10 10 m^2 E.6 **Drilled Dowels** CW 3230-R7 i) 19.1 mm Diameter 1740 each E.7 **Drilled Tie Bars** CW 3230-R7 i) 15 M Deformed Tie Bar 90 each ii) 20 M Deformed Tie Bar each 2000 E.8 Miscellaneous Concrete Slab Renewal CW 3235-R9 i) 100 mm Sidewalk SD-228A 90 a) Less than 5 sq.m. m² b) 5 sq.m. to 20 sq.m. m² 275 200 c) Greater than 20 sq.m. m²


Name of Bidder

<u>UNIT P</u>	PRIC	ÇES					
ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)		150 mm Reinforced Sidewalk					
	a)	5 sq.m. to 20 sq.m.		m²	15		
E.9		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	30		
	b)	3 m to 30 m		m	150		
	c)	Greater than 30 m		m	40		
ii)		Barrier (150 mm reveal ht, Separate)	SD-203A				
	a)	Less than 3 m		m	175		
	b)	3 m to 30 m		m	5		
iii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	125		
iv)		Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	10		
v)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	90		
E.10		Detectable Warning Surface Tiles	CW 3326				
i)		610 mm X 1220 mm		each	2		
E.11		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	25		
E.12		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
E.13		Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)		Main Line Paving					
	a)	Type IA		tonne	1800		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	200		
L		<u> </u>	1		l .		

ÇES					
DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Planing of Pavement	CW 3450-R5				
0 - 50 mm Depth (Asphalt)		m²	450		
0 - 50 mm Depth (Concrete)		m²	100		
JOINT AND CRACK SEALING					
Reflective Crack Maintenance	CW 3250-R7	m	3000		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
Catch Basin	CW 2130-R12				
SD-024, 1800 mm deep		each	1		
Catch Pit	CW 2130-R12				
SD-023		each	1		
Remove and Replace Existing Catch Basin	CW 2130-R12				
SD-024		each	2		
Sewer Service	CW 2130-R12				
250 mm					
In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	35		
Drainage Connection Pipe	CW 2130-R12	m	12		
Connecting to Existing Catch Basin	CW 2130-R12				
250 mm Drainage Connection Pipe		each	9		
Removal of Existing Catch Basins	CW 2130-R12	each	2		
Removal of Existing Pipes	E12	m	2		
Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
Existing Catchbasin Leads (250mm or smaller)		each	1		
	Planing of Pavement 0 - 50 mm Depth (Asphalt) 0 - 50 mm Depth (Concrete) JOINT AND CRACK SEALING Reflective Crack Maintenance ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin SD-024, 1800 mm deep Catch Pit SD-023 Remove and Replace Existing Catch Basin SD-024 Sewer Service 250 mm In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand Drainage Connection Pipe Connecting to Existing Catch Basin 250 mm Drainage Connection Pipe Removal of Existing Catch Basins Removal of Existing Sewer Service Under Pavement c/w Video Inspection Existing Catchbasin Leads (250mm or	Planing of Pavement Planing of Pavement CW 3450-R5 0 - 50 mm Depth (Asphalt) 0 - 50 mm Depth (Concrete) JOINT AND CRACK SEALING Reflective Crack Maintenance CW 3250-R7 ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R12 SD-024, 1800 mm deep Catch Pit CW 2130-R12 SD-023 Remove and Replace Existing Catch Basin CW 2130-R12 SD-024 Sewer Service CW 2130-R12 SD-024 Sewer Service CW 2130-R12 CON 2130-R12	DESCRIPTION SPEC. REF. Planing of Pavement CW 3450-R5 0 - 50 mm Depth (Asphalt) m² O - 50 mm Depth (Concrete) May DINT AND CRACK SEALING Reflective Crack Maintenance CW 3250-R7 m ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R12 SD-024, 1800 mm deep each Catch Pit CW 2130-R12 SD-023 each Remove and Replace Existing Catch Basin CW 2130-R12 SD-024 Sewer Service CW 2130-R12 SD-024 Sewer Service CW 2130-R12 CON 2130-R12 Each CW 2130-R12 CON 2130-R12 Each CW 2130-R12 CON 2130-R12 CON 2130-R12 Each CW 2130-R12 CON 2130-R12 Each CW 2130-R12	DESCRIPTION	DESCRIPTION

Name of Bidder

UNIT PRI						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.25	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	5		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	5		
E.26	Catch Basin Cleaning	CW 2140-R3	each	21		
	ADJUSTMENTS					
E.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	20		
E.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.3		
E.29	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	15		
iii)	64 mm		each	1		
E.30	Installation of City of Winnipeg provided CGI Riser	E17	each	5		
E.31	Patching Existing Manholes	CW 2130-R12	vert. m	2.0		
E.32	Adjustment of Valve Boxes	CW 3210-R7	each	3		
E.33	Valve Box Extensions	CW 3210-R7	each	1		
E.34	Adjustment of Curb Stop Boxes	CW 3210-R7	each	8		
E.35	Curb Stop Extensions	CW 3210-R7	each	1		



UNII PRI	JES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
E.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	1000		
E	WALES AVENUE FROM DAKOTA STREET Rehabilitation	Subtotal:				

UNIT PRICES


UNIT PR	IÇES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	MOORGATE STREET FROM PORTAGE AV Pavement Rehabiliation					
	EARTH AND BASE WORKS					
F.1	Supplying and Placing Base Course Material	CW 3110-R17	m³	10		
F.2	Grading of Boulevards	CW 3110-R17	m²	400		
	ROADWORK - REMOVALS/RENEWALS					
F.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	95		
F.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	110		
iii)	150 mm Concrete Pavement (Type C)		m²	15		
iv)	150 mm Concrete Pavement (Type D)		m²	100		
F.5	Partial Depth Planing of Existing Joints	E10	m²	10		
F.6	Asphalt Patching of Partial Depth Joints	E10	m²	10		
F.7	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	225		
F.8	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	25		
ii)	20 M Deformed Tie Bar		each	360		
		1				

Name of Bidder

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	30		
b)	5 sq.m. to 20 sq.m.		m²	35		
c)	Greater than 20 sq.m.		m²	450		
F.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
F.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	70		
c)	Greater than 30 m		m	36		
ii)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	25		
b)	3 m to 30 m		m	15		
c)	Greater than 30 m		m	40		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	35		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
F.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
F.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	500		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		

		-	
	Name	∩f	Ridde
	INGILIC	O.	Diada

<u>UNIT PR</u>	IÇES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	2300		
	JOINT AND CRACK SEALING					
F.15	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
F.17	Sewer Service	CW 2130-R12				
i)	250 mm					
a) In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	11		
b) Trenchless Installation		m	10		
F.18	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a) Connecting to 1930X2515mm Concrete Combined Sewer		each	4		
F.19	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	200 mm		each	1		
F.20	Removal of Existing Catch Basins	CW 2130-R12	each	1		
F.21	Relocation of Existing Catch Basins	CW 2130-R12	each	1		
F.22	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	1		
F.23	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.24	Replacing Existing Manhole and Catch Basin Frames & Covers			Q07.111111		
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
F.25	Catch Basin Cleaning	CW 2140-R3	each	4		
F.26	Water Service	E15				
i)	19mm					
a)	Trenchless Installation		m	200		
F.27	Supply and Install Water Tap and Post Assembly	E15	each	1		
F.28	Meter Pit SD-241A	E15	each	1		
	ADJUSTMENTS					
F.29	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
F.30	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
F.31	Lifter Rings	CW 3210-R7				
i)	64 mm		each	2		
F.32	Adjustment of Valve Boxes	CW 3210-R7	each	2		
F.33	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
F.34	Curb Stop Extensions	CW 3210-R7	each	5		
F.35	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	4		
F.36	Patching Existing Manholes	CW 2130-R12	vert. m	1		

Name of Bidder

UNII PRI	ŲLO					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
F.37	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	400		
F	MOORGATE STREET FROM PORTAGE AVENUE TO LODGE AVENUE, Pavement Rehabiliation			Subtotal:		

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4)					
G	GARWOOD AVENUE, Street Light Installati	<u>on</u>				
G.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E19	each	6		
G.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E19	each	280		
G.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E19	each	6		
G.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E19	each	2		
G.5	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E19	each	1		
G.6	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9 or CD310-10.	E19	each	7		
G	GARWOOD AVENUE, Street Light Installati	<u>on</u>			Subtotal:	

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
н	WAVELL AVENUE, Street Light Installation					
H.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E19	each	7		
H.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E19	each	350		
H.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E16.	lin.m	29.0		
H.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E19	each	7		
H.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E19	each	1		
H.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E19	each	1		
H.7	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9 or CD310-10.	E19	each	7		
Н	WAVELL AVENUE, Street Light Installation				Subtotal:	

Name of Bidder

FORM B: PRICES

(SEE B8)

UNIT PRICES ITEM **DESCRIPTION** SPEC. UNIT APPROX. **UNIT PRICE AMOUNT** REF. **QUANTITY** I LAIDLAW BOULEVARD, Street Light Installation 1.1 Removal of 25' to 35' street light pole and E19 each 18 precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances. 1.2 Installation of #4 AL C/N or 1/0 AL Triplex E19 873 each streetlight cable by open trench method. Installation of cable (#4 AL C/N or 1/0 AL 1.3 E19 each 42 Triplex) by boring method. 1.4 Installation of 25'/35' pole, davit arm and E19 18 each precast concrete base including luminaire and appurtenances. 1.5 Installation of one (1) 10' ground rod at end E19 5 each of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod. 1.6 Install / lower 3 m of Cable Guard, ground E19 each 2 lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5. 1.7 Connect 2/C #12 copper conductor street E19 each 18 light cables per Standard CD310-4, CD310-9 or CD310-10. LAIDLAW BOULEVARD, Street Light Installation I Subtotal:

FORM B: PRICES

(SEE B8)

UNIT PRI	ÇES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	SUMMARY							
PART 1	I CITY FUNDED WORK							
Α	GARWOOD AVENUE FROM STAFFORD ST Reconstruction	REET TO HO	USE #974	. Concrete	Subtotal:			
В	WAVELL AVENUE FROM CASEY STREET 1 Asphalt Reconstruction	Subtotal:						
С	LAIDLAW BOULEVARD FROM CORYDON A AVENUE, Asphalt Reconstruction	AVENUE TO N	MOUNTBA	ATTEN	Subtotal:			
D	DARWIN STREET FROM GLENTHORNE CR Pavement Rehabilitation	RESCENT TO	RIVER RO	OAD.	Subtotal:			
E	WALES AVENUE FROM DAKOTA STREET Rehabilitation	TO ST. ANNE	'S ROAD,	Pavement	Subtotal:			
F	MOORGATE STREET FROM PORTAGE AVI Pavement Rehabiliation	Subtotal:						
				(total	price) PART 1			
PART 2 (See B	MANITOBA HYDRO FUNDED V 9.5, B15.2.1, B16.4, D2, D14.2-3, D							
G	GARWOOD AVENUE, Street Light Installation	<u>on</u>			Subtotal:			
Н	WAVELL AVENUE, Street Light Installation				Subtotal:			
I	LAIDLAW BOULEVARD, Street Light Install	ation_			Subtotal:			
				(total	price) PART 2			
TOTAL BI	ID PRICE (GST extra)			(in figures)				
(in words)								

Name of Bidder

(Seal)

Template Version: C420130321 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS 1	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bine Principal and Surety bind themselves, their heir ntly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 289-2013		
2013 LOCAL STREET PACKAGE – GARW AND VARIOUS OTHER LOCATIONS	OOD AVENUE, LAIDLAW BOULEVARD, WAVELI	L AVENUE
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	(Seal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 289-2013 2013 LOCAL STREET PACKAGE - GARWOOD AVENUE, LAIDLAW BOULEVARD, WAVELL AVENUE AND VARIOUS OTHER LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) _____ (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department rials Management Division King Street, Main Floor ipeg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 289-2013
	2013 LOCAL STREET PACKAGE – GARWOOD AVENUE, LAIDLAW BOULEVARD, WAVELL AVENUE AND VARIOUS OTHER LOCATIONS
Pursu	uant to the request of and for the account of our customer,
(Name	of Bidder)
	HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
dema Letter paym dema The a it by y made	
We e	al drawings are permitted. Ingage with you that all demands for payment made within the terms and currency of this Standby Tof Credit will be duly honoured if presented to us at:
(Addre	ss)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 16, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	-
	(Authorized Signing Officer)