

**FORM A: BID**  
(See B8)

1. Contract Title 2013 Alley Renewal Program – Contract 1

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

(Choose one)

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>ST. JOHN'S AVE./ANDERSON AVE. ALLEY - POWERS ST TO ANDREWS</u></b> <b><u>(INCLUDING ANDERSON ST. EAST ALLEY AND POWERS ST. WEST ALLEY)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Excavation	CW 3110-R17	m <sup>3</sup>	995		
A.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	1700		
A.3	Crushed Sub-base Material	CW 3110-R17				
i)	100 mm		tonne	1800		
A.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	130		
A.5	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1730		
A.6	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	1730		
A.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	18		
	<b>ROADWORKS - RENEWALS</b>					
A.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m <sup>2</sup>	1700		
A.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	70		
A.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	220		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	38		
A.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	60		
A.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Integral)	SD-204	m	4		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Modified Barrier (180 mm reveal ht, Integral)	SD-203B	m	26		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	36		
A.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	3		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
A.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	1540		
A.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	3		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	3		
<b>PLAIN CONCRETE PAVEMENT</b>						
A.17	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type II		tonne	12		
A.18	Plain Concrete Pavement	E10	m <sup>2</sup>	135		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
A.19	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1		
A.20	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-025		each	1		
A.21	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 2 Backfill		each	2		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.23	Installation of Subdrains	CW 3120-R4 / E9	m	102		
<b>ADJUSTMENTS</b>						
A.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
<b>LANDSCAPING</b>						
A.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	65		
A.26	Seeding	CW 3520-R7	m <sup>2</sup>	260		
<b>A</b>	<b><u>ST. JOHN'S AVE./ANDERSON AVE. ALLEY - POWERS ST TO ANDREWS</u></b> <b><u>(INCLUDING ANDERSON ST. EAST ALLEY AND POWERS ST. WEST ALLEY)</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>ELM ST./MONTROSE ST. ALLEY - ACADEMY RD. TO WELLINGTON CR.</u></b> <b><u>(INCLUDING WELLINGTON CR. SOUTH ALLEY</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Excavation	CW 3110-R17	m <sup>3</sup>	660		
B.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	1120		
B.3	Crushed Sub-base Material	CW 3110-R17				
i)	100 mm		tonne	1210		
B.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	80		
B.5	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1120		
B.6	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	1120		
B.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	3		
	<b>ROADWORKS - RENEWALS</b>					
B.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m <sup>2</sup>	1090		
B.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	40		
B.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	150		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	15		
B.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	34		
B.13	Concrete Curb Installation	CW 3240-R10				

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier (150 mm reveal ht, Integral)	SD-204	m	2		
ii)	Modified Barrier (180 mm reveal ht, Integral)	SD-203B	m	19		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	13		
B.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	15		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
B.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	960		
B.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	8		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	4		
<b>PLAIN CONCRETE PAVEMENT</b>						
B.17	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type II		tonne	15		
B.18	Plain Concrete Pavement	E10	m <sup>2</sup>	90		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
B.19	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
B.20	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
B.21	Sewer Service (c/w video inspection)	CW 2130-R12				
i)	250 mm, PVC					

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.22	a) In a Trench, Class B Type 2 Bedding, Class 2 Backfill Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12	m	38		
B.23	i) 300 mm a) Class 2 Backfill Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12	each	1		
B.24	i) 300 mm a) Class 2 Backfill Connecting to Existing Catch Basin	CW 2130-R12	m	7		
B.25	i) 250 mm Drainage Connection Pipe Installation of Subdrains	CW 3120-R4 / E9	each	1		
B.26	Install Pre-cast Concrete Risers	CW 2130-R12	vert. m	0.3		
B.27	Abandoning Existing Steam Manhole	CW 2130-R12	each	2.0		
<b>ADJUSTMENTS</b>						
B.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
<b>LANDSCAPING</b>						
B.29	Sodding	CW 3510-R9				
	i) width < 600 mm		m <sup>2</sup>	35		
B.30	Seeding	CW 3520-R7	m <sup>2</sup>	100		
<b>B</b>	<b><u>ELM ST./MONTROSE ST. ALLEY - ACADEMY RD. TO WELLINGTON CR.</u></b> <b><u>(INCLUDING WELLINGTON CR. SOUTH ALLEY</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C</b>	<b><u>GARFIELD ST./SHERBURN ST. ALLEY - ELLICE AVE. TO SARGENT AVE.</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Excavation	CW 3110-R17	m <sup>3</sup>	1105		
C.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	2000		
C.3	Crushed Sub-base Material	CW 3110-R17				
i)	100 mm		tonne	2050		
C.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	140		
C.5	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1800		
C.6	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	1800		
C.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	13		
	<b>ROADWORKS - RENEWALS</b>					
C.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m <sup>2</sup>	2030		
C.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	40		
C.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	490		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	15		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	8		
C.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	24		
C.13	Concrete Curb Installation	CW 3240-R10				

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier (150 mm reveal ht, Integral)	SD-204	m	2		
ii)	Modified Barrier (180 mm reveal ht, Integral)	SD-203B	m	12		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	10		
C.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	3		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
C.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	1670		
C.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	6		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	3		
<b>PLAIN CONCRETE PAVEMENT</b>						
C.17	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type II		tonne	8		
C.18	Plain Concrete Pavement	E10	m <sup>2</sup>	285		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
C.19	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
C.20	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-025		each	1		
C.21	Sewer Service (c/w video inspection)	CW 2130-R12				
i)	250 mm, PVC					

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	107		
C.22	Installation of Subdrains	CW 3120-R4 / E9	m	90		
C.23	Install Pre-cast Concrete Risers	CW 2130-R12	vert. m	0.2		
<b>ADJUSTMENTS</b>						
C.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
C.25	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
<b>LANDSCAPING</b>						
C.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	20		
C.27	Seeding	CW 3520-R7	m <sup>2</sup>	220		
<b>C</b>	<b><u>GARFIELD ST./SHERBURN ST. ALLEY - ELLICE AVE. TO SARGENT AVE.</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>D</b>	<b><u>DOMINION ST./GARFIELD ST. ALLEY - ELLICE AVE. TO SARGENT AVE.</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Excavation	CW 3110-R17	m <sup>3</sup>	810		
D.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	1980		
D.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	1370		
D.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	145		
D.5	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1800		
D.6	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	50		
D.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	12		
	<b>ROADWORKS - RENEWALS</b>					
D.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m <sup>2</sup>	2070		
D.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	40		
D.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	530		
D.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	22		
D.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	24		
D.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Integral)	SD-204	m	2		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Modified Barrier (180 mm reveal ht, Integral)	SD-203B	m	12		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	10		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
D.14	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	1670		
D.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	6		
<b>PLAIN CONCRETE PAVEMENT</b>						
D.16	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type II		tonne	13		
D.17	Plain Concrete Pavement	E10	m <sup>2</sup>	310		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
D.18	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
D.19	Installation of Subdrains	CW 3120-R4 / E9	m	60		
<b>ADJUSTMENTS</b>						
D.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
<b>LANDSCAPING</b>						
D.21	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	22		
D.22	Seeding	CW 3520-R7	m <sup>2</sup>	165		
<b>D</b>	<b><u>DOMINION ST./GARFIELD ST. ALLEY - ELLICE AVE. TO SARGENT AVE.</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>E</b>	<b><u>SHERBURN ST./INGERSOLL ST. - YARWOOD AVE. TO GRUNDY AVE.</u></b>					
	<b>EARTH AND BASE WORKS</b>					
E.1	Excavation	CW 3110-R17	m <sup>3</sup>	335		
E.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	790		
E.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	600		
E.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	60		
E.5	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	780		
E.6	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	50		
E.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	7		
	<b>ROADWORKS - RENEWALS</b>					
E.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m <sup>2</sup>	900		
E.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	30		
E.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	190		
E.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
E.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	31		
E.13	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Integral)	SD-203B	m	24		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii) Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	7		
E.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	5		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
E.15	Concrete Pavements for Early Opening	CW 3310-R14				
	i) Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	700		
E.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
	i) Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	4		
	<b>PLAIN CONCRETE PAVEMENT</b>					
E.17	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
	i) Tie-ins and Approaches					
	a) Type II		tonne	8		
E.18	Plain Concrete Pavement	E10	m <sup>2</sup>	110		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
E.19	Remove and Replace Existing Catch Pit	CW 2130-R12				
	i) SD-023		each	1		
E.20	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
	i) 300 mm					
	a) Class 2 Backfill		each	1		
E.21	Installation of Subdrains	CW 3120-R4 / E9	m	60		
	<b>ADJUSTMENTS</b>					
E.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
	<b>LANDSCAPING</b>					

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	30		
E.24	Seeding	CW 3520-R7	m <sup>2</sup>	80		
<b>E</b>	<b><u>SHERBURN ST./INGERSOLL ST. - YARWOOD AVE. TO GRUNDY AVE.</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>F</b>	<b><u>SHERBURN ST./INGERSOLL ST. - GRUNDY AVE. TO NOTRE DAME AVE.</u></b> <b><u>(INCLUDING THE NOTRE DAME SOUTH ALLEY)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
F.1	Excavation	CW 3110-R17	m <sup>3</sup>	545		
F.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	1300		
F.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	920		
F.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	98		
F.5	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1260		
F.6	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	50		
F.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	6		
	<b>ROADWORKS - RENEWALS</b>					
F.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m <sup>2</sup>	1320		
F.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	70		
F.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	175		
F.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	23		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	14		
F.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	50		
F.13	Concrete Curb Installation	CW 3240-R10				

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier (150 mm reveal ht, Integral)	SD-204	m	2		
ii)	Modified Barrier (180 mm reveal ht, Integral)	SD-203B	m	28		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	20		
F.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	3		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
F.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	1140		
F.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	6		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	3		
<b>PLAIN CONCRETE PAVEMENT</b>						
F.17	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type II		tonne	22		
F.18	Plain Concrete Pavement	E10	m <sup>2</sup>	105		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
F.19	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2		
F.20	Sewer Service (c/w video inspection)	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	55		
F.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.22	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (PVC) Connecting Pipe					
a)	Connecting to 350 mm (AC) SRS Sewer		each	1		
F.23	Installation of Subdrains	CW 3120-R4 / E9	m	72		
<b>ADJUSTMENTS</b>						
F.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
<b>LANDSCAPING</b>						
F.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	50		
F.26	Seeding	CW 3520-R7	m <sup>2</sup>	160		
<b>F</b>	<b><u>SHERBURN ST./INGERSOLL ST. - GRUNDY AVE. TO NOTRE DAME AVE.</u></b> <b><u>(INCLUDING THE NOTRE DAME SOUTH ALLEY)</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>A</b>	<b><u>ST. JOHN'S AVE./ANDERSON AVE. ALLEY - POWERS ST TO ANDREWS</u></b> <b><u>(INCLUDING ANDERSON ST. EAST ALLEY AND POWERS ST. WEST ALLEY)</u></b>				Subtotal:	
<b>B</b>	<b><u>ELM ST./MONTROSE ST. ALLEY - ACADEMY RD. TO WELLINGTON CR.</u></b> <b><u>(INCLUDING WELLINGTON CR. SOUTH ALLEY)</u></b>				Subtotal:	
<b>C</b>	<b><u>GARFIELD ST./SHERBURN ST. ALLEY - ELLICE AVE. TO SARGENT AVE.</u></b>				Subtotal:	
<b>D</b>	<b><u>DOMINION ST./GARFIELD ST. ALLEY - ELLICE AVE. TO SARGENT AVE.</u></b>				Subtotal:	
<b>E</b>	<b><u>SHERBURN ST./INGERSOLL ST. - YARWOOD AVE. TO GRUNDY AVE.</u></b>				Subtotal:	
<b>F</b>	<b><u>SHERBURN ST./INGERSOLL ST. - GRUNDY AVE. TO NOTRE DAME AVE.</u></b> <b><u>(INCLUDING THE NOTRE DAME SOUTH ALLEY)</u></b>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____
(in words)					_____	
					_____	

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B11)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 552-2013

2013 Alley Renewal Program – Contract 1

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B11)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 552-2013

2013 Alley Renewal Program – Contract 1

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B11)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 552-2013  
2013 Alley Renewal Program – Contract 1

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 9, 2013

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)