



835-2013 ADDENDUM 1

FOR THE DESIGN AND CONSTRUCTION OF POOL MODIFICATIONS AT WESTDALE POOL

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: November 7, 2013
BY: Jackie Wilkie
TELEPHONE NO. (204) 956-0396

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20130301

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART A – BID SUBMISSION

Replace: 835-2013 Bid Submission with 835-2013 Addendum 1 - Bid Submission. The following is a summary of changes incorporated in the replacement Bid Submission:

Form B(R1): Added item lines to include Applicable MRST (PST), some item numbers have been renumbered as a result.

PART B – BIDDING PROCEDURES

Revise: B3.1 to read: Further to C3.1, the Bidder may make an appointment to view the Site by contacting the Site supervisor Darren Berg at 204-470-7783.

Revise: B8.1 to read: The Proposal shall consist of the following components:

- (a) Form A: Proposal;
- (b) Form B: Prices;
- (c) "Detailed Conceptual Design" as shown in B12;
- (d) "Project Work Plan" as shown in B13;
- (e) "Detailed Engineering Plan" as shown in B14;
- (f) Bid Security not required for this RFP.

Delete: B15, which is not required for this RFP.

PART E – SPECIFICATIONS

Revise: E25.2 to read: Concrete pool to have a maximum slope of 8.33% to meet Manitoba Health regulations. Contractor to submit 600x600mm samples of finish of pool bottom for review and approval by City and Manitoba Health.

Add: E35.1.2 (b) (iii) The City of Winnipeg Accessibility Design Standards with specific reference to ramps and pools.

Add: E36.1 (f) Contractor to provide first year winterizing and spring pool start-up with training sessions for City of Winnipeg staff. Sessions to include information on all mechanical and electrical

equipment, removal of and installation of climbing wall and required maintenance of pool
surfacing