



LOWER LEVEL - CRAWL SPACE - PLUMBING PLAN
1/8" = 1'-0"



MAIN LEVEL - ELECTRICAL ROOM - DRAINAGE PLAN
1/8" = 1'-0"

DRAWING NOTES


- ① WEeping TILE BY GENERAL CONTRACTOR
- ② 4" UP TO FD-1 IN NEW ELECTRICAL ROOM.
- ③ FIRESTOP PENETRATION THROUGH MASONRY WALL.
- ④ TIE NEW SANITARY INTO EXISTING 6" CAST IRON SERVICE
- ⑤ EXISTING SUMP DISCHARGE
- ⑥ TIE NEW 1 1/2" SUMP DISCHARGE INTO EXISTING 2" COPPER SUMP DISCHARGE
- ⑦ SP-1 (SUMP PUMP) INSTALLED INTO NEW PIT. PROVIDE 1-1/2" CHECK VALVE AND UNION ON PUMP DISCHARGE. SEE DETAIL ON THIS SHEET.



A SUMP PIT DETAIL
N.T.S.

WINNIPEG

Conditions of Use
Verify elevations and/or dimensions on drawing prior to use. Report any discrepancies to Dillon Consulting Limited.
Do not scale dimensions from drawing.
Do not modify drawing, re-use it, or use it for purposes other than those intended at the time of its preparation without prior written permission from Dillon Consulting Limited.



DESIGN	JDB	REVIEWED BY	PDT
DRAWN	JVH	CHECKED BY	JDB
DATE	JUN 15, 2013		
SCALE	AS NOTED		
No.	ISSUED FOR		
	DATE		
	BY		

PAN AM POOL ELECTRICAL UPGRADE

PROJECT NO.
137300

**MECHANICAL
PLUMBING PLANS**

SHEET NO.

M203