


NOTES:

- 1. SEE CONSULTANT DRAWING No. WB-E0512 MCC #1A & #1B SINGLE LINE DIAGRAM FOR 600V POWER DISTRIBUTION.
- 2. ALL 120V AND 208V LOADS ARE FED FROM LP-M11.
- 3. PROVIDE TRANSFORMER GROUNDING TO THE REQUIREMENT OF MANITOBA HYDRO. REFER TO DETAIL WB-E0456 FOR MINIMUM REQUIREMENT.
- 4. SEE CBD-M-4 FOR MISCELLANEOUS COMMUNICATION NET NEW MCC SECTIONS AND LCP-HIOB SUPPLIED BY CITY INSTALLATION BY CONTRACTOR.



SCALE 1:100 SCALE 1:1

FIRST FLOOR PROCESS PLAN



Certificate of Authorization **Dillon Consulting Limited (MB)** No. 1789 Date: 2015-01-26 NO. REVISIONS

ELEV. 06 ISSUED FOR BID OP. 1068-2014 15/01/23 BLM 14/06/13 BLM 05 ISSUED FOR TENDER 04 AS CONSTRUCTED 09/11/01 ACL 03 ISSUED FOR CONSTRUCTION 06/07/28 LL 02 742-2005 ADDENDUM 4 01 742-2005-ADDENDUM 3 00 ISSUED FOR TENDER

CHEMILL **EarthTech** Frederickson Cooper CHECKED BY APPROVED BY RELEASED FOR CONSTRUCTION BY: 1:100 SCALE: 06/03/29 LL DATE BY DATE 2005/06/30 DATE

ENGINEER'S SEAL MOORE J Jan 26/18 CONSULTANT DRAWING NO. WM-E0112

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT Winnipeg WATER AND WATER A

WATER TREATMENT PLANT GENERAL PLANT SERVICES/MISCELLANEOUS CITY FILE NUMBER MECHANICAL AND ELECTRICAL

ELECTRICAL ELECTRICAL ROOM AREA FIRST FLOOR PROCESS PLAN SHEET CITY DRAWING NUMBER 1-0601M-E0019-001-06