CITY OF WINNIPEG DRAWING TITLE DRAWING NUMBER NUMBER D-13515 DRAWING INDEX, DESIGN NOTES, LEGEND, & ABBREVIATIONS D-13465 ALLEGHENY DRIVE - EL OF ULSTER STREET TO 125M EEL OF ULSTER STREET D-13466 ALLEGHENY DRIVE - 125 EEL OF ULSTER STREET TO 200M EEL OF ULSTER STREET D-13467 BLANCHE AVENUE - WL OF DONCASTER STREET TO THE WL OF GRENADIER DRIVE (E LEG) D-13468 GRENADIER DRIVE (S LEG) - 170M EEL OF EDGELAND BOULEVARD TO 280M EEL OF EDGELAND BOULEVARD D-13469 GRENADIER DRIVE (E LEG) - 280M EEL OF EDGELAND BOULEVARD TO THE SL OF BLANCHE AVENUE D-13470 BOREHAM BOULEVARD (S LEG) - EL OF LAIDLAW BOULEVARD TO 125M EEL OF LAIDLAW BOULEVARD D-13471 BOREHAM BOULEVARD (E LEG) - 125 EEL OF LAIDLAW BOULEVARD TO THE WL OF MOUNTBATTEN AVENUE D-13472 ROW BETWEEN TUXEDO AVENUE AND EDGELAND BOULEVARD - WL OF TUXEDO AVENUE TO 100M EEL OF TUXEDO AVENUE 10 D-13473 ROW BETWEEN TUXEDO AVENUE AND EDGELAND BOULEVARD - 100M EEL OF TUXEDO AVENUE TO THE WL OF EDGELAND BOULEVARD

WASTE WATER SEWER WWS CS COMBINED SEWER LDS LAND DRAINAGE SEWER PROPERTY LINE CENTER LINE G.I.S. GEOGRAPHIC INFORMATION SYSTEM B.M. BENCH MARK TEST HOLE ELEV ELEVATION INV INVERT MIN MINIMUM MAX MAXIMUM STREET LIGHTING TRAFFIC SIGNALS ABAND ABANDONED BLDG BUILDING HSE HOUSE CRN CORNER OPP OPPOSITE C/S OR S/C CURB STOP MTS MANITOBA TELEPHONE SYSTEM R.O.W. RIGHT-OF-WAY WATERMAIN CULV CULVERT MANHOLE CB CATCH BASIN CURB INLET VERT. VERTICAL HORZ. HORIZONTAL I.B. IRON BAR **FIBRE** FIBRE OPTIC TYP TYPICAL X-ING CROSSING HYD HYDRANT **EXIST EXISTING** NORTH EAST SOUTH WEST WITH C/W CONSTRUCTED WITH CONC CONCRETE ASBESTOS CEMENT VC OR CLAY VITRIFIED CLAY CI CAST IRON DI DUCTILE IRON PVC POLYVINYL CHLORIDE HDPE HIGH DENSITY POLYETHYLENE PCCP PRESTRESSED CONCRETE CYLINDER PIPE

ABBREVIATIONS

LEGEND

DESCRIPTION

DESCRIPTION	EXISTING	PROPOSED		
WATER PIPE	·			
FIRE HYDRANT	- -	+		
VALVE	\otimes	8		
CURB STOP	- ه	<u>.</u>		
REDUCER	\triangleleft	•		
COUPLING OR SLIDDER	X	χ		
CROSS	毌	⊕		
BEND - 11.25*, 22.5*, 45*, 90*	H 서 서 댁	H H H T		
TEE	再	A		
VERTICAL BEND	H _	H _		
ANODE	₽	5		
REPAIR MARKER	♥			
PLUG	J	3		
SEWER PIPE				
MANHOLE	0	•		
CATCH BASIN				
CURB INLET	∇	▼		
	1	1 1		
JUNCTION				
	I I	I I		
€ DITCH	$\longrightarrow \hspace{0.1cm} \longrightarrow 0.1cm$	\longrightarrow \longrightarrow \longrightarrow		
CULVERT				
SURVEY BAR	+	±		
		T		
SURVEY MONUMENT	(A)			
TREE - DECIDUOUS				
INCL - DEGIDOOUS				
	STA			
TREE - CONIFEROUS				
	T# 34.			
HYDRO				
HYDRO POLE	•н			
LAMP STANDARD	•••			
HYDRO POLE W/STREET LIGHTING	H ⊕ ••			
	_			
POLE				
GUY ANCHOR	(
M.T.S. POLE	◆ M			
PEDESTAL OR BOX	\bowtie			
	<u> </u>			
CABINET				
M.T.S., SHAW, OR VIDEON	· · · · · ·	·		
TRAFFIC SIGNALS				
TRAFFIC LIGHT STANDARD	•>			
GAS				
STEAM				
FIBRE OPTIC				
FENCE	xx	xx		
EDGE OF PAVEMENT OR GUTTER				
EDGE UNPAVED OR GRAVEL ROAD				
凡				
PROJECTED PL				
LOT LINE				
SIDEWALK - PATHWAY				
EASEMENT				
EDGE OF BUILDING	(/////////////////////////////////////			
EDGE OF BUILDING				
MAII ROX	М			
	_			
	P			
TEST HOLE	•	�		
TREE LINE OR BUSH	~~~~~			
MAILBOX PARKING METER TEST HOLE	M P ★ •	*		
DESCRIPTION	PROFILE EXISTING	PROPOSED		
WATER PIPE				
	1			
WATER PIPE HYDRANT TOP	+	+		
	+	+		
HYDRANT TOP	+	+		
	+ 	+ X		
HYDRANT TOP VALVE	+ 	+ X		
HYDRANT TOP	+ 	+ 		
HYDRANT TOP VALVE		+ 		

PLAN VIEW

EXISTING

PROPOSED

HATCH PATTERNS

DRAWING INDEX

EXISTING PROPOSED DESCRIPTION EARTH OR GROUND ABOVE PIPE SAND OR OTHER FINE MATERIAL CONCRETE WASHED STONE OR GRANULAR MATERIAL INTERLOCKING STONE METAL GRAVEL OR STONE

CONSTRUCTION NOTES

- 1. EXPOSE EXISTING WATERMAIN & CONFIRM INVERTS PRIOR TO CONSTRUCTION.
- 2. LOCATION OF ALL SERVICES TO BE CONFIRMED IN THE FIELD.
- 3. INSTALL WATERMAIN BY TRENCHLESS METHODS.
- 4. TRENCHES & EXCAVATIONS BACKFILL SHALL BE CLASS 5 WITHIN BOULEVARD AND CLASS 3 WITHIN 1 METRE OF A PAVED AREA INCLUDING SIDEWALKS.
- 5. ALL MATERIALS SHALL CONFORM TO THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
- 6. MINIMUM COVER TO TOP OF WATERMAIN SHALL BE 2.4 m.
- 7. ALL GATE VALVES ARE COUNTER-CLOCKWISE TO OPEN W/ A BLACK OPERATING NUT UNLESS NOTED OTHERWISE
- 8. REPLACE ALL EXISTING LEAD SERVICES FROM PROPOSED WATERMAIN TO P.
- 9. WATER SERVICES ARE 19mm UNLESS OTHERWISE NOTED.
- 10. NOTIFY ALL AFFECTED RESIDENTS AND BUSINESSES 24 HOURS IN ADVANCE OF ANY WATER SHUTDOWNS OR DISRUPTION OF SERVICE.

	PROFILE	
DESCRIPTION	EXISTING	PROPOSED
WATER PIPE		
HYDRANT TOP	+	+
VALVE		X
TEE OR CROSS		0
COUPLING OR BEND		
REDUCER		
END OF PIPE	8	8
SEWER PIPE		
UNPAVED GROUND SURFACE		
AVED GROUND SURFACE — & PIPE	xx	
GUTTER (NORTH AND WEST)		
GUTTER (SOUTH AND EAST)		
© DITCH (NORTH AND WEST)	Δ	
ℚ DITCH (SOUTH AND EAST)	$\overline{\hspace{1cm}}$	
STRUCTURE		
MANHOLE OR CATCH BASIN		

LOCATION APPROVED UNDERGROUND STRUCTURES	B.M. ELEV.				LWS	1600 BUFFALO PLACE WINNIPEG, MB, R3T 6B8		
	CONSTRUCTION COMPLETION DATE: YYYY MM DD				PHONE: 204-477-6650 FAX: 204-474-2864 WWW.WSPGROUP.COM	SECULIA MANITOR		
SUPV. U/G STRUCTURES DATE							I. G.	
COMMITTEE					DESIGNED P.R.	CHECKED S.M.	REG MCKINNON E	
NOTE: LOCATION OF UNDERGROUND STRUCTURES AS					DRAWN BY P.R.	APPROVED I.McK.	PROFESSION	
SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN					SCALE:	RELEASED FOR		
LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.	2	BID OPPORTUNITY 293-2014	MARCH/14	P.R.	horizontal 1:250	CONSTRUCTION	CONSULTANT DRAWING NUMBER	
	1	DESIGN REVIEW W & W	MARCH/14	P.R.	vertical 1:50	S. COURNOYER, P. ENG	141 17405 00 00	
	NO.	REVISIONS	DATE	BY	DATE 2014 03 25	DATE 2014 03 21	141–13425–00–00	
			•		PLOT DATE: 2014 03 25		BID OPPORTUNITY: 293-2014	



THE CITY OF WINNIPEG

WATER AND WASTE DEPARTMENT ENGINEERING DIVISION

SHEET 1 OF 1

2014 WATERMAIN RENEWALS

INDEX PAGE

CITY DRAWING NUMBER D-13515