DRAWING INDEX

SHEET NUMBER	CITY OF WINNIPEG DRAWING NUMBER	DRAWING TITLE	
1		DRAWING INDEX, DESIGN NOTES, LEGEND, & ABBREVIATIONS	
2	D-13600	CARLTON STREET - 63 N OF ELLICE AVENUE TO ELLICE AVENUE	
3	D-13601	ELLICE AVENUE - CARLTON STREET TO HARGRAVE STREET	
4	D-13602	LANGSIDE STREET - 112 S OF BROADWAY TO BROADWAY	
5	D-13603	PORTAGE AVENUE - MARYLAND STREET TO SHERBROOK STREET	
6	D-13604	PORTAGE AVENUE - SHERBROOK STREET TO FURBY STREET	
7	D-13605	VICTOR STREET - ELLICE AVENUE TO 100 N OF ELLICE AVENUE	
8	D-13606	VICTOR STREET - 100 N OF ELLICE AVENUE TO 190 N OF ELLICE AVENUE	
9	D-13607	WOLSELEY AVENUE - 114 W OF MARYLAND STREET TO MARYLAND STREET	
10	D-13608	BERTHA STREET - MARKET AVENUE TO JAMES AVENUE	

ABBREVIATIONS

WWS	WASTE WATER SEWER
CS	COMBINED SEWER
LDS	LAND DRAINAGE SEWER
P	PROPERTY LINE
Ę.	CENTER LINE
G.I.S.	GEOGRAPHIC INFORMATION SYSTEM
B.M.	BENCH MARK
TH	TEST HOLE
ELEV	ELEVATION
INV	INVERT
MIN	MINIMUM
MAX	MAXIMUM
SL	STREET LIGHTING
TS	TRAFFIC SIGNALS
ABAND	ABANDONED
BLDG	
	BUILDING
HSE	HOUSE
CRN	CORNER
OPP	OPPOSITE
C/S OR S/C	CURB STOP
MTS	MANITOBA TELEPHONE SYSTEM
R.O.W.	RIGHT-OF-WAY
WM	WATERMAIN
CULV	CULVERT
МН	MANHOLE
СВ	CATCH BASIN
Cl	CURB INLET
VERT.	VERTICAL
HORZ.	HORIZONTAL
I.B.	IRON BAR
FIBRE	FIBRE OPTIC
TYP	TYPICAL
X-ING	CROSSING
HYD	HYDRANT
EXIST	EXISTING
N	NORTH
Ε	EAST
S	SOUTH
W	WEST
W/	WITH
C/W	CONSTRUCTED WITH
CONC	CONCRETE
AC	ASBESTOS CEMENT
VC OR CLAY	VITRIFIED CLAY
CI	CAST IRON
DI	DUCTILE IRON
PVC	POLYVINYL CHLORIDE
HDPE	HIGH DENSITY POLYETHYLENE
PCCP	PRESTRESSED CONCRETE CYLINDER PIPE
	— · · · · · · · · · · · · · · · · · · ·

LEGEND

DESCRIPTION	EXISTING	PROPOSED
WATER PIPE		
FIRE HYDRANT	- -	+
VALVE	▼ ⊗	τ ⊗
CURB STOP	ď	•
REDUCER	\triangleleft	4
COUPLING OR SLIDDER	X	x
CROSS	^ ⊕	Ð
BEND - 11.25°, 22.5°, 45°, 90°	н н ч ч н	н ч ч н
TEE		
VERTICAL BEND	Т	н
ANODE	₽	5
REPAIR MARKER	•	_
PLUG]	3
SEWER PIPE		
MANHOLE	0	•
CATCH BASIN		
CURB INLET	∇	▼
JUNCTION		 _ <u></u>
€ DITCH		
CULVERT		C=====
SURVEY BAR	-	•
SURVEY MONUMENT	(<u>.</u>
TREE - DECIDUOUS	$\langle \cdot \rangle$	O
TREE - CONIFEROUS		
HYDRO		
HYDRO POLE	•	
LAMP STANDARD	•H	
	H 	
HYDRO POLE W/STREET LIGHTING		
POLE	•	
GUY ANCHOR		
M.T.S. POLE	•M	
PEDESTAL OR BOX		
CABINET		
M.T.S., SHAW, OR VIDEON	· · · · · ·	··
TRAFFIC SIGNALS	_ · _ · _ · _	<u> </u>
TRAFFIC LIGHT STANDARD	•>	
GAS		
STEAM		
FIBRE OPTIC		
FENCE		
EDGE OF PAVEMENT OR GUTTER		
EDGE UNPAVED OR GRAVEL ROAD		
ዊ		
PROJECTED PL		
LOT LINE		
SIDEWALK — PATHWAY		
EASEMENT		
EDGE OF BUILDING		
MAILBOX	<i>V₂</i>	
PARKING METER	P	
TEST HOLE	<u>□</u>	A
TREE LINE OR BUSH	.	₩
INCL LINE OR DUST		

HYDRANT TOP VALVE TEE OR CROSS

DESCRIPTION

WATER PIPE

COUPLING OR BEND

REDUCER

END OF PIPE

€ DITCH (NORTH AND WEST)

€ DITCH (SOUTH AND EAST) STRUCTURE

MANHOLE OR CATCH BASIN

_ _ _ _ _ _ _ _ _ _ _ _ ----_ _ _ _ |_ _ _ _ _ ____ _ _ _ _ _ _ _ _ _

PROPOSED

EXISTING

SEWER PIPE UNPAVED GROUND SURFACE PAVED GROUND SURFACE - & PIPE GUTTER (NORTH AND WEST) GUTTER (SOUTH AND EAST)

Winnipeg

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT ENGINEERING DIVISION

2014 WATER RENEWALS CONTRACT 6 INDEX PAGE

SHEET 1 OF 10 CITY DRAWING NUMBER

ENGINEER'S SEAL ELEV.

LOCATION APPROVED UNDERGROUND STRUCTURES CONSTRUCTION COMPLETION DATE: YYYY MM DD ORIGINAL SIGNED BY S.R.J. SUPV. U/G STRUCTURES COMMITTEE DATE COURNOYER CHECKED BY DESIGNED 14-05-08 DRAWN APPROVED RS/MA/SM ΚZ LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL RELEASED FOR CONSTRUCTION SCALE: EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL HORIZONTAL 1:250 CONSULTANT DRAWING NUMBER 1:50 VERTICAL

DATE BY

CONSTRUCTION NOTES

1. EXPOSE EXISTING WATERMAIN & CONFIRM INVERTS PRIOR TO CONSTRUCTION. HATCH PATTERNS

NOTE:

SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

- 2. LOCATION OF ALL SERVICES TO BE CONFIRMED IN THE FIELD.
- 3. INSTALL WATERMAIN BY TRENCHLESS METHODS.
- 4. TRENCHES AND EXCAVATIONS WITHIN 1 METRE OF A PAVED AREA INCLUDING SIDEWALKS SHALL BE CLASS 3 BACKFILL.
- 5. ALL MATERIALS SHALL CONFORM TO THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.

REVISIONS

- 6. MINIMUM COVER TO TOP OF WATERMAIN SHALL BE 2.4 m.
- 7. REPLACE ALL EXISTING LEAD SERVICES FROM PROPOSED WATERMAIN TO P.
- 8. NOTIFY ALL AFFECTED RESIDENTS AND BUSINESSES 24 HOURS IN ADVANCE OF ANY WATER SHUTDOWNS OR DISRUPTION OF SERVICE.

CONCRETE WASHED STONE OR GRANULAR MATERIAL INTERLOCKING STONE METAL

DESCRIPTION

EARTH OR GROUND ABOVE PIPE

SAND OR OTHER FINE MATERIAL

EXISTING

PROPOSED

GRAVEL OR STONE

2014 05 07 DATE DATE PLOT DATE: 2014 05 07

BID OPPORTUNITY: 372-2014 CONTRACT NUMBER: 6

FILE PATH: R:\DRAWINGS\WATER\RENEWAL\2014_RENEWALS\CONTRACT 6\
FILE NAME: CONTRACT 6- INDEX.dwg

CITY DRAWING NUMBER