

**FORM A: BID**  
(See B9)

1. Contract Title Streets Maintenance Preservation Program 2014 – Asphalt Overlays and Concrete Pavement Preservations

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

(Choose one)

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	_____
_____		_____	_____
_____		_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>WB BISHOP GRANDIN BLVD FROM PEMBINA OVERPASS TO WAVERLEY ST</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Supplying and Placing Base Course Material	CW 3110-R18	m <sup>3</sup>	10		
A.2	Grading of Boulevards	CW 3110-R18	m <sup>2</sup>	1500		
A.3	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	100		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
A.4	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m <sup>2</sup>	960		
A.5	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	200		
A.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	5		
ii)	230 mm Concrete Pavement (Type B)		m <sup>2</sup>	25		
iii)	230 mm Concrete Pavement (Type D)		m <sup>2</sup>	20		
A.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	990		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	10		
ii)	230 mm Concrete Pavement (Type B)		m <sup>2</sup>	150		
iii)	230 mm Concrete Pavement (Type C)		m <sup>2</sup>	10		
iv)	230 mm Concrete Pavement (Type D)		m <sup>2</sup>	200		
A.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
ii)	28.6 mm Diameter		each	550		
A.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	200		
ii)	25 M Deformed Tie Bar		each	550		
A.11	Partial Depth Concrete Repairs	E8	m <sup>2</sup>	160		
A.12	Supply and Installation of Dowel Assemblies	CW 3310-R15	m	280		
A.13	Concrete Curb Renewal	CW 3240-R10				
i)	Mountable Curb (120 mm reveal ht Integral)	SD-201	m	200		
<b>ROADWORK - NEW CONSTRUCTION</b>						
A.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R15				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	960		
<b>ADJUSTMENTS</b>						
A.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
<b>LANDSCAPING</b>						
A.16	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	1500		
<b>A</b>	<b><u>WB BISHOP GRANDIN BLVD FROM PEMBINA OVERPASS TO WAVERLEY ST</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>SB WILLIAM R CLEMENT PW FROM ROBLIN BLVD TO GRANT AVE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Grading of Boulevards	CW 3110-R18	m <sup>2</sup>	200		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
B.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	60		
B.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	2		
B.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	280		
B.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type D)		m <sup>2</sup>	60		
B.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
ii)	28.6 mm Diameter		each	120		
B.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	50		
ii)	25 M Deformed Tie Bar		each	120		
B.8	Partial Depth Concrete Repairs	E8	m <sup>2</sup>	5		
B.9	Supply and Installation of Dowel Assemblies	CW 3310-R15	m	25		
B.10	Concrete Curb Renewal	CW 3240-R10				
i)	Mountable Curb (120 mm reveal ht Integral)	SD-201	m	15		
<b>B</b>	<b><u>SB WILLIAM R CLEMENT PW FROM ROBLIN BLVD TO GRANT AVE</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C</b>	<b><u>WB BISHOP GRANDIN BLVD FROM LAGIMODIERE BLVD TO 345M W OF LAGIMODIERE BLVD</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Supplying and Placing Base Course Material	CW 3110-R18	m <sup>3</sup>	35		
C.2	Grading of Boulevards	CW 3110-R18	m <sup>2</sup>	700		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
C.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	10		
ii)	230 mm Concrete Pavement (Type B)		m <sup>2</sup>	65		
C.4	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	50		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	50		
C.6	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	800		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	55		
C.7	Construction of Asphalt Patches	CW 3410-R10	m <sup>2</sup>	80		
C.8	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	35		
ii)	0 - 50 mm Depth (Concrete)		m <sup>2</sup>	35		
	<b>JOINT AND CRACK SEALING</b>					
C.9	Reflective Crack Maintenance	CW 3250-R7	m	450		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>LANDSCAPING</b>					
C.10	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	700		
<b>C</b>	<b><u>WB BISHOP GRANDIN BLVD FROM LAGIMODIERE BLVD TO 345M W OF LAGIMODIERE BLVD</u></b>				Subtotal:	
<b>D</b>	<b><u>SB ST. MARY'S RD FROM 231 N OF VAN HULL WAY TO 19M S OF REDVIEW DR</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Supplying and Placing Base Course Material	CW 3110-R18	m <sup>3</sup>	10		
D.2	Grading of Boulevards	CW 3110-R18	m <sup>2</sup>	210		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
D.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	20		
ii)	230 mm Concrete Pavement (Type C)		m <sup>2</sup>	50		
D.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	40		
ii)	28.6 mm Diameter		each	55		
D.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	40		
ii)	25 M Deformed Tie Bar		each	90		
D.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m <sup>2</sup>	15		
ii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	35		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	40		
c)	Greater than 20 sq.m.		m <sup>2</sup>	30		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	40		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	10		
iv)	Splash Strip (150 mm reveal ht, Monolithic Modified Barrier Curb, 750 mm width)	SD-223A	m	140		
D.8	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	1650		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
D.9	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	40		
ii)	0 - 50 mm Depth (Concrete)		m <sup>2</sup>	165		
D.10	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	8		
	<b>JOINT AND CRACK SEALING</b>					
D.11	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	<b>ADJUSTMENTS</b>					
D.12	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
D.13	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
iii)	64 mm		each	1		
D.14	Adjustment of Valve Boxes	CW 3210-R7	each	2		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.15	Valve Box Extensions	CW 3210-R7	each	2		
D.16	Installation of City Provided CGI Risers	E10	each	5		
<b>LANDSCAPING</b>						
D.17	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	210		
<b>D</b>	<b><u>SB ST. MARY'S RD FROM 231 N OF VAN HULL WAY TO 19M S OF REDVIEW DR</u></b>				Subtotal:	
<b>E</b>	<b><u>SHERBROOK ST FROM NOTRE DAME AVE TO WILLIAM AVE</u></b>					
<b>EARTH AND BASE WORKS</b>						
E.1	Supplying and Placing Base Course Material	CW 3110-R18	m <sup>3</sup>	10		
<b>ROADWORK - REMOVALS/RENEWALS</b>						
E.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	20		
E.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	15		
ii)	230 mm Concrete Pavement (Type B)		m <sup>2</sup>	10		
iii)	230 mm Concrete Pavement (Type C)		m <sup>2</sup>	5		
iv)	230 mm Concrete Pavement (Type D)		m <sup>2</sup>	10		
E.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	25		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	20		
ii)	230 mm Concrete Pavement (Type B)		m <sup>2</sup>	60		
iii)	230 mm Concrete Pavement (Type C)		m <sup>2</sup>	5		
iv)	230 mm Concrete Pavement (Type D)		m <sup>2</sup>	10		
E.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	100		
ii)	28.6 mm Diameter		each	200		
E.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	150		
ii)	25 M Deformed Tie Bar		each	300		
E.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	40		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	80		
ii)	Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	350		
E.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	20		
b)	3 m to 30 m		m	90		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	36		
E.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	100		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.11	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
	i) Main Line Paving					
	a) Type IA		tonne	1300		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	120		
E.12	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Concrete)		m <sup>2</sup>	100		
E.13	Partial Depth Planing of Existing Joints	E13	m <sup>2</sup>	50		
E.14	Asphalt Patching of Partial Depth Joints	E13	m <sup>2</sup>	50		
E.15	Detectable Warning Surface Tiles	CW 3326-R1				
	i) 610 mm X 1220 mm		each	8		
	<b>JOINT AND CRACK SEALING</b>					
E.16	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	<b>ADJUSTMENTS</b>					
E.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
E.18	Lifter Rings	CW 3210-R7				
	i) 38 mm		each	1		
	ii) 51 mm		each	6		
	iii) 64 mm		each	2		
E.19	Adjustment of Valve Boxes	CW 3210-R7	each	2		
E.20	Valve Box Extensions	CW 3210-R7	each	3		
E.21	Installation of City Provided CGI Risers	E10	each	4		
	<b>LANDSCAPING</b>					
E.22	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	250		
<b>E</b>	<b><i>SHERBROOK ST FROM NOTRE DAME AVE TO WILLIAM AVE</i></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
A	<u>WB BISHOP GRANDIN BLVD FROM PEMBINA OVERPASS TO WAVERLEY ST</u>				Subtotal:	
B	<u>SB WILLIAM R CLEMENT PW FROM ROBLIN BLVD TO GRANT AVE</u>				Subtotal:	
C	<u>WB BISHOP GRANDIN BLVD FROM LAGIMODIERE BLVD TO 345M W OF LAGIMODIERE BLVD</u>				Subtotal:	
D	<u>SB ST. MARY'S RD FROM 231 N OF VAN HULL WAY TO 19M S OF REDVIEW DR</u>				Subtotal:	
E	<u>SHERBROOK ST FROM NOTRE DAME AVE TO WILLIAM AVE</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B12)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 542-2014

Streets Maintenance Preservation Program 2014 – Asphalt Overlays and Concrete Pavement Preservations

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B12)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

**BID OPPORTUNITY NO. 542-2014**

**Streets Maintenance Preservation Program 2014 – Asphalt Overlays and Concrete Pavement Preservations**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B12)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 542-2014

Streets Maintenance Preservation Program 2014 – Asphalt Overlays and Concrete Pavement Preservations

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 16, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)