

**FORM A: BID**  
(See B8)

1. Contract Title SUPPLY AND DELIVERY OF VANS AND SPORT UTILITY VEHICLES

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Choose one)

\_\_\_\_\_  
GST Registration Number (if applicable)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
(See B9)

**SUPPLY AND DELIVERY OF VANS AND SPORT UTILITY VEHICLES**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	Full Size RWD Cargo Van 8600 GVWR	14019	Each	2	
1a.	Full Size RWD Cargo Van 8600 GVWR w/Option 1: Side and Rear Windows	14019	Each	1	
2.	Full Size RWD Cargo Van 7300 GVWR	14020	Each	1	
3.	Full Size AWD Cargo Van 7300 GVWR	14023	Each	1	
4.	Full Size 4WD SUV	14024	Each	2	
5.	High Roof Cargo Van 8600 GVWR	14029	Each	1	

\_\_\_\_\_  
Name of Bidder

**FORM N: DETAILED SPECIFICATIONS 14019**  
**Cargo Van 8600 GVWR**

**DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **Cargo Van** and other Equipment and features as specified herein.
- 1.2 The Cargo Van shall be a new 2014 model year or newer.
- 1.3 The Cargo Van and all other items/components shall be the manufacturer's latest models. The vehicle shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the vehicle into successful operation shall be furnished as though specifically mentioned in these specifications. The complete vehicle, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **Cargo Van** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Manitoba Motor Vehicle Act = <http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm>

Canadian Motor Vehicle Safety Standards, CMVSS = <http://www.gnb.ca/0062/regs/83-163.htm>

Transport Canada = <http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html>

National Safety Mark, NSM = <http://www.tc.gc.ca/actsregulations/GENERAL/M/mvsa/regulations/mvsrg/001/mvsr3-5.html>

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = <http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.pHP> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = [http://en.wikipedia.org/wiki/Society\\_of\\_Automotive\\_Engineers](http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers)

City of Winnipeg Lighting Visibility Standard= <http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

### **3.0 SERVICE FACILITY**

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

### **4.0 REFERENCES**

4.1 The bidder should provide five (5) Canadian references using similar equipment in similar City of Winnipeg working environment:

---

---

---

---

---

### **5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

### **6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions). \_\_\_\_\_

### **7.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR**

7.1 The manufacturer of the equipment shall have five (5) years continuous experience manufacturing Cargo Vans. \_\_\_\_\_

7.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry. \_\_\_\_\_

### **8.0 NATIONAL SAFETY MARK- (IF APPLICABLE)**

8.1 In Canada, modification to new vehicles can only be done at facilities that are recognized by Transport Canada. All of these facilities must have a National Safety Mark from Transport Canada. Transport Canada National Safety Mark is a label that indicates that the modifications are compliant with all current Canadian Motor Vehicle Safety Standards (CMVSS) \_\_\_\_\_

**STATE (NSM) #-** \_\_\_\_\_

**9.0 MANITOBA SAFETY INSPECTION- (IF APPLICABLE)**

9.1 The vehicles shall be complete with a current Manitoba Safety Sticker affixed to the driver's side vent window. \_\_\_\_\_

**10.0 MAKE AND MODEL**

10.1 **State** make and model of vehicle bid  
\_\_\_\_\_  
\_\_\_\_\_

**11.0 SPECIFICATIONS**

11.1 Exterior Colour: Summit White

11.2 Interior Colour: Medium Pewter w/Custom Cloth Seat Trim \_\_\_\_\_

11.3 Seats: Front Reclining High Back Bucket Seats \_\_\_\_\_

11.4 Front armrests - driver and passenger \_\_\_\_\_

11.5 Wheels: Steel, **State size** \_\_\_\_\_

11.6 Engine: V8 EFI, gasoline capable of towing 7000lbs., **State size** \_\_\_\_\_

11.7 Transmission: 4-Speed Automatic \_\_\_\_\_

11.8 GVWR: 8,600 lbs. \_\_\_\_\_

11.9 Axle Ratio Rear capable of towing 7000lbs, **State Ratio** \_\_\_\_\_

11.10 Tires: Front All-Season, **State size** \_\_\_\_\_

11.11 Tires: Rear All-Season, **State size** \_\_\_\_\_

11.12 Tires: Spare full size, **State size** \_\_\_\_\_

11.13 Two Passenger Seating \_\_\_\_\_

11.14 Radio: AM/FM/CD Blue Tooth Hands free capability Wireless phone connectivity \_\_\_\_\_

11.15 Amp Alternator upgraded heavy duty, **State Amperage** \_\_\_\_\_

11.16 Heavy Duty Rear Locking or Limited Slip Differential \_\_\_\_\_

11.17 Black Heated Power-Adjustable Exterior Mirrors \_\_\_\_\_

11.18 Driver and Passenger Air Conditioning \_\_\_\_\_

11.19 Security System \_\_\_\_\_

11.20 Rear View Camera \_\_\_\_\_

11.21 Rear Park Assist w/Audible Warning \_\_\_\_\_

11.22 Airbags, frontal - driver and front passenger \_\_\_\_\_

11.23 Airbag occupancy sensor \_\_\_\_\_

11.24 Side impact beams \_\_\_\_\_

11.25 Traction control – ABS \_\_\_\_\_

- 11.26 In-Vehicle Communications and Assistance Service \_\_\_\_\_
- 11.27 Stolen vehicle tracking \_\_\_\_\_
- 11.28 Height adjustable safety belts – front \_\_\_\_\_
- 11.29 Headlights – halogen \_\_\_\_\_
- 11.30 Exterior light control - fully automatic \_\_\_\_\_
- 11.31 Delay off headlamps \_\_\_\_\_
- 11.32 Daytime running lights \_\_\_\_\_
- 11.33 Illuminated entry \_\_\_\_\_
- 11.34 Three (3) Remote keyless entry – key fobs \_\_\_\_\_
- 11.35 Three (3) sets of Ignition keys \_\_\_\_\_
- 11.36 Panic alarm \_\_\_\_\_
- 11.37 Door locks - power with 2 stage unlock \_\_\_\_\_
- 11.38 Ignition disable \_\_\_\_\_
- 11.39 Brakes - 4-wheel disc \_\_\_\_\_
- 11.40 Anti-lock brakes (ABS) - 4-wheel \_\_\_\_\_
- 11.41 Drive type – (RWD) Rear Wheel Drive \_\_\_\_\_
- 11.42 Engine block heater routed through front grille \_\_\_\_\_
- 11.43 Exhaust - stainless steel \_\_\_\_\_
- 11.44 Steering - rack & pinion \_\_\_\_\_
- 11.45 Suspension suitable for towing 7000 lbs. trailer \_\_\_\_\_
- 11.46 Front suspension - short and long arm \_\_\_\_\_
- 11.47 Battery - 12-volt with run down protection upgraded CCA \_\_\_\_\_
- 11.48 Rear suspension – leaf suitable for towing a 7000 lbs. trailer \_\_\_\_\_
- 11.49 Stability enhancement system \_\_\_\_\_
- 11.50 Antenna – fixed \_\_\_\_\_
- 11.51 Body material - fully galvanized steel \_\_\_\_\_
- 11.52 Tinted windows – deep front driver and passenger \_\_\_\_\_
- 11.53 Sun visor strip \_\_\_\_\_
- 11.54 Windshield wipers - front - variable intermittent winter type with boot \_\_\_\_\_
- 11.55 Rear windshield type – vented \_\_\_\_\_
- 11.56 Front bumper – chrome \_\_\_\_\_
- 11.57 Rear bumper – chrome \_\_\_\_\_
- 11.58 Rear step bumper \_\_\_\_\_

11.59	Grille trim – chrome	
11.60	Cruise control	_____
11.61	12V DC power outlet – 2	_____
11.62	Vinyl floor	_____
11.63	Volt gauge	_____
11.64	Rear Heat in cargo area	_____
11.65	Cup holders – front	_____
11.66	Door bins – dual	_____
11.67	Floor mats - rubber front & rear	_____
11.68	Front windows – power	_____
11.69	Express down – driver	_____
11.70	Headliner – cloth	_____
11.71	Instrumentation – analog	_____
11.72	Oil pressure gauge	_____
11.73	Driver information Centre	_____
11.74	Tachometer	_____
11.75	Trip computer	_____
11.76	Trip odometer	_____
11.77	Water temp gauge	_____
11.78	Low fuel warning	_____
11.79	Low tire pressure warning	_____
11.80	Service interval warning	_____
11.81	Exterior temperature	_____
11.82	Lighting - map lights - front & rear	_____
11.83	Lighting - dome light – regular	_____
11.84	Interior Lighting	_____
11.85	Mirrors - rear view mirror - day-night	_____
11.86	Retained accessory power	_____
11.87	Seatback storage pockets – 2	_____
11.88	Tilt-Wheel adjustable steering column	_____
11.89	Steering wheel material – urethane	_____
11.90	6-Way Power Driver Seat Adjuster	_____

11.91 Towing provisions with 7000 lbs towing capacity . Tow package: Class IV c/w receiver hitch, trailer plug wiring, transmission cooler, heavy duty radiator, electronic brake controller, and trailer sway control

11.92 Mirrors – dual remote power heated mirrors

11.93 Cargo Door- passenger side sliding door (no windows)

11.94 Rear cargo door - split swing-out (no windows)

**Cargo Door Options:**

Note: Options to be priced only as indicated on Form B: Prices.

11.95 Option 1: Cargo Door- passenger side sliding door (with windows)  
Rear cargo door - split swing-out (with windows)

**12.0 WARRANTY**

12.1 Basic - 36 months/60,000 km New Vehicle Limited Warranty coverage

12.2 Powertrain limited - 60 months/100,000 km Powertrain component warranty

12.3 Corrosion rust-through - 60 months/100,000 km

12.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included (Courtesy transportation - 60 months /100,000 km)

12.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information.

**13.0 DELIVERY**

13.1 Delivery Point- The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.

13.2 Delivery Time Within **(24) twenty-four calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days.

13.3 Delivery Contact The Contractor shall contact the Contract Administrator prior to delivery of the equipment.

13.4 P.D.I A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

**14.0 MANUALS**

14.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available.

14.2 The following manuals shall be supplied with the units when delivered:

i) Operator's manual – One (1) per unit

**FORM N: DETAILED SPECIFICATIONS 14020**  
**Cargo Van 7300 GVWR**

**DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **Cargo Van** and other Equipment and features as specified herein.
- 1.2 The Cargo Van shall be a new 2014 model year or newer.
- 1.3 The Cargo Van and all other items/components shall be the manufacturer's latest models. The vehicle shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the vehicle into successful operation shall be furnished as though specifically mentioned in these specifications. The complete vehicle, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **Cargo Van** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.php>

Manitoba Motor Vehicle Act = <http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm>

Canadian Motor Vehicle Safety Standards, CMVSS = <http://www.gnb.ca/0062/regs/83-163.htm>

Transport Canada = <http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html>

National Safety Mark, NSM = <http://www.tc.gc.ca/actsregulations/GENERAL/M/mvsa/regulations/mvsrg/001/mvsr3-5.html>

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = <http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = [http://en.wikipedia.org/wiki/Society\\_of\\_Automotive\\_Engineers](http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers)

City of Winnipeg Lighting Visibility Standard = <http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

**3.0 SERVICE FACILITY**

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

**4.0 REFERENCES**

4.1 The bidder should provide five (5) Canadian references using similar equipment in similar City of Winnipeg working environment:

---

---

---

---

---

**5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

**6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions). \_\_\_\_\_

**7.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR**

7.1 The manufacturer of the equipment shall have five (5) years continuous experience manufacturing Cargo Vans. \_\_\_\_\_

7.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry. \_\_\_\_\_

**8.0 NATIONAL SAFETY MARK- (IF APPLICABLE)**

8.1 In Canada, modification to new vehicles can only be done at facilities that are recognized by Transport Canada. All of these facilities must have a National Safety Mark from Transport Canada. Transport Canada National Safety Mark is a label that indicates that the modifications are compliant with all current Canadian Motor Vehicle Safety Standards (CMVSS) \_\_\_\_\_

**STATE (NSM) #-** \_\_\_\_\_

**9.0 MANITOBA SAFETY INSPECTION- (IF APPLICABLE)**

9.1 The vehicles shall be complete with a current Manitoba Safety Sticker affixed to the driver's side vent window. \_\_\_\_\_

**10.0 MAKE AND MODEL**

10.1 **State** make and model of vehicle bid  
\_\_\_\_\_  
\_\_\_\_\_

**11.0 SPECIFICATIONS**

11.1 Exterior Colour: Summit White \_\_\_\_\_

11.2 Interior Colour: Medium Pewter w/Custom Cloth Seat Trim \_\_\_\_\_

11.3 Seats: Front Reclining High Back Bucket Seats \_\_\_\_\_

11.4 Front armrests - driver and passenger \_\_\_\_\_

11.5 Wheels: Steel, **State size** \_\_\_\_\_

11.6 Engine: V8 EFI, gasoline, capable of towing 5000lbs., **State Size** \_\_\_\_\_

11.7 Transmission: Electronic 4-Speed Automatic w/Overdrive \_\_\_\_\_

11.8 GVWR: 7,300 lbs. \_\_\_\_\_

11.9 Axle Ratio Rear capable of towing 5000lbs, **State Ratio** \_\_\_\_\_

11.10 Tires: Front All-Season, **State size** \_\_\_\_\_

11.11 Tires: Rear All-Season, **State size** \_\_\_\_\_

11.12 Tires: Spare full size, **State size** \_\_\_\_\_

11.13 Two Passenger Seating \_\_\_\_\_

11.14 Radio: AM/FM/CD Blue Tooth Hands free capability Wireless phone connectivity \_\_\_\_\_

11.15 Amp Alternator upgraded heavy duty, **State Amperage** \_\_\_\_\_

11.16 Heavy Duty Rear Locking or Limited Slip Differential \_\_\_\_\_

11.17 Black Heated Power-Adjustable Exterior Mirrors \_\_\_\_\_

11.18 Driver and Passenger Air Conditioning \_\_\_\_\_

11.19 Security System \_\_\_\_\_

11.20 Rear View Camera \_\_\_\_\_

11.21 Rear Park Assist w/Audible Warning \_\_\_\_\_

11.22 Airbags, frontal - driver and front passenger \_\_\_\_\_

11.23 Airbag occupancy sensor \_\_\_\_\_

11.24 Side impact beams \_\_\_\_\_

- 11.25 Traction control - ABS and driveline
- 11.26 In-Vehicle Communications and Assistance Service
- 11.27 Stolen vehicle tracking
- 11.28 Height adjustable safety belts – front
- 11.29 Headlights – halogen
- 11.30 Exterior light control - fully automatic
- 11.31 Delay off headlamps
- 11.32 Daytime running lights
- 11.33 Illuminated entry
- 11.34 Three (3) Remote keyless entry – key fobs
- 11.35 Three (3) sets of Ignition keys
- 11.36 Panic alarm
- 11.37 Door locks - power with 2 stage unlock
- 11.38 Ignition disable
- 11.39 Brakes - 4-wheel disc
- 11.40 Anti-lock brakes (ABS) - 4-wheel
- 11.41 Drive type – (RWD) Rear Wheel Drive
- 11.42 Engine block heater routed through front grille
- 11.43 Exhaust - stainless steel
- 11.44 Steering - rack & pinion
- 11.45 Front suspension - short and long arm
- 11.46 Battery - 12-volt with run down protection upgraded CCA
- 11.47 Stability enhancement system
- 11.48 Antenna – fixed
- 11.49 Body material - fully galvanized steel
- 11.50 Tinted windows – deep front driver and passenger
- 11.51 Sun visor strip
- 11.52 Windshield wipers - front - variable intermittent winter type with boot
- 11.53 Rear windshield type – vented
- 11.54 Front bumper – chrome
- 11.55 Rear bumper – chrome
- 11.56 Rear step bumper
- 11.57 Grille trim – chrome

- 11.58 Cargo Door- passenger side sliding door (no windows) \_\_\_\_\_
- 11.59 Rear cargo door - split swing-out (no windows) \_\_\_\_\_
- 11.60 Cruise control \_\_\_\_\_
- 11.61 12V DC power outlet – 2 \_\_\_\_\_
- 11.62 Vinyl floor \_\_\_\_\_
- 11.63 Volt gauge \_\_\_\_\_
- 11.64 Rear Heat in cargo area \_\_\_\_\_
- 11.65 Cup holders – front \_\_\_\_\_
- 11.66 Door bins – dual \_\_\_\_\_
- 11.67 Floor mats - rubber front & rear \_\_\_\_\_
- 11.68 Front windows – power, Express down – driver \_\_\_\_\_
- 11.69 Headliner – cloth \_\_\_\_\_
- 11.70 Oil pressure gauge \_\_\_\_\_
- 11.71 Driver information Centre \_\_\_\_\_
- 11.72 Tachometer \_\_\_\_\_
- 11.73 Trip computer \_\_\_\_\_
- 11.74 Trip odometer \_\_\_\_\_
- 11.75 Water temp gauge \_\_\_\_\_
- 11.76 Low fuel warning \_\_\_\_\_
- 11.77 Low tire pressure warning \_\_\_\_\_
- 11.78 Service interval warning \_\_\_\_\_
- 11.79 Exterior temperature \_\_\_\_\_
- 11.80 Lighting - map lights - front & rear \_\_\_\_\_
- 11.81 Lighting - dome light – regular \_\_\_\_\_
- 11.82 Interior Lighting \_\_\_\_\_
- 11.83 Mirrors - rear view mirror - day-night \_\_\_\_\_
- 11.84 Retained accessory power \_\_\_\_\_
- 11.85 Seatback storage pockets – 2 \_\_\_\_\_
- 11.86 Tilt-Wheel adjustable steering column \_\_\_\_\_
- 11.87 Steering wheel material – urethane \_\_\_\_\_
- 11.88 6-Way Power Driver Seat Adjuster \_\_\_\_\_
- 11.89 Bulkhead divider \_\_\_\_\_
- 11.90 Swing- Out ladder rack \_\_\_\_\_

**12.0 WARRANTY**

- 12.1 Basic - 36 months/60,000 km New Vehicle Limited Warranty coverage \_\_\_\_\_
- 12.2 Powertrain limited - 60 months/100,000 km Powertrain component warranty \_\_\_\_\_
- 12.3 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 12.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included (Courtesy transportation - 60 months /100,000 km) \_\_\_\_\_
- 12.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_

**13.0 DELIVERY**

- 13.1 Delivery Point- The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. \_\_\_\_\_
- 13.2 Delivery Time Within **(24) twenty-four calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. \_\_\_\_\_
- 13.3 Delivery Contact The Contractor shall contact the Contract Administrator prior to delivery of the equipment. \_\_\_\_\_
- 13.4 P.D.I A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list \_\_\_\_\_

**14.0 MANUALS**

- 14.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. \_\_\_\_\_
- 14.2 The following manuals shall be supplied with the units when delivered:  
i) Operator's manual – One (1) per unit \_\_\_\_\_

**FORM N: DETAILED SPECIFICATIONS 14023**  
**Cargo Van (AWD) 7300 GVWR**

**DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **Cargo Van** and other Equipment and features as specified herein.
- 1.2 The Cargo Van shall be a new 2014 model year or newer.
- 1.3 The Cargo Van and all other items/components shall be the manufacturer's latest models. The vehicle shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the vehicle into successful operation shall be furnished as though specifically mentioned in these specifications. The complete vehicle, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **Cargo Van** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Manitoba Motor Vehicle Act = <http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm>

Canadian Motor Vehicle Safety Standards, CMVSS = <http://www.gnb.ca/0062/regs/83-163.htm>

Transport Canada = <http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html>

National Safety Mark, NSM = <http://www.tc.gc.ca/actsregulations/GENERAL/M/mvsa/regulations/mvsrg/001/mvsr3-5.html>

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = <http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.pHP> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = [http://en.wikipedia.org/wiki/Society\\_of\\_Automotive\\_Engineers](http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers)

City of Winnipeg Lighting Visibility Standard=  
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

### **3.0 SERVICE FACILITY**

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

### **4.0 REFERENCES**

4.1 The bidder should provide five (5) Canadian references using similar equipment in similar City of Winnipeg working environment:

---

---

---

---

---

### **5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

### **6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions). \_\_\_\_\_

### **7.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR**

7.1 The manufacturer of the equipment shall have five (5) years continuous experience manufacturing Cargo Vans. \_\_\_\_\_

7.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry. \_\_\_\_\_

### **8.0 NATIONAL SAFETY MARK- (IF APPLICABLE)**

8.1 In Canada, modification to new vehicles can only be done at facilities that are recognized by Transport Canada. All of these facilities must have a National Safety Mark from Transport Canada. Transport Canada National Safety Mark is a label that indicates that the modifications are compliant with all current Canadian Motor Vehicle Safety Standards (CMVSS) \_\_\_\_\_

**STATE (NSM) #-** \_\_\_\_\_

**9.0 MANITOBA SAFETY INSPECTION- (IF APPLICABLE)**

9.1 The vehicles shall be complete with a current Manitoba Safety Sticker affixed to the driver's side vent window. \_\_\_\_\_

**10.0 MAKE AND MODEL**

10.1 **State** make and model of vehicle bid  
\_\_\_\_\_  
\_\_\_\_\_

**11.0 SPECIFICATIONS**

11.1 Exterior Colour: Summit White

11.2 Interior Colour: Medium Pewter w/Custom Cloth Seat Trim \_\_\_\_\_

11.3 Seats: Front Reclining High Back Bucket Seats \_\_\_\_\_

11.4 Front armrests - driver and passenger \_\_\_\_\_

11.5 Wheels: Steel, **State size** \_\_\_\_\_

11.6 Engine: V8 EFI, gasoline, **State Size** \_\_\_\_\_

11.7 Transmission: Electronic 4-Speed Automatic w/Overdrive \_\_\_\_\_

11.8 GVWR: 7,300 lbs. \_\_\_\_\_

11.9 Axle Ratio Rear **State** \_\_\_\_\_

11.10 Tires: Front All-Season, **State size** \_\_\_\_\_

11.11 Tires: Rear All-Season, **State size** \_\_\_\_\_

11.12 Tires: Spare full size, **State size** \_\_\_\_\_

11.13 Two Passenger Seating \_\_\_\_\_

11.14 Radio: AM/FM/CD Blue Tooth Hands free capability Wireless phone connectivity \_\_\_\_\_

11.15 Amp Alternator upgraded heavy duty, **State Amperage** \_\_\_\_\_

11.16 Heavy Duty Rear Locking or Limited Slip Differential \_\_\_\_\_

11.17 Black Heated Power-Adjustable Exterior Mirrors \_\_\_\_\_

11.18 Driver and Passenger Air Conditioning \_\_\_\_\_

11.19 Security System \_\_\_\_\_

11.20 Rear View Camera \_\_\_\_\_

11.21 Rear Park Assist w/Audible Warning \_\_\_\_\_

11.22 Airbags, frontal - driver and front passenger \_\_\_\_\_

11.23 Airbag occupancy sensor \_\_\_\_\_

11.24 Side impact beams \_\_\_\_\_

11.25 Traction control – ABS \_\_\_\_\_

- 11.26 In-Vehicle Communications and Assistance Service
- 11.27 Stolen vehicle tracking
- 11.28 Height adjustable safety belts – front
- 11.29 Headlights – halogen
- 11.30 Exterior light control - fully automatic
- 11.31 Delay off headlamps
- 11.32 Daytime running lights
- 11.33 Illuminated entry
- 11.34 Two (2) Remote keyless entry – key fobs and Four (4) sets of Ignition keys or if the keys and key fobs are one unit, supply 4 key fobs.
- 11.35 Panic alarm
- 11.36 Door locks - power with 2 stage unlock
- 11.37 Ignition disable
- 11.38 Brakes - 4-wheel disc
- 11.39 Anti-lock brakes (ABS) - 4-wheel
- 11.40 Drive type – All Wheel Drive (AWD)
- 11.41 Engine block heater routed through front grille
- 11.42 Exhaust - stainless steel
- 11.43 Steering - rack & pinion
- 11.44 Front suspension - short and long arm
- 11.45 Battery - 12-volt with run down protection upgraded CCA
- 11.46 Stability enhancement system
- 11.47 Antenna – fixed
- 11.48 Body material - fully galvanized steel
- 11.49 Tinted windows – deep front driver and passenger
- 11.50 Sun visor strip
- 11.51 Windshield wipers - front - variable intermittent winter type with boot
- 11.52 Rear windshield type – vented
- 11.53 Front bumper – chrome
- 11.54 Rear bumper – chrome
- 11.55 Rear step bumper
- 11.56 Grille trim – chrome
- 11.57 Cargo Door- passenger side sliding door (no windows)

11.58	Rear cargo door - split swing-out (no windows)	
11.59	Cruise control	_____
11.60	12V DC power outlet – 2	_____
11.61	Vinyl floor	_____
11.62	Volt gauge	_____
11.63	Rear Heat in cargo area	_____
11.64	Cup holders – front	_____
11.65	Door bins – dual	_____
11.66	Floor mats - rubber front & rear	_____
11.67	Front windows – power	_____
11.68	Express down – driver	_____
11.69	Headliner – cloth	_____
11.70	Instrumentation – analog	_____
11.71	Oil pressure gauge	_____
11.72	Driver information Centre	_____
11.73	Tachometer	_____
11.74	Trip computer	_____
11.75	Trip odometer	_____
11.76	Water temp gauge	_____
11.77	Low fuel warning	_____
11.78	Low tire pressure warning	_____
11.79	Service interval warning	_____
11.80	Exterior temperature	_____
11.81	Lighting - map lights - front & rear	_____
11.82	Lighting - dome light – regular	_____
11.83	Interior Lighting	_____
11.84	Mirrors - rear view mirror - day-night	_____
11.85	Retained accessory power	_____
11.86	Seatback storage pockets – 2	_____
11.87	Tilt-Wheel adjustable steering column	_____
11.88	Steering wheel material – urethane	_____
11.89	6-Way Power Driver Seat Adjuster	_____
11.90	Bulkhead divider	_____

**12.0 WARRANTY**

- 12.1 Basic - 36 months/60,000 km New Vehicle Limited Warranty coverage \_\_\_\_\_
- 12.2 Powertrain limited - 60 months/100,000 km Powertrain component warranty \_\_\_\_\_
- 12.3 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 12.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included (Courtesy transportation - 60 months /100,000 km) \_\_\_\_\_
- 12.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_

**13.0 DELIVERY**

- 13.1 Delivery Point- The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. \_\_\_\_\_
- 13.2 Delivery Time Within **(24) twenty-four calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. \_\_\_\_\_
- 13.3 Delivery Contact The Contractor shall contact the Contract Administrator prior to delivery of the equipment. \_\_\_\_\_
- 13.4 P.D.I A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list \_\_\_\_\_

**14.0 MANUALS**

- 14.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. \_\_\_\_\_
- 14.2 The following manuals shall be supplied with the units when delivered:
  - i) Operator's manual – One (1) per unit \_\_\_\_\_

**FORM N: DETAILED SPECIFICATIONS 14024**  
**Full-Size SUV**

**DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **Sport Utility Vehicle** and other Equipment and features as specified herein.
- 1.2 The **Sport Utility Vehicle** shall be a new 2014 model year or newer.
- 1.3 The **Sport Utility Vehicle** and all other items/components shall be the manufacturer's latest models. The vehicle shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the vehicle into successful operation shall be furnished as though specifically mentioned in these specifications. The complete vehicle, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **Sport Utility Vehicle** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Manitoba Motor Vehicle Act = <http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm>

Canadian Motor Vehicle Safety Standards, CMVSS = <http://www.gnb.ca/0062/regs/83-163.htm>

Transport Canada = <http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html>

National Safety Mark, NSM = <http://www.tc.gc.ca/actsregulations/GENERAL/M/mvsa/regulations/mvsrg/001/mvsr3-5.html>

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = <http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.pHP> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = [http://en.wikipedia.org/wiki/Society\\_of\\_Automotive\\_Engineers](http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers)

City of Winnipeg Lighting Visibility Standard=  
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

### **3.0 SERVICE FACILITY**

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

### **4.0 REFERENCES**

4.1 The bidder should provide five (5) Canadian references using similar equipment in similar City of Winnipeg working environment:

---

---

---

---

---

### **5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

### **6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions). \_\_\_\_\_

### **7.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR**

7.1 The manufacturer of the equipment shall have five (5) years continuous experience manufacturing Full Size SUVs. \_\_\_\_\_

7.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry. \_\_\_\_\_

### **8.0 NATIONAL SAFETY MARK- (IF APPLICABLE)**

8.1 In Canada, modification to new vehicles can only be done at facilities that are recognized by Transport Canada. All of these facilities must have a National Safety Mark from Transport Canada. Transport Canada National Safety Mark is a label that indicates that the modifications are compliant with all current Canadian Motor Vehicle Safety Standards (CMVSS) \_\_\_\_\_

**STATE (NSM) #-** \_\_\_\_\_

**9.0 MANITOBA SAFETY INSPECTION- (IF APPLICABLE)**

9.1 The vehicles shall be complete with a current Manitoba Safety Sticker affixed to the driver's side vent window. \_\_\_\_\_

**10.0 MAKE AND MODEL**

10.1 **State** make and model of vehicle bid  
\_\_\_\_\_  
\_\_\_\_\_

**11.0 SPECIFICATIONS**

11.1 Wheelbase 130 in., **State**

11.2 Exterior Colour: Summit White \_\_\_\_\_

11.3 Wheels: Steel, **State size** \_\_\_\_\_

11.4 Engine: V8 EFI, gasoline capable of towing 7500lbs., **State size** \_\_\_\_\_

11.5 Block heater \_\_\_\_\_

11.6 Transmission: 6-speed automatic \_\_\_\_\_

11.7 Shift selector: Column shift \_\_\_\_\_

11.8 GVWR: 7,300 lbs. \_\_\_\_\_

11.9 Axle Ratio Rear **State** \_\_\_\_\_

11.10 Tires: Front All-Season, **State size** \_\_\_\_\_

11.11 Tires: Rear All-Season, **State size** \_\_\_\_\_

11.12 Tires: Spare full size, **State size** \_\_\_\_\_

11.13 Towing provisions with 7500 lbs towing capacity with hitch receiver \_\_\_\_\_

11.14 Trailer tow package: Class IV c/w receiver hitch, trailer plug wiring, transmission cooler, heavy duty radiator, electronic brake controller, and trailer sway control \_\_\_\_\_

11.15 Radio: AM/FM/CD Blue Tooth Hands free capability Wireless phone connectivity \_\_\_\_\_

11.16 Amp Alternator upgraded heavy duty, **State Amperage** \_\_\_\_\_

11.17 Heavy Duty Rear Locking or Limited Slip Differential \_\_\_\_\_

11.18 Traction control \_\_\_\_\_

11.19 Steering: power with tilt steering wheel \_\_\_\_\_

11.20 Brakes - 4-wheel disc \_\_\_\_\_

11.21 Anti-lock brakes (ABS) - 4-wheel \_\_\_\_\_

11.22 Drive type – Four Wheel Drive (4WD) \_\_\_\_\_

11.23 Mirrors: Interior rearview & dual power exterior (heated) \_\_\_\_\_

11.24 Windshield: tinted \_\_\_\_\_

- 11.25 Windshield wipers: Intermittent \_\_\_\_\_
- 11.26 Air-conditioning front and rear \_\_\_\_\_
- 11.27 Cruise control \_\_\_\_\_
- 11.28 Door locks power \_\_\_\_\_
- 11.29 Two (2) Remote keyless entry – key fobs and Four (4) sets of Ignition keys  
or if the keys and key fobs are one unit, supply 4 key fobs. \_\_\_\_\_
- 11.30 Windows power \_\_\_\_\_
- 11.31 Air bags: front driver’s and passenger with side curtain \_\_\_\_\_
- 11.32 Passenger seating: 9 passenger seating (with fold down rear seating)
  - Front bench seat with 40/20/40 split bench, 6-way power driver seat
  - Second-row 60/40 split-folding bench seat
  - Third-row 50/50 split-folding bench seat\_\_\_\_\_
- 11.33 Security System \_\_\_\_\_
- 11.34 Running boards installed \_\_\_\_\_
- 11.35 12-Volt power point \_\_\_\_\_
- 11.36 Glass: Solar Ray, deep tinted, all windows except light tinted on  
windshield, driver, and front passenger side glass \_\_\_\_\_
- 11.37 Rear Park Assist w/Audible Warning \_\_\_\_\_

**12.0 WARRANTY**

- 12.1 Basic - 36 months/60,000 km New Vehicle Limited Warranty coverage \_\_\_\_\_
- 12.2 Powertrain limited - 60 months/100,000 km Powertrain component warranty \_\_\_\_\_
- 12.3 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 12.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage  
with courtesy transportation included (Courtesy transportation - 60 months  
/100,000 km) \_\_\_\_\_
- 12.5 Warranty- (all warranty information shall be detailed and include all exclusions.  
The successful bidder shall provide all published warranty information upon  
delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_

**13.0 DELIVERY**

- 13.1 Delivery Point- The complete unit shall be serviced, ready for operation  
and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if  
applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. \_\_\_\_\_
- 13.2 Delivery Time Within **(24) twenty-four calendar weeks** from the date of award.  
Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. \_\_\_\_\_
- 13.3 Delivery Contact The Contractor shall contact the Contract Administrator  
prior to delivery of the equipment. \_\_\_\_\_
- 13.4 P.D.I A pre-delivery inspection shall be performed by the Contractor on the  
equipment. Proof upon inspection including completed check list \_\_\_\_\_

**14.0 MANUALS**

14.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available.

---

14.2 The following manuals shall be supplied with the units when delivered:

- i) Operator's manual – One (1) per unit

---

**FORM N: DETAILED SPECIFICATIONS 14029**  
**High Roof Cargo Van 8600 GVWR**

**DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **High Roof Cargo Van** and other Equipment and features as specified herein.
- 1.2 The **High Roof Cargo Van** shall be a new 2014 model year or newer.
- 1.3 The **High Roof Cargo Van** and all other items/components shall be the manufacturer's latest models. The vehicle shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the vehicle into successful operation shall be furnished as though specifically mentioned in these specifications. The complete vehicle, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **High Roof Cargo Van** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Manitoba Motor Vehicle Act = <http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm>

Canadian Motor Vehicle Safety Standards, CMVSS = <http://www.gnb.ca/0062/regs/83-163.htm>

Transport Canada = <http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html>

National Safety Mark, NSM = <http://www.tc.gc.ca/actsregulations/GENERAL/M/mvsa/regulations/mvsrg/001/mvsr3-5.html>

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = <http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.pHP> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = [http://en.wikipedia.org/wiki/Society\\_of\\_Automotive\\_Engineers](http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers)

City of Winnipeg Lighting Visibility Standard= <http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

### **3.0 SERVICE FACILITY**

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

### **4.0 REFERENCES**

4.1 The bidder should provide five (5) Canadian references using similar equipment in similar City of Winnipeg working environment:

---

---

---

---

---

### **5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

### **6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions). \_\_\_\_\_

### **7.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR**

7.1 The manufacturer of the equipment shall have five (5) years continuous experience manufacturing Cargo Vans. \_\_\_\_\_

7.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry. \_\_\_\_\_

### **8.0 NATIONAL SAFETY MARK- (IF APPLICABLE)**

8.1 In Canada, modification to new vehicles can only be done at facilities that are recognized by Transport Canada. All of these facilities must have a National Safety Mark from Transport Canada. Transport Canada National Safety Mark is a label that indicates that the modifications are compliant with all current Canadian Motor Vehicle Safety Standards (CMVSS) \_\_\_\_\_

**STATE (NSM) #-** \_\_\_\_\_

**12.0 MANITOBA SAFETY INSPECTION- (IF APPLICABLE)**

9.1 The vehicles shall be complete with a current Manitoba Safety Sticker affixed to the driver's side vent window. \_\_\_\_\_

**13.0 MAKE AND MODEL**

13.1 **State** make and model of vehicle bid  
\_\_\_\_\_  
\_\_\_\_\_

**14.0 SPECIFICATIONS**

14.1 GVWR: 8600 lbs.

14.2 Wheelbase: Approximately 159", **state** \_\_\_\_\_

14.3 High Roof: approximately 101", **state** \_\_\_\_\_

14.4 Engine: V6, EFI Gasoline \_\_\_\_\_

14.5 Transmission: Automatic with overdrive and must come equipped with **Front Wheel Drive** \_\_\_\_\_

14.6 Heavy Duty Alternator: **state Amperage** \_\_\_\_\_

14.7 Block heater: with cord through grille \_\_\_\_\_

14.8 Coolant: Antifreeze to -35°C \_\_\_\_\_

14.9 Battery: 600 CCA, **state** \_\_\_\_\_

14.10 Steering: Tilt and Power \_\_\_\_\_

14.11 Brakes Power with ABS \_\_\_\_\_

14.12 Tires - Front & rear: All terrain radials with winter rating, **state size** \_\_\_\_\_

14.13 Spare wheel & tire: with carrier \_\_\_\_\_

14.14 Mud-flaps: front and rear \_\_\_\_\_

14.15 Traction Control \_\_\_\_\_

14.16 Floor covering: Rubber or cloth matting floor in seating and cargo area with throw-in rubber floor mats for front rear and cargo area \_\_\_\_\_

14.17 Mirrors: Interior rear-view & dual power exterior \_\_\_\_\_

14.18 Windshield wipers: Intermittent \_\_\_\_\_

14.19 Wiper blades: Winter blades with heavy duty \_\_\_\_\_

14.20 Two (2) Remote keyless entry – key fobs and Four (4) sets of Ignition keys or if the keys and key fobs are one unit, supply 4 key fobs. \_\_\_\_\_

14.21 Air conditioning \_\_\_\_\_

14.22 Front Beverage Holder \_\_\_\_\_

14.23 Cruise control \_\_\_\_\_

14.24 Door locks: Power \_\_\_\_\_

14.25 Driver and pass windows: Power \_\_\_\_\_

- 14.26 Seats: Two (2) bucket seats, cloth or cloth and vinyl \_\_\_\_\_
- 14.27 Cargo Door- passenger side sliding door ( with window) \_\_\_\_\_
- 14.28 Rear cargo door - split swing-out (no windows) \_\_\_\_\_
- 14.29 Interior lights: Dome with door switches on front, side and rear doors \_\_\_\_\_
- 14.30 Radio: AM-FM with CD player or mp3, Bluetooth® technology, for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit \_\_\_\_\_
- 14.31 Cargo Convenience Group \_\_\_\_\_
- 14.32 Air bags: front driver's and passenger \_\_\_\_\_
- 14.33 12-Volt power point \_\_\_\_\_
- 14.34 Bumper: Standard front and rear \_\_\_\_\_
- 14.35 Colour Interior: Black or Grey \_\_\_\_\_
- 14.36 Colour Exterior: White \_\_\_\_\_
- 14.37 Fuel tank: Fully fuelled upon delivery \_\_\_\_\_

**12.0 WARRANTY**

- 12.1 Basic - 36 months/60,000 km New Vehicle Limited Warranty coverage \_\_\_\_\_
- 12.2 Powertrain limited - 60 months/100,000 km Powertrain component warranty \_\_\_\_\_
- 12.3 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 12.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included (Courtesy transportation - 60 months /100,000 km) \_\_\_\_\_
- 12.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_

**13.0 DELIVERY**

- 13.1 Delivery Point- The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. \_\_\_\_\_
- 13.2 Delivery Time Within **(24) twenty-four calendar weeks or sooner** from the date of award. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. \_\_\_\_\_
- 13.3 Delivery Contact The Contractor shall contact the Contract Administrator prior to delivery of the equipment. \_\_\_\_\_
- 13.4 P.D.I A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list \_\_\_\_\_

**14.0 MANUALS**

- 14.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD is

preferred where available.

---

14.2 The following manuals shall be supplied with the units when delivered:

- i) Operator's manual – One (1) per unit

---