

PARTIAL BASEMENT PLUMBING DEMOLITION NOTES:

ALSO SEE MECHANICAL DWG.

EXISTING TO REMAIN


— — — — TO BE DEMOLISHED ALL EXISTING DOMESTIC SUPPLY LINES, THAT ARE NOT INDICATED TO BE DEMOLISHED, SHALL BE MODIFIED, RE-PLUMBED & RE-PIPED TO ACCOMMODATE FLOOR REPLACEMENT & NEW & RELOCATED PLUMBING & BOILER COMPONENTS EQUIPMENT. ALL EXISTING REDUNDANT SUPPLY BRANCHES LINES & RISERS TO BE REMOVED AND CAPPED AT SOURCE. REMOVE & DISCARD ALL ABANDONED PLUMBING PIPING IN BASEMENT.

- (1) REMOVE & DISCARD HOT & COLD DOMESTIC WATER SUPPLY PIPES / SHUT-OFF
- (2) REMOVE, DISCARD & REPLACE (3) ABOVE FLOOR 3" PVC DRAIN PIPES, RISERS & FITTINGS FROM MAIN FLOOR AMBULANCE & MUSEUM VEHICLE BAYS TO BASEMENT SEDIMENT TRAP/ HOLDING TANK. REMOVE & DISCARD ALL EXISITNG PIPE SUPPORT HANGERS & CONCRETE SHIELD ANCHORS. ALSO SEE MAIN FLOOR PLAN - PLUMBING DEMOLITION DWG.
- REMOVE & DISCARD ABANDONED 1/2" DOMESTIC COLD WATER COPPER PIPE RISER & BALL VALVE.

SEAL			
No.	REVISION/DESCRIPTION	BY	DATE
0	ISSUED FOR CONSTRUCTION	DJ	AUG 18 2014



PLANNING, PROPERTY AND
DEVELOPMENT DEPARTMENT
MUNICIPAL ACCOMMODATIONS DIVISION



CORRIDOR

STORAGE B03

OPEN AREA
B02

STAIRWELL B01