







GENERAL NOTES:

- 1. LOCATE NEW OPENINGS WITHIN WALL SO THAT THE NUMBER OF STUDS THAT MUST BE CUT IS MINIMAL.
- 2. OFFSET WALL OPENINGS FROM BUILDING CORNERS TO CLEAR EXIST. EXTERIOR LIMESTONE PANELS.
- 3. OVERSIZE WALL OPENINGS AS REQUIRED FOR LOUVRE INSTALLATION CLEARANCE (TYPICALLY 6mm ALL AROUND).
- 4. DIMENSIONS ARE APPROXIMATE. SITE VERIFY ALL DIMENSIONS AND CONDITIONS PRIOR TO ANY DEMOLITION, FABRICATION OR CONSTRUCTION.

CONSTRUCTION NOTES:

- (1) CORE NEW 265mmø HOLE THROUGH CONCRETE FLOOR (SEE MECHANICAL FOR LOCATION). ENSURE HOLE LOCATION DOES NOT INTERFERE WITH CONCRETE BEAMS BELOW FLOOR SLAB.
- (2) NEW OPENING IN WALL (SEE MECHANICAL FOR SIZE AND LOCATION).
- (3) LAMINATE EXISTING ROOF JOIST WITH NEW 38x215x2000 LONG AT NEW FAN HANGER LOCATIONS.

DRAWINGS SHALL BE READ IN CONJUNCTION WITH THE PROJECT TECHNICAL SPECIFICATIONS.

APEGIN Certificate of Authorization KGS Group

	FIELD BOOK #				KGS			ENGINEER'S SEAL
	Pus	TED TO LBIS			GROUP CONSULTING ENGINEERS			C.M.
					DESIGNED CMS	CHECKED BY	SIEPMAN Member 20813	
					DRAWN BY	MBB	APPROVED BY	A707ESS107W
					HOR. SCALE	AS NOTED	RELEASED FOR CONSTRUCTION	
	0	ISSUED FOR CONSTRUCTION	14/08/18		VERTICAL	AS NOTED		A-S01
	NO.	REVISIONS	DATE	BY	DATE	2014-06-20	DATE	



Winnipeg

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

FLOOD PUMPING STATION UPGRADES ASSINIBOINE STATION STRUCTURAL

MAIN FLOOR PLAN

SHEET 1 OF 1 CITY DRAWING NUMBER

1-0115F-S0001-001

No. 245