




1 TYPICAL SLAB ON GRADE DETAIL
S1.1 S1.1 Scale = 1:16




4 TYPICAL CORNER REBAR DETAIL
S1.2 S1.2 SCALE 1:16



6 TYPICAL ENTRANCE SLAB DETAIL
S1.2 S1.2 Scale = 1:16
NOTE:
TYPICAL AT ALL MAIN DOORS & 610mm PAST EACH SIDE.
SEE ARCH. & LANDSCAPING FOR EXACT LOCATIONS




6a CONNECTION DETAIL
S1.2 S1.2 Scale = 1:16




- NOTES:**
- SAW CUTTING SHALL BE COMPLETED WITHIN 6 TO 18 HOURS OF PLACING CONCRETE.
 - AFTER THE SLAB IS A MINIMUM 60 DAYS OLD, REMOVE ALL DEBRIS FROM THE SAW CUTS AND FILL WITH MORTAR CONTAINING CEMENT, SAND AND LATEX BONDING AGENT, OR AS NOTED IN SPECIFICATIONS, THE CONTRACTOR IS RESPONSIBLE TO ENSURE THAT CONSTRUCTION ACTIVITIES WILL NOT REDUCE QUALITY OR DURABILITY OF FILLED JOINTS.
 - MAXIMUM SPACING OF SAWCUTS IN SLAB ON GRADE SHALL NOT EXCEED THE FOLLOWING, UNLESS OTHERWISE NOTED: 4" SLAB - MAXIMUM SPACING 12'-0" 5" SLAB - MAXIMUM SPACING 15'-0"
 - COORDINATE EXACT LOCATION OF SAWCUTS IN SLAB ON GRADE WITH ARCHITECTURAL FLOOR FINISHES.
 - SAWCUT SLAB ON GRADE AT LOCATIONS NOTED BELOW. ALTERNATE DETAIL SHALL BE SUBMITTED TO ENGINEER FOR REVIEW, WELL IN ADVANCE OF POURING SLAB ON GRADE.
 - PRIOR TO SUBSTANTIAL COMPLETION OF THE PROJECT GROUT ALL CRACKS IN THE SLAB ON GRADE AND FILL WITH MORTAR CONTAINING CEMENT, SAND AND LATEX BONDING AGENT OR AS NOTED IN SPECIFICATIONS.


2 TYPICAL SAW CUT DETAIL
S1.1 S1.1 Scale = 1:16




5 TYPICAL CONC. GRADE BEAM CONSTRUCTION JOINT DETAIL
S1.2 S1.2 Scale = 1:16




3 TYPICAL DROP PANEL
S1.2 S1.2 Scale = 1:20




7 TYPICAL PARTITION WALL TOP SUPPORT PERPENDICULAR TO JOISTS
S1.2 S1.2 SCALE 1:16



8 TYPICAL PARTITION WALL TOP SUPPORT PARALLEL TO JOISTS
S1.2 S1.2 SCALE 1:16



9 TYPICAL EXTERIOR BASEPLATE DETAIL 'BP1'
S1.2 S1.2 SCALE 1:10
NOTE:
ALL EXPOSED STEEL TO BE GALVANIZED.




10 BASEPLATE ABOVE BLOCK WALL DETAIL 'BP2'
S1.2 S1.2 SCALE 1:10
NOTE:
ALL EXPOSED STEEL TO BE GALVANIZED.

THE CONTRACTOR IS TO VERIFY DIMENSIONS AND DATA NOTED ON THE STRUCTURAL DRAWINGS WITH CONDITIONS ON THE SITE. CO-ORDINATE ALL DIMENSIONS WITH THE ARCHITECTURAL DRAWINGS, AND IS HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCIES TO THE CONTRACT ADMINISTRATOR BEFORE PROCEEDING WITH THE WORK. VARIATIONS AND MODIFICATIONS TO WORK SHOWN ON THE STRUCTURAL DRAWINGS SHALL NOT BE CARRIED OUT WITHOUT WRITTEN PERMISSION FROM THE CONTRACT ADMINISTRATOR. THIS DRAWING IS NOT TO BE SCALED. ALL BEAMS, ANGLES AND MISCELLANEOUS METALS INDICATED ON ARCHITECTURAL, MECHANICAL AND/OR ELECTRICAL DRAWINGS BUT NOT SHOWN OR NOTED ON STRUCTURAL DRAWINGS, SHALL BE INCLUDED IN THE BID PRICE. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING SIZES AND LOCATIONS OF THESE MEMBERS PRIOR TO BID OPPORTUNITY CLOSING.

1 16.02.17 ISSUED FOR CONSTRUCTION

No.	DATE	REVISION / ISSUANCE



Architecture inc.
120 Port Street, Suite 103 Winnipeg, Manitoba R3C 1C7 204 318 2010

Engineer
Lavergne Draward & Associates Inc.
200-193 Dumoulin Street
Winnipeg, Manitoba R2H 0E4
Tel: (204)947-2222
Fax: (204)947-2522
E-mail: general@ldaeng.ca
Web: www.ldaeng.ca

Project
TRANSCONA CENTENNIAL POOL PHASE 1B
1101 WABASHA STREET

Sheet Title
TYPICAL DETAILS

Project No. 15281
Date FEB. 17, 2016
Sheet **S1.2**