



INCOMING 52mm Ø DUCT FOR DATA/COMMUNICATION CABLING FROM HHW EWASTE BUILDING

INCOMING 600 VOLT



LEGEND

-  2 LAMP SURFACE MOUNTED GASKETTED FLUORESCENT LIGHT FIXTURE
-  SPST WALL SWITCH
-  DUPLEX RECEPTACLE
-  DATA SIGNAL OUTLET
-  STROBE
-  DOOR CONTACT
-  HORN
-  PASSIVE IR DETECTOR
-  KEY PAD ALARM

NOTES

1. MOUNT STROBE LIGHT 150mm ABOVE ROOF LINE.

KIOSK FLOOR PLAN
1:25


METRIC

WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

C:\projects\win\working_directory\active\499a_d0245764\138224-02-ELEC-CO006.dwg



B.M. ELEV.	DESIGNED BY	BLM
	DRAWN BY	SCK
	CHECKED BY	BLM
	APPROVED BY	ARR
	HOR. SCALE	AS NOTED
	VERTICAL	
1	ISSUED FOR TENDER	16/03/04 ARR
NO.	REVISIONS	DATE BY DATE



 THE CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT		CITY DRAWING NUMBER 1-0851A-E0006-001
4R WINNIPEG DEPOT PACIFIC AVENUE		SHEET 38 OF 43
KIOSK BUILDING ELECTRICAL		CONSULTANT DRAWING NUMBER E-6

RELEASED FOR CONSTRUCTION
DATE _____
CONSULTANT PROJECT NUMBER
13-8224