


ROOF FRAMING PLAN
1:75

NOTE:
PROVIDE 16 PLYWOOD ROOF DIAPHRAGM
FASTENED TO UNDERSIDE OF TRUSSES
WITH 3" COMMON NAILS @ 150 O.C. TYP.

NOTE:
ALL SIMPSON STRONG TIE CONNECTORS
SHALL USE SIMPSON STRONG TIE
STRONG-DRIVE SD CONNECTOR SCREWS.




SECTION

PLAN

NOTE:
PLYWOOD FASTEN TO BLOCKING
AND TRUSSES WITH 3" COMMON
NAILS @ 150 O.C.

1 SECTION
S11 1:10




SECTION

PLAN

NOTE:
PLYWOOD FASTEN TO BLOCKING
AND TRUSSES WITH 3" COMMON
NAILS @ 150 O.C.

2 SECTION
S11 1:10



SECTION

PLAN

NOTE:
PLYWOOD FASTEN TO BLOCKING
AND TRUSSES WITH 3" COMMON
NAILS @ 150 O.C.

3 SECTION
S11 1:10

METRIC

WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

C:\projects\win\working_directory\active\4bake\0024576A\138224-09-STRUCT-CON-PACIFIC.dwg



B.M. ELEV.	DESIGNED BY	WH
	DRAWN BY	PDR
	CHECKED BY	NR
	APPROVED BY	ARR
	HOR. SCALE	AS NOTED
	VERTICAL	
1 ISSUED FOR TENDER	DATE	16/03/04 ARR
NO. REVISIONS	DATE	BY DATE

DILLON CONSULTING

RELEASED FOR CONSTRUCTION

ENGINEER'S SEAL

PROVINCE OF MANITOBA
REGISTERED PROFESSIONAL ENGINEER
Member 23609

CONSULTANT PROJECT NUMBER
13-8224

THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT

4R WINNIPEG DEPOT
PACIFIC AVENUE

HHW EWASTE BUILDING ROOF
FRAMING PLAN SECTIONS AND DETAILS

CITY DRAWING NUMBER
1-0851A-S0011-001

SHEET 19 OF 43

CONSULTANT DRAWING NUMBER
S-11