

FORM A: BID
(See B8)

1. Contract Title SUPPLY AND DELIVERY OF PICK-UP TRUCKS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

City

Province

Postal Code

(Choose one)

GST Registration Number (if applicable)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(See B9)

SUPPLY AND DELIVERY OF PICK-UP TRUCKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	5500 lbs. GVWR, 4wd, Extended Cab Pick-up Truck	15031	Each	3	
2.	5500 lbs. GVWR, 4wd Crew Cab Pick-up Truck	15032	Each	1	
3.	6500 lbs. GVWR, 4wd, Extended Cab Pick-up Truck	15033	Each	13	
4.	9500 lbs. GVWR Regular Cab Pick-up Truck	15034	Each	1	
5.	9500 lbs. GVWR, 4wd, Crew Cab Pick-up Truck	15035	Each	3	
6.	Warning Lights and Equipment	15036	Each	17	

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 15031

Item 1

5500 LBS. GVWR, 4WD, EXTENDED CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 5500 lbs. GVWR, 4wd, Extended Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.php>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.	GVWR	5,500 lbs. approx., state _____
6.	Wheelbase	128 in. approx., state _____
7.	Cargo length	6.0 ft. approx., state _____

DETAILED SPECIFICATIONS 15031 (continued)

8.	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails or aftermarket spray-on liner with black polyurethane or polyuria elastomer, abrasive resistant	_____
9.	Cab configuration	Extended cab	_____
10.	Door configuration	Four (4) doors	_____
11.	Engine	V6 gasoline, state displacement	_____
11.1	Horsepower	280 hp approx., state	_____
11.2	Torque	250 lb-ft approx., state	_____
12.	Fuel consumption	State city rating, L/100km	_____
13.	Block heater	Required, submersible type with cord through grille	_____
14.	Coolant	Extended Life Coolant, -35°C	_____
15.	Battery	600 CCA approx.	_____
16.	Transmission	Automatic	_____
17.	Transmission cooling	As required for trailer towing	_____
18.	Steering	Power	_____
19.	Brakes	Power with ABS	_____
20.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
21.	Tires – front & rear	BSW Tier 1 or 2 all season, state size	_____
22.	Spare wheel & tire	Required with underbody carrier	_____
23.	Mudflaps	Required, front and rear, OEM, moulded	_____
24.	Rear axle	Limited slip or posi-traction, axle ratio suitable for 4,000 lbs. towing capacity, state ratio	_____
25.	Front axle	4WD with dash mounted electronic shift	_____
26.	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats, front and rear	_____
27.	Windshield	Tinted	_____
28.	Windshield wipers	Intermittent	_____
28.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
29.	Mirrors	Interior rearview & dual exterior	_____
30.	Ignition keys	Three (3) sets required	_____
31.	Air conditioning	Required	_____
32.	Tilt steering	Required	_____
33.	Cruise control	Required	_____

DETAILED SPECIFICATIONS 15031 (continued)

34.	Door locks	Power	
35.	Remote keyless entry	Two (2) required	
36.	Windows	Power	
37.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
38.	Seat, rear	Cloth-faced, bench or dual, front facing rear seats	
39.	Radio	AM-FM with CD player	
40.	12-Volt power point	Required	
41.	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	
42.	Air bags	Required, front driver's and passenger	
43.	Fuel tank	70 Litre approx., fully fuelled upon delivery	
44.	Bumper, rear	Rear step bumper	
44.1	Bumper, front	Required with license plate bracket and mounting hardware	
45.	Towing prep package	Class 3 or 4 (4,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
45.1	Electric brake controller	Required	
46.	Colour - Exterior	White	
	- Interior	Grey	
47.	Warranty:		
47.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	
47.2	Powertrain coverage	Five (5) years or 100 000 km (62,137 miles)	
48.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
49.	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	
50.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
51.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

FORM N: DETAILED SPECIFICATIONS 15032

Item 2

5500 LBS. GVWR, 4WD, CREW CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 5500 lbs. GVWR, 4wd, Crew Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.	GVWR 5,500 lbs. approx., state	_____
6.	Wheelbase 128 in. approx., state	_____
7.	Cargo length 5.0 ft. approx., state	_____

DETAILED SPECIFICATIONS 15032 (continued)

8.	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails or aftermarket spray-on liner with black polyurethane or polyuria elastomer, abrasive resistant	_____
9.	Cab configuration	Crew cab	_____
10.	Door configuration	Four (4) doors	_____
11.	Engine	4 or 6-cylinder gasoline, state displacement	_____
11.1	Horsepower	200 hp approx., state	_____
11.2	Torque	190 lb-ft approx., state	_____
12.	Fuel consumption	State city rating, L/100km	_____
13.	Block heater	Required, submersible type with cord through grille	_____
14.	Coolant	Extended Life Coolant, -35°C	_____
15.	Battery	600 CCA approx.	_____
16.	Transmission	Automatic	_____
17.	Steering	Power	_____
18.	Brakes	Power with ABS	_____
19.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
20.	Tires – front & rear	BSW Tier 1 or 2 all season, state size	_____
21.	Spare wheel & tire	Required with underbody carrier	_____
22.	Mudflaps	Required, front and rear, OEM, moulded	_____
23.	Rear axle	Limited slip or posi-traction	_____
24.	Front axle	4WD with dash mounted electronic shift	_____
25.	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats, front and rear	_____
26.	Windshield	Tinted	_____
27.	Windshield wipers	Intermittent	_____
27.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
28.	Mirrors	Interior rearview & dual exterior	_____
29.	Ignition keys	Three (3) sets required	_____
30.	Air conditioning	Required	_____
31.	Tilt steering	Required	_____
32.	Cruise control	Required	_____
33.	Door locks	Power	_____
34.	Remote keyless entry	Two (2) required	_____

FORM N: DETAILED SPECIFICATIONS 15033

Item 3

6500 LBS. GVWR, 4WD, EXTENDED CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 6500 lbs. GVWR, 4wd, Extended Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.php>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.	GVWR	6,500 lbs. approx., state _____
6.	Wheelbase	142 in. approx., state _____
7.	Cargo length	6.5 ft. nominal _____

DETAILED SPECIFICATIONS 15033 (continued)

8.	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails or aftermarket spray-on liner with black polyurethane or polyuria elastomer, abrasive resistant	_____
9.	Cab configuration	Extended cab	_____
10.	Door configuration	Four (4) doors	_____
11.	Engine	FI V6 gasoline, state displacement	_____
11.1	Horsepower	280 hp, state	_____
11.2	Torque	250 lb-ft, state	_____
12.	Fuel consumption	State city rating, L/100km	_____
13.	Block heater	Required, submersible type with cord through grille	_____
14.	Coolant	Extended Life Coolant, -35°C	_____
15.	Battery	600 CCA	_____
16.	Transmission	Automatic	_____
17.	Transmission cooling	As required for trailer towing	_____
18.	Steering	Power	_____
19.	Brakes	Power with ABS	_____
20.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
21.	Tires – front & rear	BSW Tier 1 or 2 all season, state size	_____
22.	Spare wheel & tire	Required with underbody carrier	_____
23.	Mudflaps	Required, front and rear, OEM, moulded	_____
24.	Rear axle	Limited slip or posi-traction, axle ratio suitable for 5,000 lbs. towing capacity, state ratio	_____
25.	Front axle	4WD with dash mounted electronic shift	_____
26.	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats, front and rear	_____
27.	Windshield	Tinted	_____
28.	Windshield wipers	Intermittent	_____
28.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
29.	Mirrors	Interior rearview & heated dual exterior	_____
30.	Ignition keys	Three (3) sets required	_____
31.	Air conditioning	Required	_____
32.	Tilt steering	Required	_____
33.	Cruise control	Required	_____

DETAILED SPECIFICATIONS 15033 (continued)

34.	Door locks	Power	_____
35.	Remote keyless entry	Two (2) required	_____
36.	Windows	Power	_____
37.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
38.	Seat, rear	Cloth-faced, bench	_____
39.	Radio	AM-FM with CD player	_____
40.	12-Volt power point	Required	_____
41.	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
42.	Air bags	Required, front driver's and passenger	_____
43.	Fuel tank	90 Litre approx., fully fuelled upon delivery	_____
44.	Tubular side steps	Dual, chrome finish, OEM	_____
45.	Bumper, rear	Rear step bumper	_____
45.1	Bumper, front	Chrome with license plate bracket and mounting hardware	_____
46.	Towing prep package	Class 3 or 4 (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
46.1	Electric brake controller	Required, factory installed	_____
47.	Colour - Exterior	White	_____
	- Interior	Grey	_____
48.	Warranty:		
48.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
48.2	Powertrain coverage	Five (5) years or 100 000 km (62,137 miles)	_____
49.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
50.	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
51.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
52.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

FORM N: DETAILED SPECIFICATIONS 15034

Item 4

9500 LBS. GVWR REGULAR CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 9500 lbs. GVWR Regular Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
5.	GVWR 9500 lbs. approx., state	_____
6.	Wheelbase 137 in. approx., state	_____
7.	Cargo length 8 ft. nominal	_____

DETAILED SPECIFICATIONS 15034 (continued)

8.	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails or aftermarket spray-on liner with black polyurethane or polyuria elastomer, abrasive resistant	_____
9.	Cab configuration	Regular cab	_____
10.	Door configuration	Two (2) doors	_____
11.	Engine	FI gasoline, state displacement	_____
12.	Block heater	Required, submersible type with cord through grille	_____
13.	Coolant	Extended Life Coolant, -35°C	_____
14.	Battery	650 CCA	_____
15.	Transmission	Automatic	_____
16.	Transmission cooling	As required for trailer towing	_____
17.	Steering	Power	_____
18.	Brakes	Power with ABS	_____
19.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
20.	Tires – Front & rear	LT, BSW Tier 1 or 2 all-terrain mud and snow, state size	_____
21.	Spare wheel & tire	Required with underbody carrier	_____
22.	Mudflaps	Required, front and rear, OEM, moulded	_____
23.	Rear axle	Limited slip or posi-traction, axle ratio suitable for 10,000 lbs. towing capacity, state ratio	_____
24.	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats front and rear	_____
25.	Windshield	Tinted	_____
26.	Windshield wipers	Intermittent	_____
26.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
27.	Mirrors	Interior rearview & heated dual exterior	_____
28.	Ignition keys	Three (3) sets required	_____
29.	Air conditioning	Required	_____
30.	Tilt steering	Required	_____
31.	Cruise control	Required	_____
32.	Door locks	Power	_____
33.	Remote keyless entry	Two (2) required	_____
34.	Windows	Power	_____
35.	Seats	Cloth-faced, split bench, 60/40 or 40/20/40	_____

DETAILED SPECIFICATIONS 15034 (continued)

36.	Radio	AM-FM with CD player	_____
37.	12-Volt power point	Required	_____
38.	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
39.	Air bags	Required, front driver's and passenger	_____
40.	Fuel tank	90 Litre approx., fully fuelled upon delivery	_____
41.	Tubular side steps	Dual, chrome finish, OEM	_____
42.	Bumper, rear	Rear step bumper	_____
42.1	Bumper, front	Chrome with license plate bracket and mounting hardware	_____
43.	Towing prep package	Class 4 (10,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
43.1	Electric brake controller	Required, factory installed	_____
44.	Colour - Exterior	White	_____
	- Interior	Grey	_____
45.	Warranty:		
45.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
45.2	Powertrain coverage	Five (5) years or 160 000 km (99,419 miles)	_____
46.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. and MGI (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
47.	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
48.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
49.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

FORM N: DETAILED SPECIFICATIONS 15035

Item 5

9500 LBS. GVWR, 4WD, CREW CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 9500 lbs. GVWR, 4WD, Crew Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.	GVWR 9500 lbs. approx., state	_____
6.	Wheelbase 155 in. approx., state	_____
7.	Cargo length 6.5 ft. nominal	_____

DETAILED SPECIFICATIONS 15035 (continued)

8.	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails or aftermarket spray-on liner with black polyurethane or polyuria elastomer, abrasive resistant	_____
9.	Tailgate	Locking	_____
10.	Cab configuration	Crew cab	_____
11.	Door configuration	Four (4) full sized, front hinged doors	_____
12.	Engine	FI gasoline, state displacement	_____
13.	Block heater	Required, submersible type with cord through grille	_____
14.	Coolant	Extended Life Coolant, -35°C	_____
15.	Battery	650 CCA	_____
16.	Transmission	Automatic	_____
17.	Transmission cooling	As required for trailer towing	_____
18.	Steering	Power	_____
19.	Brakes	Power with ABS	_____
20.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
21.	Tires – Front & rear	LT, BSW Tier 1 or 2 all-terrain mud and snow, state size	_____
22.	Spare wheel & tire	Required with underbody carrier	_____
23.	Mudflaps	Required, front and rear, OEM, moulded	_____
24.	Rear axle	Limited slip or posi-traction, axle ratio suitable for 12,000 lbs. towing capacity, state ratio	_____
25.	Front axle	4WD with dash mounted electronic shift	_____
26.	Splash guards	Front and rear	_____
27.	Skid plates	Off-road skid plates	_____
28.	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats front and rear	_____
29.	Windshield	Tinted	_____
30.	Windshield wipers	Intermittent	_____
30.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
31.	Windows	Power	_____
32.	Rear window	Electric rear window defogger	_____
33.	Exterior mirrors	Wide load heated mirrors	_____
34.	Rear camera	Rear vision camera system, factory installed, suitable for use with a fiberglass cap	_____
35.	Air bag system	Head curtain side impact	_____
36.	Ignition keys	Five (5) required	_____

DETAILED SPECIFICATIONS 15035 (continued)

37.	Door locks	Power	_____
38.	Remote keyless entry	Two (2) required	_____
39.	Air conditioning	Required	_____
40.	Tilt steering	Required	_____
41.	Cruise control	Required	_____
42.	Seats, front	High back front bucket seats with 6-way power driver seat adjustment	_____
42.1	Seats, rear	60-40 split-bench	_____
43.	Radio	AM-FM with CD player	_____
44.	12-Volt power point	Required	_____
45.	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
46.	Air bags	Required, front driver's and passenger	_____
47.	Fuel tank	140 Litre approx., fully fuelled upon delivery	_____
48.	Tubular side steps	Dual, chrome finish, OEM	_____
49.	Bumper, rear	Rear step bumper	_____
49.1	Bumper, front	Chrome with license plate bracket and mounting hardware	_____
50.	Towing prep package	Heavy duty trailer towing equipment, suitable for towing a 12,000 lbs. load c/w trailer plug wiring and receiver hitch	_____
50.1	Electric brake controller	Required, factory installed	_____
51.	Colour - Exterior	White	_____
	- Interior	Grey	_____
52.	Warranty:		
52.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
52.2	Powertrain coverage	Five (5) years or 160 000 km (99,419 miles)	_____
53.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. and MGI (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
54.	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
55.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
56.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

FORM N: DETAILED SPECIFICATIONS 15036

Item 6

SUPPLY & INSTALLATION OF WARNING LIGHTS AND EQUIPMENT

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. LIGHTING SPECIFICATIONS

- 2.1 Cargo rack – Backrack® or Headrack® equivalent, supplied and installed. _____
- 2.2 Utility light bracket – 16"x7", center mounted, required for mounting mini light bar. _____
- 2.3 Mini light bar – Whelen R2LPPA mounted to top-centre of Backrack/Headrack, 360° visibility, wired "hot", i.e., able for actuation while vehicle is turned-off, fused as per manufacturer's recommendations. _____
- 2.4 Actuation switch – backlit with high/off/low settings, labelled "beacon" with a permanent type, engraved style label. Exact mounting location to be determined at time of installation. _____
- 2.5 L-bracket – required for actuation switch. _____
- 2.6 All wiring for warning light and switch shall be colour coded, loomed and properly secured. _____
- 2.6.1 All electrical connectors shall be crimped and soldered, then sealed using heat shrink tubing. _____
- 2.6.2 All joining of wires shall be soldered and sealed using heat shrink tubing or approved OEM weathertight connections (crimp-on electrical connectors for joining of wires are not acceptable). _____
- 2.6.3 Any holes required to run wires through shall be drilled (not punched), grommeted and sealed as required. _____