

**FORM A: BID**  
(See B8)

1. Contract Title 2015 Regional and Local Street Program – Grassie Boulevard at Lagimodiere Boulevard and Lagimodiere Boulevard at Bishop Grandin Boulevard Intersection Improvements

2. Bidder \_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

(Choose one)

\_\_\_\_\_  
City Province Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>Grassie Boulevard and Lagimodiere Boulevard Intersection Improvements and New Acceleration Lane</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Excavation	CW 3110-R19	m <sup>3</sup>	920		
A.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	1185		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1100		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	90		
A.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	800		
A.6	Ditch Grading	CW 3110-R19	m <sup>2</sup>	460		
A.7	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1185		
	<b>ROADWORKS - RENEWALS</b>					
A.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	330		
ii)	Asphalt Pavement		m <sup>2</sup>	800		
A.10	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	335		
A.11	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	25		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	200		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	50		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	40		
A.12	Asphalt Patching of Partial Depth Joints	E11	m <sup>2</sup>	50		
A.13	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	230		
A.14	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	230		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.15	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m <sup>2</sup>	145		
ii)	100 mm Sidewalk		m <sup>2</sup>	40		
iii)	Bullnose		m <sup>2</sup>	5		
A.16	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m <sup>2</sup>	300		
iii)	100 mm Sidewalk	SD-228A	m <sup>2</sup>	145		
iv)	Bullnose	SD-227C	m <sup>2</sup>	20		
v)	Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	255		
A.17	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	5		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	20		
A.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	340		
ii)	Curb Ramp		m	15		
A.19	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	175		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	20		
A.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	20		
c)	Greater than 30 m		m	75		
A.21	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	1050		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
A.22	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	1450		
A.23	Detectable Warning Surface Tiles	CW 3326-R2	each	9		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
A.24	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	730		
ii)	Construction of Concrete Median Slabs	SD-227A	m <sup>2</sup>	215		
iii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m <sup>2</sup>	65		
iv)	Construction of Monolithic Concrete Bull-noses	SD-227C	m <sup>2</sup>	7		
A.25	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	120		
A.26	Supply and Installation of Dowel Assemblies	CW 3310-R16	m	130		
<b>JOINT AND CRACK SEALING</b>						
A.27	Reflective Crack Maintenance	CW 3250-R7	m	930		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
A.28	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	1		
A.29	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.30	Abandoning Existing Catch Pit	CW 2130-R12	each	1		
A.31	Corrugated Steel Pipe Culvert - Supply	CW 3610-R4				
i)	(450 mm, 1.6 gauge, Galvanized)		m	25		
A.32	Corrugated Steel Pipe Culvert - Install	CW 3610-R4				
i)	(450 mm, 1.6 gauge, Galvanized)		m	25		
<b>ADJUSTMENTS</b>						
A.33	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
A.34	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
A.35	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	6		
A.36	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.37	Relocating Existing Hydrant - Type A	CW 2110-R11	each	1		
<b>LANDSCAPING</b>						
A.38	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	100		
ii)	width > or = 600 mm		m <sup>2</sup>	400		
A.39	Salt Tolerant Grass Seeding	E.12	m <sup>2</sup>	300		
<b>A</b>	<b><u>Grassie Boulevard and Lagimodiere Boulevard Intersection Improvements and New Acceleration Lane</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>Lagimodiere Boulevard and Bishop Grandin Boulevard Intersection Improvement and New Acceleration Lane</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Excavation	CW 3110-R19	m <sup>3</sup>	700		
B.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	660		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	230		
ii)	150 mm		tonne	910		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	100		
B.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	420		
B.6	Ditch Grading	CW 3110-R19	m <sup>2</sup>	300		
B.7	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	660		
	<b>ROADWORKS - RENEWALS</b>					
B.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	170		
ii)	Asphalt Pavement		m <sup>2</sup>	745		
B.9	Slab Replacement	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	170		
B.10	Partial Slab Patches	CW 3230-R8				
i)	230 mm Concrete Pavement (Type B)		m <sup>2</sup>	40		
B.11	Asphalt Patching of Partial Depth Joints	E.11	m <sup>2</sup>	50		
B.12	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	50		
B.13	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	50		
B.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m <sup>2</sup>	5		
ii)	Bullnose		m <sup>2</sup>	5		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.15	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Bullnose	SD-227C	m <sup>2</sup>	15		
ii)	Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	40		
B.16	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	10		
B.17	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	30		
ii)	Lip Curb	SD-202C	m	75		
iii)	Curb Ramp		m	6		
B.18	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	135		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	5		
iii)	Splash Strip, (Separate, 600 mm width)	SD-223B	m	25		
B.19	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	3 m to 30 m		m	15		
B.20	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	95		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
B.21	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	390		
B.22	Detectable Warning Surface Tiles	CW 3326-R2	each	4		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
B.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	870		
ii)	Construction of Splash Strip, ( Separate, 600 mm width)	SD-223B	m	130		
B.24	Supply and Installation of Dowel Assemblies	CW 3310-R16	m	200		
	<b>JOINT AND CRACK SEALING</b>					
B.25	Reflective Crack Maintenance	CW 3250-R7	m	145		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
	<b>LANDSCAPING</b>					
B.26	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	315		
B.27	Salt Tolerant Grass Seeding	E.12	m <sup>2</sup>	105		
	<b>MISCELLANEOUS</b>					
B.28	Grouted Stone Riprap	CW 3615-R4	m <sup>3</sup>	1.5		
B.29	Supply and Installation of Three Strand Cable Barrier System	E.16	lump sum	1		
<b>B</b>	<b><u>Lagimodiere Boulevard and Bishop Grandin Boulevard Intersection Improvement and New Acceleration Lane</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>A</b>	<b><u>Grassie Boulevard and Laqimodiere Boulevard Intersection Improvements and New Acceleration Lane</u></b>				Subtotal:	
<b>B</b>	<b><u>Laqimodiere Boulevard and Bishop Grandin Boulevard Intersection Improvement and New Acceleration Lane</u></b>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B11)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 699-2015

2015 Regional and Local Street Program – Grassie Boulevard at Lagimodiere Boulevard and Lagimodiere Boulevard at Bishop Grandin Boulevard Intersection Improvements

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B11)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

**BID OPPORTUNITY NO. 699-2015**

2015 Regional and Local Street Program – Grassie Boulevard at Lagimodiere Boulevard and Lagimodiere Boulevard at Bishop Grandin Boulevard Intersection Improvements

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B11)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 699-2015

2015 Regional and Local Street Program – Grassie Boulevard at Lagimodiere Boulevard and  
Lagimodiere Boulevard at Bishop Grandin Boulevard Intersection Improvements

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 25, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)