

FORM A: BID
(See B8)

1. Contract Title 2015 Regional Street Renewal Program: Ness Avenue Eastbound Rehabilitation – Overdale Street to Queen Street

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>Ness Avenue E/B Rehabilitation - Overdale St to Queen St - Land Drainage</u>					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.1	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	4		
A.2	Catch Pit	CW 2130-R12				
	i) SD-023		each	2		
A.3	Remove and Replace Existing Catch Basin	CW 2130-R12				
	i) SD-024		each	7		
A.4	Remove and Replace Existing Catch Pit	CW 2130-R12				
	i) SD-023		each	10		
A.5	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC					
	a) In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	60		
A.6	Drainage Connection Pipe	CW 2130-R12	m	40		
A.7	Sewer Service Risers	CW 2130-R12				
	i) 250 mm					
	a) SD-014		vert m	20		
	b) SD-015		vert m	20		
A.8	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
	i) 250 mm					
	a) Class 3 Backfill		each	1		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.9	ii) 375 mm	CW 2130-R12	each	2		
	a) Class 3 Backfill					
A.10	i) 250 mm	CW 2130-R12	m	3		
	a) Class 3 Backfill					
	ii) 375 mm					
A.11	a) Class 3 Backfill	CW 2130-R12	m	5		
	Replacing Existing Manhole and Catch Basin Frames & Covers					
	i) AP-004 - Standard Frame for Manhole and Catch Basin					
	ii) AP-005 - Standard Solid Cover for Standard Frame					
	iii) AP-006 - Standard Grated Cover for Standard Frame					
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box					
	v) AP-009 - Barrier Curb and Gutter Inlet Cover					
Connecting to Existing Catch Basin						
A.12	i) 250 mm Drainage Connection Pipe	CW 2130-R12	each	4		
A.12	Connecting to Existing Catch Pit	CW 2130-R12	each	10		
	i) 250 mm Drainage Connection Inlet Pipe					

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 375 mm (Type Concrete) Sewer		each	1		
b)	Connecting to 450 mm (Type Concrete) Sewer		each	2		
c)	Connecting to 600 mm (Type Brick) Sewer		each	1		
d)	Connecting to 1050 X 1350 mm (Type Brick) Sewer		each	2		
A.14	Removal of Existing Catch Basins	CW 2130-R12	each	1		
A.15	Removal of Existing Catch Pit	CW 2130-R12	each	3		
A.16	Cleaning of Catchpits / Catchbasins	CW 2140-R3, E13	each	30		
A.17	Connections to Existing Culverts	CW 3610-R4	each	1		
A.18	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130-R12	each	10		
A.19	Cleaning of Drainage Connection Pipes	E13	m	120		
A	<u>Ness Avenue E/B Rehabilitation - Overdale St to Queen St - Land Drainage</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Ness Avenue E/B Rehabilitation - Roadway Rehabilitation</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m ³	132		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	330		
B.3	Supplying and Placing Base Course Material	CW 3110-R19	m ³	100		
B.4	Grading of Boulevards	CW 3110-R19	m ²	90		
B.5	Removal of Existing Concrete Bases	CW 3110-R19				
	i) 600 mm Diameter or Less		each	2		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	700		
	ROADWORKS - RENEWALS					
B.7	Slab Replacement	CW 3230-R8				
	i) 250 mm Concrete Pavement (Plain-Dowelled)		m ²	615		
	ii) 200 mm Concrete Pavement (Reinforced)		m ²	1380		
B.8	Partial Slab Patches	CW 3230-R8				
	i) 200 mm Concrete Pavement (Type A)		m ²	20		
	ii) 200 mm Concrete Pavement (Type B)		m ²	945		
	iii) 200 mm Concrete Pavement (Type C)		m ²	55		
	iv) 200 mm Concrete Pavement (Type D)		m ²	120		
B.9	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	270		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.10	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
ii)	200 mm Concrete Pavement (Type B)		m ²	165		
iii)	200 mm Concrete Pavement (Type C)		m ²	10		
iv)	200 mm Concrete Pavement (Type D)		m ²	70		
B.11	Asphalt Patching of Miscellaneous Concrete	E14	m ²	830		
B.12	Partial Depth Planing of Existing Joints	E15	m ²	160		
B.13	Asphalt Patching of Partial Depth Joints	E15	m ²	160		
B.14	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	2700		
B.15	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	3800		
B.16	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	3200		
B.17	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Bullnose	SD-227C	m ²	170		
ii)	Monolithic Curb and Sidewalk	SD-228B, E16	m ²	3500		
B.18	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	2300		
ii)	Safety Median	SD-226B	m ²	10		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	10		
b)	5 sq.m. to 20 sq.m.		m ²	280		
B.19	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
B.20	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	3250		
ii)	Curb Ramp		m	245		
B.21	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate) Slip Form Paving	SD-203A	m	1800		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	310		
iii)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	160		
B.22	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	20		
b)	3 m to 30 m		m	170		
c)	Greater than 30 m		m	80		
B.23	Supply and Installation of Dowel Assemblies	CW 3310-R16	m	400		
B.24	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	10		
B.25	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	2500		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	330		
B.26	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	12920		
ii)	50 - 100 mm Depth (Asphalt)		m ²	1435		
iii)	0 - 50 mm Depth (Concrete)		m ²	650		
iv)	50 - 100 mm Depth (Concrete)		m ²	70		
B.27	Detectable Warning Surface Tiles	CW 3326-R2	each	56		
	ROADWORKS - NEW CONSTRUCTION					
B.28	Interlocking Paving Stones	CW 3330-R5, E17				
i)	Charcoal Holland Paver 60x210x210mm		m ²	260		
	JOINT AND CRACK SEALING					
B.29	Reflective Crack Maintenance	CW 3250-R7	m	3500		
	ADJUSTMENTS					
B.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	25		
B.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
ii)	Brick Risers		vert. m	2		
B.32	Lifter Rings	CW 3210-R7				
i)	38 mm		each	5		
ii)	51 mm		each	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	64 mm		each	5		
iv)	76 mm		each	5		
B.33	Adjustment of Valve Boxes	CW 3210-R7	each	5		
B.34	Valve Box Extensions	CW 3210-R7	each	3		
B.35	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
B.36	Curb Stop Extensions	CW 3210-R7	each	3		
B.37	Replacing Existing Flat Top Reducer	CW 2110-R11	each	2		
B.38	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	2		
LANDSCAPING						
B.39	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	400		
B.40	Salt Tolerant Grass Seeding	E18	m ²	100		
MISCELLANEOUS						
B.41	Stump Grinding	CW 3010-R4, E19	each	20		
B.42	Topsoil and Wood Mulch	E20	m ²	35		
B	<u>Ness Avenue E/B Rehabilitation - Roadway Rehabilitation</u>				Subtotal:	
SUMMARY						
A	<u>Ness Avenue E/B Rehabilitation - Overdale St to Queen St - Land Drainage</u>				Subtotal:	
B	<u>Ness Avenue E/B Rehabilitation - Roadway Rehabilitation</u>				Subtotal:	
TOTAL BID PRICE (GST extra)			(in figures)		_____	

FORM G1
: BID BOND AND AGREEMENT TO BOND
(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 807-2015

2015 Regional Street Renewal Program: Ness Avenue Eastbound Rehabilitation – Overdale Street to Queen Street

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 807-2015

2015 Regional Street Renewal Program: Ness Avenue Eastbound Rehabilitation – Overdale Street to Queen Street

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within ninety (90) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 807-2015

2015 Regional Street Renewal Program: Ness Avenue Eastbound Rehabilitation – Overdale Street to Queen Street

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on March 18, 2015.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)