



901-2015 ADDENDUM 1

REQUEST FOR PROPOSAL FOR PROFESSIONAL CONSULTING SERVICES FOR PILOT TESTING AN ALTERNATIVE COAGULANT FOR THE WINNIPEG WATER TREATMENT PLANT

ISSUED: February 1, 2016
BY: Heather Buhler
TELEPHONE NO. 204 - 986-6425

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE REQUEST FOR PROPOSAL

THIS ADDENDUM SHALL BE INCORPORATED INTO THE REQUEST FOR PROPOSAL AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: Ar20150806

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Request for Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 9 of Form A: Proposal may render your Proposal non-responsive.

PART A – PROPOSAL SUBMISSION

Replace: 901-2015 Proposal Submission with 901-2015 Addendum 1 - Proposal Submission. The following is a summary of changes incorporated in the replacement Proposal Submission:

Form B (R1): Add Items No. 3.1 and 3.2 inclusive.

Page numbering on some forms may be changed as a result.

PART B – BIDDING PROCEDURES

Revise: B9.3 (a) to read: Phase 3: Coagulant Piloting.

- (i) for proposal purposes these fees should be based on 1200 hours of coagulant piloting and **60 hours of technical support and project management during the pilot testing period**. This assumes that the Proponent's operator will be working 12 hours per day, 7 days a week for 3 weeks per season, plus an additional 12 hours per day, 7 days a week for 2 weeks for testing direct filtration during the cold water (winter) season. **These fees shall include any training time required by the Proponent's operator during the handover of the pilot plant to the Proponent;**
- (ii) the number of hours listed in B9.3(a)(i) are to be considered approximate only. The City will use these numbers for the purpose of comparing bids; and
- (iii) the number of hours for which payment will be made to the Proponent for the **coagulant piloting** is to be determined by the actual hours onsite worked by the Proponent. A maximum of 2000 hours for coagulant piloting **and 120 hours for technical support and project management** will be permitted under Phase 3: Coagulant Piloting.