

**DIVISION 32**

**EXTERIOR IMPROVEMENTS**

**Part 1            General**

**1.1                REFERENCES**

- .1        The City of Winnipeg Standard Construction Specifications in effect on the date of closing shall apply for all works. The following sections are referenced herein.  
CW 3110 – Sub-grade, Sub-base and Base Course Construction  
CW 3150 – Gravel Surfacing  
CW 3210 – Adjustment of Pavement and Boulevard Structures  
CW 3230 – Full Depth Patching of Existing Slabs and Joints  
CW 3310 – Portland Cement Concrete Pavement Works  
CW 3410 – Asphalt Concrete Pavement Works  
CW 3510 – Sodding  
CW 3540 – Topsoil and Finish Grading for Establishment of Turf Area

**1.2                INTENT**

- .1        All surfaces affected by construction activities shall be restored to a condition equal to or better than the pre-construction condition.
- .2        All granular and paved surfaces removed or damaged during construction shall be replaced with an equivalent thickness of material.
- .3        All grassed areas disturbed by construction activities shall be repaired with topsoil and sod. Topsoil thickness shall be 100 mm in all instances.

**Part 2            Products**

- .1        All products shall conform to the City of Winnipeg Standard Construction Specifications referenced in Clause 1.1 of this Specification.

**Part 3            Execution**

- .1        All work shall conform to City of Winnipeg Standard Construction Specifications referenced in Clause 1.1 of this Specification.

**END OF SECTION**