

FORM A: BID
(See B8)

1. Contract Title 2016 LOCAL STREET RENEWAL PROGRAM: BARKER
BOULEVARD, ACHESON DRIVE AND VARIOUS OTHER LOCATIONS

2. Bidder _____
Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different) _____
Street or P.O. Box

City Province Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the
Contract for the Total Bid Price, in Canadian funds, set out on Form B:
Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1. CITY FUNDED WORK						
A	<u>REHABILITATION: BARKER BOULEVARD NORTHBOUND AND SOUTHBOUND - ROBLIN BOULEVARD TO BARKER BOULEVARD SOUTH LEG</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m ³	30		
A.2	Supplying and Placing Base Course Material	CW 3110-R19	m ³	30		
A.3	Grading of Boulevards	CW 3110-R19	m ²	400		
	ROADWORKS - RENEWALS					
A.4	Partial Slab Patches	CW 3230-R8				
	i) 150 mm Concrete Pavement (Type B)		m ²	50		
	ii) 150 mm Concrete Pavement (Type D)		m ²	70		
A.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
	i) 150 mm Concrete Pavement (Type B)		m ²	30		
A.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	54		
	b) Greater than 20 sq.m.		m ²	270		
	ii) Bullnose	SD-227C	m ²	3		
	iii) Monolithic Curb and Sidewalk	SD-228B	m ²	75		
A.7	Concrete Curb Installation	CW 3240-R10				
	i) Barrier (150 mm reveal ht, Dowelled)	SD-205	m	40		
A.8	Concrete Curb Renewal	CW 3240-R10				
	i) Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a) 3 m to 30 m		m	10		
	ii) Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	80		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.9	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	700		
ii)	Tie-ins and Approaches					
a)	Type II		tonne	93		
A.10	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	2635		
ii)	50 - 100 mm Depth (Asphalt)		m ²	879		
A.11	Pavement Repair Fabric	E15	m ²	450		
A.12	Detectable Warning Surface Tiles	CW 3326-R3	each	22		
A.13	Reflective Crack Maintenance	CW 3250-R7	m	200		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.14	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
A.15	Drainage Connection Pipe	CW 2130-R12	m	10		
A.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
A.17	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
A.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.19	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.20	Valve Box Extensions	CW 3210-R7	each	1		
A.21	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
A.22	Curb Stop Extensions	CW 3210-R7	each	5		
LANDSCAPING						
A.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	50		
ii)	width > or = 600 mm		m ²	350		
A	<u>REHABILITATION: BARKER BOULEVARD NORTHBOUND AND SOUTHBOUND - ROBLIN BOULEVARD TO BARKER BOULEVARD SOUTH LEG</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>ASPHALT RECONSTRUCTION: STACK STREET - ROBLIN BOULEVARD TO BARKER BOULEVARD SOUTH LEG</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m ³	470		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	1575		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Crushed Concrete		tonne	1180		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	190		
B.5	Grading of Boulevards	CW 3110-R19	m ²	900		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1575		
	ROADWORKS - RENEWALS					
B.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	1610		
ii)	Asphalt Pavement		m ²	270		
B.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
B.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	25		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m ²	380		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
B.11	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	130		
ii)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	100		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	70		
iv)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	20		
B.12	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	90		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	175		
iii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	55		
iv)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	5		
v)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	10		
B.13	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	300		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	65		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
B.14	Reflective Crack Maintenance	CW 3250-R7	m	15		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.15	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
B.16	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	2		
B.17	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
B.18	Sewer Service	CW 2130-R12				
i)	250 mm, PVC pipe					
a)	In a Trench, Class B Sand Bedding, Class 2 Backfill		m	20		
B.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
B.20	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 450 mm Concrete LDS Sewer		each	2		
B.21	Installation of Subdrains	CW 3120-R4	m	25		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
B.22	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
B.23	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.24	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
LANDSCAPING						
B.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
ii)	width > or = 600 mm		m ²	800		
B.26	Hydrovac	E12	hrs	10		
B	<u>ASPHALT RECONSTRUCTION: STACK STREET - ROBLIN BOULEVARD TO BARKER BOULEVARD SOUTH LEG</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>REHABILITATION/ASPHALT RECONSTRUCTION: ACHESON DRIVE - WEST LIMIT TO ARTHUR CREAK DRIVE</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m ³	800		
C.2	Sub-Grade Compaction	CW 3110-R19	m ²	1220		
C.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	850		
C.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	130		
C.5	Grading of Boulevards	CW 3110-R19	m ²	900		
C.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1220		
	ROADWORKS - RENEWALS					
C.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	1450		
ii)	Asphalt Pavement		m ²	35		
C.8	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	160		
C.9	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m ²	10		
ii)	150 mm Concrete Pavement (Type B)		m ²	110		
iii)	150 mm Concrete Pavement (Type D)		m ²	95		
C.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	110		
ii)	150 mm Concrete Pavement (Type D)		m ²	95		
C.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	140		
C.12	Drilled Tie Bars	CW 3230-R8				

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	20 M Deformed Tie Bar		each	210		
C.13	Concrete Curb Removal	CW 3240-R10				
i)	Mountable Curb		m	620		
C.14	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	620		
ii)	Barrier (100 mm reveal ht, Separate)	SD-203A	m	100		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	25		
C.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	75		
C.16	Pavement Repair Fabric	E9	m ²	1000		
ROADWORKS - NEW CONSTRUCTION						
C.17	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	250		
C.18	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	50		
C.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	215		
ii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	65		
C.20	Interlocking Paving Stones	CW 3330-R5	m ²	50		
C.21	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	1260		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	75		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
JOINT AND CRACK SEALING						
C.22	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	100		
C.23	Reflective Crack Maintenance	CW 3250-R7	m	70		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.24	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
C.25	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
C.26	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Sand Bedding, Class 2 Backfill		m	65		
C.27	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	10		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	10		
C.28	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	6		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.29	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Concrete LDS Sewer		each	2		
C.30	Removal of Existing Catch Basins	CW 2130-R12	each	4		
C.31	Removal of Existing Catch Pit	CW 2130-R12	each	6		
C.32	Watermain and Water Service Insulation	E11				
i)	Pipe Under Roadway Excavation (SD-018)		m ²	240		
ADJUSTMENTS						
C.33	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
C.34	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4		
C.35	Adjustment of Valve Boxes	CW 3210-R7	each	8		
C.36	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
C.37	Curb Stop Extensions	CW 3210-R7	each	2		
LANDSCAPING						
C.38	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
ii)	width > or = 600 mm		m ²	800		
C	<u>REHABILITATION/ASPHALT RECONSTRUCTION: ACHESON DRIVE - WEST LIMIT TO ARTHUR CREAK DRIVE</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>REHABILITATION: SONNICHSEN PLACE - ACHESON DRIVE TO HAMILTON AVENUE</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m ³	30		
D.2	Supplying and Placing Base Course Material	CW 3110-R19	m ³	30		
D.3	Grading of Boulevards	CW 3110-R19	m ²	120		
	ROADWORKS - RENEWALS					
D.4	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	50		
D.5	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m ²	5		
ii)	150 mm Concrete Pavement (Type B)		m ²	40		
iii)	150 mm Concrete Pavement (Type D)		m ²	10		
D.6	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	50		
D.7	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	20		
D.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
D.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
D.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	8		
b)	5 sq.m. to 20 sq.m.		m ²	13		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.11	Concrete Curb Removal	CW 3240-R10				
i)	Mountable Curb		m	140		
D.12	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	85		
ii)	Barrier (100 mm reveal ht, Separate)	SD-203A	m	35		
iii)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	30		
D.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	140		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	30		
D.14	Pavement Repair Fabric	E15	m ²	150		
	JOINT AND CRACK SEALING					
D.15	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	30		
D.16	Reflective Crack Maintenance	CW 3250-R7	m	10		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
D.18	Drainage Connection Pipe	CW 2130-R12	m	10		
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
D.19	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
D.20	Removal of Existing Catch Pit	CW 2130-R12	each	2		
D.21	Catch Basin Cleaning	CW 2140-R3	each	2		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.22	LANDSCAPING	CW 3510-R9				
	Sodding					
	i) width < 600 mm		m ²	40		
ii) width > or = 600 mm	m ²	80				
D	<u>REHABILITATION: SONNICHSEN PLACE - ACHESON DRIVE TO HAMILTON AVENUE</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>REHABILITATION: GOODRIDGE CRESCENT - ACHESON DRIVE TO ARTHUR CREAK DRIVE</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19	m ³	55		
E.2	Supplying and Placing Base Course Material	CW 3110-R19	m ³	55		
E.3	Grading of Boulevards	CW 3110-R19	m ²	300		
	ROADWORKS - RENEWALS					
E.4	Pavement Removal	CW 3110-R19				
	i) Concrete Pavement		m ²	100		
E.5	Slab Replacement	CW 3230-R8				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	50		
E.6	Partial Slab Patches	CW 3230-R8				
	i) 150 mm Concrete Pavement (Type B)		m ²	15		
	ii) 150 mm Concrete Pavement (Type D)		m ²	40		
E.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	50		
E.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
	i) 150 mm Concrete Pavement (Type B)		m ²	15		
E.9	Drilled Dowels	CW 3230-R8				
	i) 19.1 mm Diameter		each	20		
E.10	Drilled Tie Bars	CW 3230-R8				
	i) 20 M Deformed Tie Bar		each	35		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	20		
E.12	Concrete Curb Removal	CW 3240-R10				
i)	Mountable Curb		m	340		
E.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	220		
ii)	Barrier (100 mm reveal ht, Separate)	SD-203A	m	40		
iii)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	40		
E.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	15		
E.15	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	300		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	35		
E.16	Pavement Repair Fabric	E15	m ²	300		
ROADWORKS - NEW CONSTRUCTION						
E.17	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	120		
JOINT AND CRACK SEALING						
E.18	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	80		
E.19	Reflective Crack Maintenance	CW 3250-R7	m	70		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
E.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
E.21	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
E.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Sand Bedding, Class 2 Backfill		m	35		
E.23	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
E.24	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
E.25	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	4		
E.26	Removal of Existing Catch Basins	CW 2130-R12	each	1		
E.27	Removal of Existing Catch Pit	CW 2130-R12	each	3		
ADJUSTMENTS						
E.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
E.29	Adjustment of Valve Boxes	CW 3210-R7	each	2		
E.30	Valve Box Extensions	CW 3210-R7	each	2		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.31	LANDSCAPING	CW 3510-R9				
	Sodding					
	i) width < 600 mm		m ²	50		
	ii) width > or = 600 mm	m ²	250			
E	<u>REHABILITATION: GOODRIDGE CRESCENT - ACHESON DRIVE TO ARTHUR CREAK DRIVE</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2. MANITOBA HYDRO FUNDED WORK						
F	<u>NEW STREET LIGHT INSTALLATION</u>					
	<u>ACHESON DRIVE FROM DOHANEY CRESCENT TO GOODRIDGE CRESCENT</u>					
F.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E10.	each	2		
F.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E10.	lin.m	162		
F.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E10.	each	2		
F.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E10.	each	1		
F.5	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E10.	each	6		
F.6	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E10.	per span	4		
F.7	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E10.	per span	4		
F.8	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E10.	each	2		
	<u>STACK STREET FROM BARKER BOULEVARD SOUTH LEG TO ROBLIN BOULEVARD</u>					
F.9	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E10.	each	1		
F.10	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E10.	lin.m	173		
F.11	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E10.	each	1		
F.12	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E10.	each	1		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.13	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E10.	each	4		
F.14	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E10.	per span	4		
F.15	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E10.	per span	4		
F.16	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E10.	each	3		
F	<u>NEW STREET LIGHT INSTALLATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1: CITY FUNDED WORK						
A	<u>REHABILITATION: BARKER BOULEVARD NORTHBOUND AND SOUTHBOUND - ROBLIN BOULEVARD TO BARKER BOULEVARD SOUTH LEG</u>				Subtotal:	
B	<u>ASPHALT RECONSTRUCTION: STACK STREET - ROBLIN BOULEVARD TO BARKER BOULEVARD SOUTH LEG</u>				Subtotal:	
C	<u>REHABILITATION/ASPHALT RECONSTRUCTION: ACHESON DRIVE - WEST LIMIT TO ARTHUR CREAK DRIVE</u>				Subtotal:	
D	<u>REHABILITATION: SONNICHSEN PLACE - ACHESON DRIVE TO HAMILTON AVENUE</u>				Subtotal:	
E	<u>REHABILITATION: GOODRIDGE CRESCENT - ACHESON DRIVE TO ARTHUR CREAK DRIVE</u>				Subtotal:	
PART 2: MANITOBA HYDRO FUNDED WORK						
F	<u>NEW STREET LIGHT INSTALLATION</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 101-2016

2016 LOCAL STREET RENEWAL PROGRAM: BARKER BOULEVARD, ACHESON DRIVE AND VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 101-2016

2016 LOCAL STREET RENEWAL PROGRAM: BARKER BOULEVARD, ACHESON DRIVE AND VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 101-2016

2016 LOCAL STREET RENEWAL PROGRAM: BARKER BOULEVARD, ACHESON DRIVE AND
VARIOUS OTHER LOCATIONS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 15, 2016

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)