



14-2016 ADDENDUM 3

BID OPPURTUNITY FOR SUPPLY AND INSTALLATION OF 120 METER GUYED RADIO TOWER

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
REQUEST FOR PROPOSAL**

ISSUED: February 5, 2016
BY: Ed Richardson
TELEPHONE NO. (204) 986-6002

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE REQUEST FOR PROPOSAL AND
SHALL FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: Ar20131129

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Request for Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Proposal may render your Proposal non-responsive.

PART E – SPECIFICATIONS

Revise E9.3 to read:

- E5.3 Each guy anchor shall be fenced and have one pedestrian gate. To allow for maintenance of the guy anchor, the distance from the fence to the guy anchor should be a minimum of three feet on all sides. The distance from the anchor to the fence should be adjusted to allow at least 1 foot of clearance from the top of the fence to the lowest guy wire.