

FORM A: BID
(See B8)

1. Contract Title 2016 Regional Street Renewal Program, St. James Street Reconstruction, Maroons Road to Portage Avenue
2. Bidder
- _____
Name of Bidder
- _____
Usual Business Name of Bidder as it appears on Invoice (if different from above)
- _____
Street
- _____
City Province Postal Code
- _____
Email Address of Bidder
- _____
Facsimile Number
- (Mailing address if different)
- _____
Street or P.O. Box
- _____
City Province Postal Code
- (Choose one)
- The Bidder is:
- a sole proprietor
- a partnership
- a corporation
- carrying on business under the above name.
3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
- _____
Contact Person Title
- _____
Telephone Number Facsimile Number
4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>ST. JAMES STREET, MAROONS ROAD TO PORTAGE AVENUE, CONCRETE RECONSTRUCTION</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19 E14	m ³	15,500		
A.2	Hydro-Excavation	E15	hours	40		
A.3	Sub-Grade Compaction	CW 3110-R19	m ²	18,500		
A.4	Crushed Sub-base Material	CW 3110-R19				
	i) 50 mm		tonne	7,600		
	ii) 100 mm		tonne	15,200		
A.5	Supplying and Placing Base Course Material	CW 3110-R19	m ³	2,000		
A.6	Grading of Boulevards	CW 3110-R19	m ²	350		
A.7	Removal of Existing Concrete Bases	CW 3110-R19				
	i) 600 mm Diameter or Less		each	20		
	ii) Greater than 600 mm Diameter		each	6		
A.8	Separation Geotextile Fabric	CW 3130-R4	m ²	17,500		
A.9	Supply and Install Geogrid	CW 3135-R1	m ²	5,300		
	ROADWORK - REMOVALS/RENEWALS					
A.10	Pavement Removal	CW 3110-R19				
	i) Concrete Pavement		m ²	17,200		
	ii) Asphalt Pavement		m ²	200		
	iii) Temporary Asphalt Pavement		m ²	1,600		
A.11	Drilled Dowels	CW 3230-R8				
	i) 19.1 mm Diameter		each	110		
	ii) 28.6 mm Diameter		each	250		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	250		
ii)	20 M Deformed Tie Bar		each	1,500		
iii)	25 M Deformed Tie Bar		each	10		
A.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m ²	225		
ii)	Monolithic Median Slab		m ²	100		
iii)	Safety Median		m ²	90		
iv)	100 mm Sidewalk		m ²	4,500		
v)	Bullnose		m ²	25		
A.14	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	175		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	40		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Temporary Asphalt Pavement					
a)	Type IA		tonne	300		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	60		
A.16	Construction of Asphalt Patches	CW 3410-R11	m ²	100		
A.17	Planing of Pavement	CW 3450-R6				
i)	1-50 mm depth (Asphalt)		m ²	300		
A.18	Detectable Warning Surface Tiles	CW 3326-R3	each	54		
A.19	Remove and Salvage Existing Overhead Sign Structure	E12	each	3		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.20	Remove Existing Bollards	E19	each	5		
ROADWORK - NEW CONSTRUCTION						
A.21	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17 E17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled) (Slipform)		m ²	12,200		
ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	850		
iii)	Construction of Concrete Median Slabs	SD-227A	m ²	50		
iv)	Construction of Monolithic Concrete Median Slabs	SD-226A	m ²	50		
v)	Construction of Concrete Safety Medians	SD-226B	m ²	550		
vi)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	50		
A.22	Concrete Pavements for Early Opening	CW 3310-R17 E17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m ²	3,900		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m ²	250		
A.23	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17 E17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	50		
ii)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	100		
iii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	1,500		
iv)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	50		
v)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	450		
vi)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	230		
vii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	15		
viii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	20		
A.24	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	3,500		
A.25	100 mm Concrete Sidewalk	CW 3325-R5	m ²	5,000		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.26	Interlocking Paving Stones	CW 3335-R1 E13	m ²	1,075		
A.27	Lean Concrete Base	CW 3335-R1 E13	m ²	1,075		
A.28	Reflective Crack Maintenance	CW 3250-R7	m	100		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.29	Catch Basin	CW 2130-R12 E18				
i)	SD-024, 1200 mm deep		each	1		
ii)	SD-024, 1800 mm deep		each	19		
iii)	SD-024, 1800 mm deep c/w 100mm Outflow Restrictor	E22	each	2		
iv)	SD-025, 1800 mm deep		each	1		
A.30	Catch Pit	CW 2130-R12 E18				
i)	SD-023		each	6		
A.31	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Bedding with sand, Class 3 Backfill		m	15		
b)	Trenchless Installation, Class B Bedding with sand, Class 3 Backfill		m	117		
ii)	300 mm, PVC					
a)	In a Trench, Class B Bedding with sand, Class 3 Backfill		m	6		
b)	Trenchless Installation, Class B Bedding with sand, Class 3 Backfill		m	47		
A.32	Drainage Connection Pipe	CW 2130-R12	m	12		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.33	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-015		vert m	17		
ii)	300 mm					
a)	SD-015		vert m	4		
A.34	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	11		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	11		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.35	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
A.36	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm Catch Basin Lead					
a)	Connecting to 450 mm Storm Relief Sewer		each	1		
b)	Connecting to 375 mm Combined Sewer		each	4		
c)	Connecting to 450 mm Combined Sewer		each	4		
d)	Connecting to 600 mm Combined Sewer		each	4		
ii)	300 mm Catch Basin Lead					
a)	Connecting to 300 mm Combined Sewer		each	4		
b)	Connecting to 450 mm Combined Sewer		each	2		
A.37	Removal of Existing Catch Basins	CW 2130-R12	each	17		
A.38	Removal of Existing Catch Pit	CW 2130-R12	each	1		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.39	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	18		
A.40	Abandoning Existing Drainage Inlets	CW 2130-R12	each	3		
A.41	Installation of Subdrains	CW 3120-R4	m	252		
A.42	Conduit Installation	E16	m	600		
A.43	Watermain and Water Service Insulation	CW 2110-R11 E21				
i)	Pipe Under Roadway Excavation (SD-018)		m ²	200		
ADJUSTMENTS						
A.44	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	11		
A.45	Replacing Existing Risers	CW 2130-R12 E18				
i)	Pre-cast Concrete Risers		vert. m	5		
A.46	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	11		
iv)	76 mm		each	1		
A.47	Adjustment of Valve Boxes	CW 3210-R7	each	28		
A.48	Valve Box Extensions	CW 3210-R7	each	5		
A.49	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
A.50	Patching of Existing Manholes	CW 2130-R12	vert. m	2		
A.51	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	10		
A.52	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	32		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.53	Hydrant Removal and Reinstallation	E23				
i)	Remove and reinstall with existing 600 mm barrel extensions		each	5		
ii)	Remove and reinstall with new 450 mm barrel extensions		each	4		
	LANDSCAPING					
A.54	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
ii)	width > or = 600 mm		m ²	250		
	WATERMAIN RENEWAL					
A.55	Watermain Renewals	CW 2110-R11				
i)	200 mm PVC					
a)	Trenchless Installation, Class B sand bedding, Class 3 backfill		m	13		
A.56	Watermain Valve	CW 2110-R11				
i)	200 mm		each	1		
A.57	Connecting to Existing Watermain and Large Diameter Water Services	CW 2110-R11				
i)	Inline connection - no plug existing					
a)	200 mm		each	2		
A.58	Extraction of Existing Watermains to be Abandoned	CW 2110-R11 E20				
i)	200 mm		m	13		
A	<u>ST. JAMES STREET, MAROONS ROAD TO PORTAGE AVENUE, CONCRETE RECONSTRUCTION</u>				Subtotal:	
TOTAL BID PRICE (GST extra)			(in figures)		_____	

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 19-2016

2016 Regional Street Renewal Program, St. James Street Reconstruction, Maroons Road to Portage Avenue

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 19-2016

2016 Regional Street Renewal Program, St. James Street Reconstruction, Maroons Road to Portage Avenue

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within ninety (90) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 19-2016

2016 Regional Street Renewal Program, St. James Street Reconstruction, Maroons Road to Portage Avenue

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on February 14, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)