

FORM A: BID
(See B9)

1. Contract Title 2016 Local Streets Renewal Program - Rothesay Street, McLeod Avenue, Manhattan Avenue and Various Other Locations

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>ROTHESAY STREET - EDISON AVENUE TO McLEOD AVENUE, REHABILITATION</u>					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	35		
A.2	Grading of Boulevards	CW 3110-R19	m ²	2,600		
	ROADWORKS - RENEWALS					
A.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	280		
A.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	10		
ii)	200 mm Concrete Pavement (Type B)		m ²	160		
iii)	200 mm Concrete Pavement (Type D)		m ²	40		
A.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	150		
ii)	28.6 mm Diameter		each	500		
A.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	250		
ii)	25 M Deformed Tie Bar		each	300		
A.7	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	1,200		
ii)	150 mm Reinforced Sidewalk		m ²	20		
A.8	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m ²	1,500		
ii)	150 mm Reinforced Sidewalk		m ²	30		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	25		
A.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	15		
A.11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	250		
b)	Greater than 30 m		m	550		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	200		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	20		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	145		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	1,200		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	220		
A.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	5,700		
ii)	50 - 100 mm Depth (Asphalt)		m ²	1,200		
A.15	Pavement Repair Fabric	E11	m ²	3,600		
A.16	Detectable Warning Surface Tiles	CW 3326-R3	each	44		
	JOINT AND CRACK SEALING					
A.17	Reflective Crack Maintenance	CW 3250-R7	m	570		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.18	Catch Pit	CW 2130-R12				
i)	SD-023		each	6		
A.19	Drainage Connection Pipe	CW 2130-R12	m	9		
A.20	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	6		
A.21	Removal of Existing Catch Pit	CW 2130-R12	each	1		
A.22	Abandoning Existing Drainage Inlets	CW 2130-R12	each	5		
A.23	Catch Basin Cleaning	CW 2140-R3	each	1		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
A.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
A.25	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.26	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4		
ii)	64 mm		each	1		
iii)	76 mm		each	1		
A.27	Adjustment of Valve Boxes	CW 3210-R7	each	2		
A.28	Valve Box Extensions	CW 3210-R7	each	1		
A.29	Adjustment of Curb Stop Boxes	CW 3210-R7	each	10		
A.30	Curb Stop Extensions	CW 3210-R7	each	6		
LANDSCAPING						
A.31	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	1,300		
ii)	width > or = 600 mm		m ²	1,300		
A	<u>ROTHESAY STREET - EDISON AVENUE TO McLEOD AVENUE, REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>MILDRED STREET - KNOWLES AVENUE TO HEADMASTER ROW, REHABILITATION</u>					
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	10		
B.2	Grading of Boulevards	CW 3110-R19	m ²	160		
	ROADWORKS - RENEWALS					
B.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	150		
B.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	15		
B.5	Partial Depth Planing of Existing Joints	E12	m ²	35		
B.6	Asphalt Patching of Partial Depth Joints	E12	m ²	35		
B.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	200		
B.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	150		
B.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	20		
b)	5 sq.m. to 20 sq.m.		m ²	30		
B.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Integral)		m	40		
ii)	Lip Curb	SD-202C	m	190		
B.11	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	190		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	40		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	12		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	10		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.12	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	190		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	35		
B.13	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	250		
	JOINT AND CRACK SEALING					
B.14	Reflective Crack Maintenance	CW 3250-R7	m	140		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
iii)	TF-122GP - Mountable Curb and Gutter Paving Grate	E17	each	1		
	ADJUSTMENTS					
B.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
B.17	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
ii)	64 mm		each	1		
	LANDSCAPING					
B.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	250		
ii)	width > or = 600 mm		m ²	50		
B	<u>MILDRED STREET - KNOWLES AVENUE TO HEADMASTER ROW, REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>MCLEOD AVENUE - DURNESS BAY TO ROTHESAY STREET, REHABILITATION</u>					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	20		
C.2	Grading of Boulevards	CW 3110-R19	m ²	1,050		
	ROADWORKS - RENEWALS					
C.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	45		
C.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	10		
ii)	200 mm Concrete Pavement (Type B)		m ²	25		
iii)	200 mm Concrete Pavement (Type C)		m ²	15		
iv)	200 mm Concrete Pavement (Type D)		m ²	30		
C.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	150		
C.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	150		
C.7	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	575		
ii)	150 mm Reinforced Sidewalk		m ²	20		
C.8	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m ²	710		
ii)	150 mm Reinforced Sidewalk		m ²	25		
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	10		
C.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
C.11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	20		
b)	3 m to 30 m		m	210		
c)	Greater than 30 m		m	150		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	200		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
C.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	480		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
C.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	2,350		
ii)	50 - 100 mm Depth (Asphalt)		m ²	100		
C.15	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	JOINT AND CRACK SEALING					
C.16	Reflective Crack Maintenance	CW 3250-R7	m	300		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
C.18	Drainage Connection Pipe	CW 2130-R12	m	4		
C.19	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
C.20	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
	ADJUSTMENTS					
C.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.22	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4		
ii)	64 mm		each	2		
C.23	Adjustment of Valve Boxes	CW 3210-R7	each	1		
C.24	Valve Box Extensions	CW 3210-R7	each	1		
C.25	Adjustment of Curb Stop Boxes	CW 3210-R7	each	6		
C.26	Curb Stop Extensions	CW 3210-R7	each	3		
C.27	Raising of Existing Hydrant	CW 2110-R11	each	1		
	LANDSCAPING					
C.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	600		
ii)	width > or = 600 mm		m ²	450		
C	<u>McLEOD AVENUE - DURNESS BAY TO ROTHESAY STREET.</u> <u>REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>PENNEFATHER STREET - HEADMASTER ROW TO BONNER AVENUE, REHABILITATION</u>					
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	10		
D.2	Grading of Boulevards	CW 3110-R19	m ²	500		
	ROADWORKS - RENEWALS					
D.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	65		
D.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m ²	10		
ii)	150 mm Concrete Pavement (Type B)		m ²	12		
iii)	150 mm Concrete Pavement (Type D)		m ²	20		
D.5	Partial Depth Planing of Existing Joints	E12	m ²	35		
D.6	Asphalt Patching of Partial Depth Joints	E12	m ²	35		
D.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	150		
D.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	150		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	15		
b)	5 sq.m. to 20 sq.m.		m ²	80		
c)	Greater than 20 sq.m.		m ²	40		
D.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Integral)		m	60		
ii)	Lip Curb	SD-202C	m	270		
D.11	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	270		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	120		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.12	Concrete Curb Renewal	CW 3240-R10				
i)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	15		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
D.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	320		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
D.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	100		
D.15	Pavement Repair Fabric	E11	m ²	550		
	JOINT AND CRACK SEALING					
D.16	Reflective Crack Maintenance	CW 3250-R7	m	180		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.17	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	TF-122GP - Mountable Curb and Gutter Paving Grate	E17	each	2		
	ADJUSTMENTS					
D.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
D.19	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
ii)	64 mm		each	1		
D.20	Adjustment of Valve Boxes	CW 3210-R7	each	2		
D.21	Valve Box Extensions	CW 3210-R7	each	1		
D.22	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
	LANDSCAPING					
D.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	500		
D	<u>PENNEFATHER STREET - HEADMASTER ROW TO BONNER AVENUE, REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>ROCKSPUR STREET - TU-PELO AVENUE TO ANTRIM ROAD, REHABILITATION</u>					
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	30		
E.2	Grading of Boulevards	CW 3110-R19	m ²	800		
	ROADWORKS - RENEWALS					
E.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	280		
E.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	10		
ii)	200 mm Concrete Pavement (Type B)		m ²	50		
iii)	200 mm Concrete Pavement (Type D)		m ²	35		
E.5	Partial Depth Planing of Existing Joints	E12	m ²	130		
E.6	Asphalt Patching of Partial Depth Joints	E12	m ²	130		
E.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	400		
E.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	450		
E.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	25		
b)	5 sq.m. to 20 sq.m.		m ²	40		
E.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	15		
E.11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
E.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Integral)		m	20		
ii)	Lip Curb	SD-202C	m	680		
E.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	550		
ii)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	150		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.14	Concrete Curb Renewal	CW 3240-R10				
i)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	12		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	35		
E.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	20		
E.16	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	630		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	130		
E.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	150		
	JOINT AND CRACK SEALING					
E.18	Reflective Crack Maintenance	CW 3250-R7	m	400		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	6		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	6		
E.20	Catch Basin Cleaning	CW 2140-R3	each	2		
	ADJUSTMENTS					
E.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
E.22	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4		
ii)	64 mm		each	1		
	LANDSCAPING					
E.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	600		
ii)	width > or = 600 mm		m ²	200		
E	<u>ROCKSPUR STREET - TU-PELO AVENUE TO ANTRIM ROAD, REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>GREY STREET - KIMBERLY AVENUE TO CONCORDIA AVENUE, REHABILITATION</u>					
	EARTH AND BASE WORKS					
F.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	35		
F.2	Grading of Boulevards	CW 3110-R19	m ²	750		
	ROADWORKS - RENEWALS					
F.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	220		
F.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m ²	10		
ii)	150 mm Concrete Pavement (Type B)		m ²	25		
iii)	150 mm Concrete Pavement (Type D)		m ²	105		
F.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	300		
F.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	300		
F.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	20		
b)	5 sq.m. to 20 sq.m.		m ²	200		
c)	Greater than 20 sq.m.		m ²	120		
F.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	20		
F.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
F.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Integral)		m	50		
ii)	Lip Curb	SD-202C	m	350		
F.11	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	350		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50		
F.12	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	35		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	370		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	35		
F.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	100		
F.15	Pavement Repair Fabric	E11	m ²	200		
	JOINT AND CRACK SEALING					
F.16	Reflective Crack Maintenance	CW 3250-R7	m	200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.17	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
	ADJUSTMENTS					
F.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
F.19	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
F.20	Adjustment of Curb Stop Boxes	CW 3210-R7	each	3		
	LANDSCAPING					
F.21	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	550		
ii)	width > or = 600 mm		m ²	200		
F	<u>GREY STREET - KIMBERLY AVENUE TO CONCORDIA AVENUE, REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>MANHATTAN AVENUE - CPR RAILROAD CROSSING TO GREY STREET, ASPHALT RECONSTRUCTION</u>					
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R19	m ³	1,150		
G.2	Sub-Grade Compaction	CW 3110-R19	m ²	2,550		
G.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	2,500		
G.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	400		
G.5	Grading of Boulevards	CW 3110-R19	m ²	1,250		
G.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2,550		
G.7	Supply and Install Geogrid	CW 3135-R1	m ²	2,550		
	ROADWORKS - RENEWALS					
G.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	2,400		
G.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	200		
G.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	20		
b)	5 sq.m. to 20 sq.m.		m ²	100		
c)	Greater than 20 sq.m.		m ²	350		
G.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
G.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
G.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	12		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	15		
G.14	Detectable Warning Surface Tiles	CW 3326-R3	each	6		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
G.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Slip Form Paving	SD-200	m	500		
ii)	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	40		
iii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	40		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	40		
v)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	15		
G.16	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	280		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
G.17	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	330		
JOINT AND CRACK SEALING						
G.18	Reflective Crack Maintenance	CW 3250-R7	m	300		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
G.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	4		
G.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 3 Bedding, Class 2 Backfill		m	16		
G.21	Drainage Connection Pipe	CW 2130-R12	m	16		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
G.23	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (PVC) Connecting Pipe					
a)	Connecting to 300 mm (Clay) Sewer		each	4		
G.24	Removal of Existing Catch Basins	CW 2130-R12	each	4		
G.25	Abandoning Existing Drainage Inlets	CW 2130-R12	each	4		
G.26	Installation of Subdrains	CW 3120-R4	m	48		
G.27	Watermain and Water Service Insulation	E16				
i)	Pipe Under Roadway Excavation (SD-018)		m ²	180		
ADJUSTMENTS						
G.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
G.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
ii)	Brick Risers		vert. m	1.0		
G.30	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4		
G.31	Adjustment of Valve Boxes	CW 3210-R7	each	2		
G.32	Valve Box Extensions	CW 3210-R7	each	1		
G.33	Adjustment of Curb Stop Boxes	CW 3210-R7	each	4		
LANDSCAPING						
G.34	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	250		
ii)	width > or = 600 mm		m ²	1,000		
G	<u>MANHATTAN AVENUE - CPR RAILROAD CROSSING TO GREY STREET, ASPHALT RECONSTRUCTION</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H	<u>SEWER REPAIRS - ROTHESAY STREET AND McLEOD AVENUE</u>					
	ROTHESAY STREET (CL40002445)					
H.1	Sewer Inspection (following repair)	CW2145-R3				
i)	150 mm, Concrete		m	6		
H.2	Sewer Repair (CB lead) - Up to 3.0 Meters Long	CW 2130-R12				
i)	150 mm					
a)	Class 3 Backfill		each	1		
	ROTHESAY STREET (CL40002298)					
H.3	Sewer Inspection (following repair)	CW2145-R3				
i)	150 mm, PVC		m	4		
H.4	Sewer Repair (CB lead) - Up to 3.0 Meters Long	CW 2130-R12				
i)	150 mm					
a)	Class 3 Backfill		each	1		
H.5	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	150 mm					
a)	Class 3 Backfill		m	1		
	ROTHESAY STREET (MA40002436)					
H.6	Sewer Inspection (following repair)	CW2145-R3				
i)	450 mm, Concrete		m	103		
H.7	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	450 mm					
a)	Class 3 Backfill		each	2		
H.8	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	450 mm					
a)	Class 3 Backfill		m	1		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
McLEOD AVENUE (CL40006346)						
H.9	Sewer Inspection (following repair)	CW2145-R3				
i)	250 mm, Concrete		m	8		
H.10	Sewer Repair (CB lead) - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	1		
McLEOD AVENUE (CL40006353)						
H.11	Sewer Inspection (following repair)	CW2145-R3				
i)	150 mm, Concrete		m	8		
H.12	Sewer Repair (CB lead) - Up to 3.0 Meters Long	CW 2130-R12				
i)	150 mm					
a)	Class 3 Backfill		each	1		
H	<u>SEWER REPAIRS - ROTHESAY STREET AND McLEOD AVENUE</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 MANITOBA HYDRO FUNDED WORK						
I	<u>MANHATTAN AVENUE - CPR RAILROAD CROSSING TO GREY STREET, STREET LIGHTING</u>					
I.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E18	each	6		
I.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E18	m	305		
I.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E18	each	7		
I.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E18	each	2		
I.5	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E18	each	1		
I.6	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E18	each	7		
I.7	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E18	per span	7		
I.8	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E18	per span	7		
I	<u>MANHATTAN AVENUE - CPR RAILROAD CROSSING TO GREY STREET, STREET LIGHTING</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 CITY FUNDED WORK						
A	<u>ROTHESAY STREET - EDISON AVENUE TO McLEOD AVENUE, REHABILITATION</u>				Subtotal:	
B	<u>MILDRED STREET - KNOWLES AVENUE TO HEADMASTER ROW, REHABILITATION</u>				Subtotal:	
C	<u>McLEOD AVENUE - DURNESS BAY TO ROTHESAY STREET, REHABILITATION</u>				Subtotal:	
D	<u>PENNEFATHER STREET - HEADMASTER ROW TO BONNER AVENUE, REHABILITATION</u>				Subtotal:	
E	<u>ROCKSPUR STREET - TU-PELO AVENUE TO ANTRIM ROAD, REHABILITATION</u>				Subtotal:	
F	<u>GREY STREET - KIMBERLY AVENUE TO CONCORDIA AVENUE, REHABILITATION</u>				Subtotal:	
G	<u>MANHATTAN AVENUE - CPR RAILROAD CROSSING TO GREY STREET, ASPHALT RECONSTRUCTION</u>				Subtotal:	
H	<u>SEWER REPAIRS - ROTHESAY STREET AND McLEOD AVENUE</u>				Subtotal:	
(total price) PART 1						
PART 2 MANITOBA HYDRO FUNDED WORK						
I	<u>MANHATTAN AVENUE - CPR RAILROAD CROSSING TO GREY STREET, STREET LIGHTING</u>				Subtotal:	
(total price) PART 2						
TOTAL BID PRICE (GST extra)				(in figures) _____		

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 260-2016

2016 Local Streets Renewal Program - Rothesay Street, McLeod Avenue, Manhattan Avenue and Various Other Locations

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 260-2016

2016 Local Streets Renewal Program - Rothesay Street, McLeod Avenue, Manhattan Avenue and Various Other Locations

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 260-2016

2016 Local Streets Renewal Program - Rothesay Street, McLeod Avenue, Manhattan Avenue and
Various Other Locations

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 14, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)