

FORM A: BID
(See B8)

1. Contract Title SUPPLY AND DELIVERY OF PICK-UP TRUCKS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (See B9)

SUPPLY AND DELIVERY OF PICK-UP TRUCKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE
1.	5500 lbs. GVWR Extended Cab Pick-up Truck	16032	Each	2	
2.	5500 lbs. GVWR Extended Cab Pick-up Truck with: Option 1: 4wd	16032	Each	3	
3.	5500 lbs. GVWR Crew Cab Pick-up Truck	16033	Each	2	
4.	5500 lbs. GVWR Crew Cab Pick-up Truck with: Option 1: 4wd	16033	Each	2	
5.	6500 lbs. GVWR Extended Cab Pick-up Truck	16034	Each	17	
6.	6500 lbs. GVWR Extended Cab Pick-up Truck with: Option 1: 4wd	16034	Each	18	
7.	6500 lbs. GVWR Crew Cab Pick-up Truck	16035	Each	3	
8.	6500 lbs. GVWR Crew Cab Pick-up Truck with: Option 1: 4wd	16035	Each	4	
9.	9500 lbs. GVWR Regular Cab Pick-up Truck	16036	Each	1	
10.	9500 lbs. GVWR Regular Cab Pick-up Truck with: Option 1: 4wd	16036	Each	1	
11.	9500 lbs. GVWR Extended Cab Pick-up Truck with: Option 1: 4wd	16037	Each	3	
12.	9500 lbs. GVWR Extended Cab Pick-up Truck with: Option 1: 4wd Option 2: SPPP	16037	Each	2	
13.	9500 lbs. GVWR Extended Cab Pick-up Truck with: Option 1: 4wd Option 3: 8' Box	16037	Each	1	
14.	9500 lbs. GVWR Crew Cab Pick-up Truck	16038	Each	3	
15.	9500 lbs. GVWR Crew Cab Pick-up Truck with: Option 1: 4wd	16038	Each	3	
16.	9500 lbs. GVWR Crew Cab Pick-up Truck with: Option 1: 4wd Option 3: 8' Box	16038	Each	3	

FORM B: PRICES
(See B9)

SUPPLY AND DELIVERY OF PICK-UP TRUCKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE
17.	9500 lbs. GVWR Crew Cab Pick-up Truck with: Option 1: 4wd Option 4: WFPS Package	16038	Each	2	
18.	Supply and Installation of Warning Lights and Equipment	16039	Each	65	

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 16032

Item 1-2

5500 LBS. GVWR, EXTENDED CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 5500 lbs. GVWR, Extended Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM 5.	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.1	GVWR	5,500 lbs. approx., state _____
5.2	Wheelbase	128 in. approx., state _____
5.3	Cargo length	5.5 ft. approx., state _____

DETAILED SPECIFICATIONS 16032 (continued)

5.4	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails	_____
5.5	Cab configuration	Extended cab	_____
5.6	Door configuration	Four (4) doors	_____
5.7	Engine	4 or 6-cylinder gasoline, state displacement	_____
5.8	Horsepower	200 hp approx., state	_____
5.9	Torque	190 lb-ft approx., state	_____
5.10	Fuel consumption	State city rating, L/100km	_____
5.11	Block heater	Required, submersible type with cord through grille	_____
5.12	Coolant	Extended Life Coolant, -35°C	_____
5.13	Battery	550 CCA approx.	_____
5.14	Transmission	Automatic	_____
5.15	Steering	Power	_____
5.16	Brakes	Power with ABS	_____
5.17	Wheels	Standard manufacturer's wheels, without locking nuts	_____
5.18	Tires – front & rear	BSW Tier 1 or 2 all season, state size	_____
5.19	Spare wheel & tire	Required with underbody carrier	_____
5.20	Mudflaps	Required, front and rear, OEM, moulded	_____
5.21	Rear axle	Limited slip or posi-traction, state ratio	_____
5.22	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats, front and rear	_____
5.23	Windshield	Tinted	_____
5.24	Windshield wipers	Intermittent	_____
5.25	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
5.26	Mirrors	Interior rearview & dual exterior	_____
5.27	Ignition keys	Three (3) sets required	_____
5.28	Remote keyless entry	Two (2) required	_____
5.29	Air conditioning	Required	_____
5.30	Tilt steering	Required	_____
5.31	Cruise control	Required	_____
5.32	Door locks	Power	_____
5.33	Windows	Power	_____
5.34	Seat, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
5.35	Seat, rear	Cloth-faced, bench or dual, front facing rear seats	_____

DETAILED SPECIFICATIONS 16032 (continued)

5.36	Radio	AM-FM with CD player	_____
5.37	12-Volt power point	Required	_____
5.38	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
5.39	Air bags	Required, front driver's and passenger	_____
5.40	Fuel tank	70 Litre approx., fully fuelled upon delivery	_____
5.41	Bumper, rear	Rear step bumper	_____
5.42	Bumper, front	Required with license plate bracket and mounting hardware	_____
5.43	Colour - Exterior	White	_____
	- Interior	Grey	_____
5.44	Basic vehicle warranty	Three (3) years or 60 000 km (37,282 miles)	_____
5.45	Powertrain warranty	Five (5) years or 100 000 km (62,137 miles)	_____
5.46	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
5.47	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
5.48	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
5.49	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices.

5.50	Opt. 1: 4WD	4WD with dash mounted electronic shift	_____
------	-------------	--	-------

FORM N: DETAILED SPECIFICATIONS 16033

Item 3-4

5500 LBS. GVWR, CREW CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 5500 lbs. GVWR, Crew Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM 5.	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
5.1	GVWR	5,500 lbs. approx., state _____
5.2	Wheelbase	128 in. approx., state _____
5.3	Cargo length	5.0 ft. approx., state _____

DETAILED SPECIFICATIONS 16033 (continued)

5.4	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails	_____
5.5	Cab configuration	Crew cab	_____
5.6	Door configuration	Four (4), front hinged doors	_____
5.7	Engine	4 or 6-cylinder gasoline, state displacement	_____
5.8	Horsepower	200 hp approx., state	_____
5.9	Torque	190 lb-ft approx., state	_____
5.10	Fuel consumption	State city rating, L/100km	_____
5.11	Block heater	Required, submersible type with cord through grille	_____
5.12	Coolant	Extended Life Coolant, -35°C	_____
5.13	Battery	550 CCA approx.	_____
5.14	Transmission	Automatic	_____
5.15	Steering	Power	_____
5.16	Brakes	Power with ABS	_____
5.17	Wheels	Standard manufacturer's wheels, without locking nuts	_____
5.18	Tires – front & rear	BSW Tier 1 or 2 all season, state size	_____
5.19	Spare wheel & tire	Required with underbody carrier	_____
5.20	Mudflaps	Required, front and rear, OEM, moulded	_____
5.21	Rear axle	Limited slip or posi-traction	_____
5.22	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats, front and rear	_____
5.23	Windshield	Tinted	_____
5.24	Windshield wipers	Intermittent	_____
5.25	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
5.26	Mirrors	Interior rearview & dual exterior	_____
5.27	Ignition keys	Three (3) sets required	_____
5.28	Remote keyless entry	Two (2) required	_____
5.29	Air conditioning	Required	_____
5.30	Tilt steering	Required	_____
5.31	Cruise control	Required	_____
5.32	Door locks	Power	_____
5.33	Windows	Power	_____
5.34	Seat, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____

DETAILED SPECIFICATIONS 16033 (continued)

5.35	Seat, rear	Cloth-faced, bench or split bench seats	_____
5.36	Radio	AM-FM with CD player	_____
5.37	12-Volt power point	Required	_____
5.38	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
5.39	Air bags	Required, front driver's and passenger	_____
5.40	Fuel tank	70 Litre approx., fully fuelled upon delivery	_____
5.41	Bumper, rear	Rear step bumper	_____
5.42	Bumper, front	Required with license plate bracket and mounting hardware	_____
5.43	Colour - Exterior	White	_____
	- Interior	Grey	_____
5.44	Basic vehicle warranty	Three (3) years or 60 000 km (37,282 miles)	_____
5.45	Powertrain warranty	Five (5) years or 100 000 km (62,137 miles)	_____
5.46	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
5.47	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
5.48	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
5.49	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices.

5.50	Opt. 1: 4WD	4WD with dash mounted electronic shift	_____
------	-------------	--	-------

FORM N: DETAILED SPECIFICATIONS 16034

Item 5-6

6500 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 6500 lbs. GVWR, Extended Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM 5.	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.1	GVWR	6,500 lbs. approx., state _____
5.2	Wheelbase	143 in. approx., state _____
5.3	Cargo length	6.5 ft. nominal _____

DETAILED SPECIFICATIONS 16034 (continued)

5.4	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails	_____
5.5	Cab configuration	Extended cab	_____
5.6	Door configuration	Four (4) doors	_____
5.7	Engine	V6 gasoline, state displacement	_____
5.8	Horsepower	280 hp, state	_____
5.9	Torque	250 lb-ft, state	_____
5.10	Fuel consumption	State city rating, L/100km	_____
5.11	Block heater	Required, submersible type with cord through grille	_____
5.12	Coolant	Extended Life Coolant, -35°C	_____
5.13	Battery	600 CCA approx.	_____
5.14	Transmission	Automatic	_____
5.15	Transmission cooling	As required for trailer towing	_____
5.16	Steering	Power	_____
5.17	Brakes	Power with ABS	_____
5.18	Wheels	Standard manufacturer's wheels, without locking nuts	_____
5.19	Tires – front & rear	BSW Tier 1 or 2 all season, state size	_____
5.20	Spare wheel & tire	Required with underbody carrier	_____
5.21	Mudflaps	Required, front and rear, OEM, moulded	_____
5.22	Rear axle	Limited slip or posi-traction, axle ratio suitable for 5,000 lbs. towing capacity, state ratio	_____
5.23	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats, front and rear	_____
5.24	Windshield	Tinted	_____
5.25	Windshield wipers	Intermittent	_____
5.26	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
5.27	Mirrors	Interior rearview & heated dual exterior	_____
5.28	Ignition keys	Three (3) keys required	_____
5.29	Remote keyless entry	Two (2) required	_____
5.30	Air conditioning	Required	_____
5.31	Tilt steering	Required	_____
5.32	Cruise control	Required	_____
5.33	Door locks	Power	_____
5.34	Windows	Power	_____

DETAILED SPECIFICATIONS 16034 (continued)

5.35	Seat, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
5.36	Seat, rear	Cloth-faced, bench	_____
5.37	Radio	AM-FM with CD player	_____
5.38	12-Volt power point	Required	_____
5.39	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
5.40	Air bags	Required, front driver's and passenger	_____
5.41	Fuel tank	100 Litre approx., fully fuelled upon delivery	_____
5.42	Tubular side steps	Dual, chrome finish, OEM	_____
5.43	Bumper, rear	Rear step bumper	_____
5.44	Bumper, front	Chrome with license plate bracket and mounting hardware	_____
5.45	Towing prep package	Class 3 or 4 (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
5.46	Electric brake controller	Required, factory installed	_____
5.47	Colour - Exterior	White	_____
	- Interior	Grey	_____
5.48	Basic vehicle warranty	Three (3) years or 60 000 km (37,282 miles)	_____
5.49	Powertrain warranty	Five (5) years or 100 000 km (62,137 miles)	_____
5.50	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
5.51	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
5.52	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
5.53	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices.

5.54	Opt. 1: 4WD	4WD with dash mounted electronic shift	_____
------	-------------	--	-------

FORM N: DETAILED SPECIFICATIONS 16035

Item 7-8

6500 LBS. GVWR CREW CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 6500 lbs. GVWR, Crew Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM 5.	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.1	GVWR	6,500 lbs. approx., state _____
5.2	Wheelbase	142 in. approx., state _____
5.3	Cargo length	6.0 ft. nominal _____

DETAILED SPECIFICATIONS 16035 (continued)

5.4	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails	_____
5.5	Cab configuration	Crew cab	_____
5.6	Door configuration	Four (4), front hinged doors	_____
5.7	Engine	V6 gasoline, state displacement	_____
5.8	Horsepower	280 hp, state	_____
5.9	Torque	250 lb-ft, state	_____
5.10	Fuel consumption	State city rating, L/100km	_____
5.11	Block heater	Required, submersible type with cord through grille	_____
5.12	Coolant	Extended Life Coolant, -35°C	_____
5.13	Battery	600 CCA approx.	_____
5.14	Transmission	Automatic	_____
5.15	Transmission cooling	As required for trailer towing	_____
5.16	Steering	Power	_____
5.17	Brakes	Power with ABS	_____
5.18	Wheels	Standard manufacturer's wheels, without locking nuts	_____
5.19	Tires – front & rear	BSW Tier 1 or 2 all season, state size	_____
5.20	Spare wheel & tire	Required with underbody carrier	_____
5.21	Mudflaps	Required, front and rear, OEM, moulded	_____
5.22	Rear axle	Limited slip or posi-traction, axle ratio suitable for 5,000 lbs. towing capacity, state ratio	_____
5.23	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats, front and rear	_____
5.24	Windshield	Tinted	_____
5.25	Windshield wipers	Intermittent	_____
5.26	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
5.27	Mirrors	Interior rearview & heated dual exterior	_____
5.28	Ignition keys	Three (3) keys required	_____
5.29	Remote keyless entry	Two (2) required	_____
5.30	Air conditioning	Required	_____
5.31	Tilt steering	Required	_____
5.32	Cruise control	Required	_____
5.33	Door locks	Power	_____
5.34	Windows	Power	_____

DETAILED SPECIFICATIONS 16035 (continued)

5.35	Seat, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
5.36	Seat, rear	Cloth-faced, bench	_____
5.37	Radio	AM-FM with CD player	_____
5.38	12-Volt power point	Required	_____
5.39	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
5.40	Air bags	Required, front driver's and passenger	_____
5.41	Fuel tank	100 Litre approx., fully fuelled upon delivery	_____
5.42	Tubular side steps	Dual, chrome finish, OEM	_____
5.43	Bumper, rear	Rear step bumper	_____
5.44	Bumper, front	Chrome with license plate bracket and mounting hardware	_____
5.45	Towing prep package	Class 3 or 4 (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
5.46	Electric brake controller	Required, factory installed	_____
5.47	Colour - Exterior	White	_____
	- Interior	Grey	_____
5.48	Basic vehicle warranty	Three (3) years or 60 000 km (37,282 miles)	_____
5.49	Powertrain warranty	Five (5) years or 100 000 km (62,137 miles)	_____
5.50	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
5.51	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
5.52	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
5.53	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices.

5.54	Opt. 1: 4WD	4WD with dash mounted electronic shift	_____
------	-------------	--	-------

FORM N: DETAILED SPECIFICATIONS 16036

Item 9-10

9500 LBS. GVWR REGULAR CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 9500 lbs. GVWR Regular Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM 5.	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.1	GVWR 9500 lbs. approx., state	_____
5.2	Wheelbase 137 in. approx., state	_____
5.3	Cargo length 8 ft. nominal	_____

DETAILED SPECIFICATIONS 16036 (continued)

5.4	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails	_____
5.5	Cab configuration	Regular cab	_____
5.6	Door configuration	Two (2) doors	_____
5.7	Engine	Gasoline, state displacement	_____
5.8	Block heater	Required, submersible type with cord through grille	_____
5.9	Coolant	Extended Life Coolant, -35°C	_____
5.10	Battery	650 CCA approx.	_____
5.11	Transmission	Automatic	_____
5.12	Transmission cooling	As required for trailer towing	_____
5.13	Steering	Power	_____
5.14	Brakes	Power with ABS	_____
5.15	Wheels	Standard manufacturer's wheels, without locking nuts	_____
5.16	Tires – Front & rear	LT, BSW Tier 1 or 2 all-terrain mud and snow, state size	_____
5.17	Spare wheel & tire	Required with underbody carrier	_____
5.18	Mudflaps	Required, front and rear, OEM, moulded	_____
5.19	Rear axle	Limited slip or posi-traction, axle ratio suitable for 10,000 lbs. towing capacity, state ratio	_____
5.20	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats front and rear	_____
5.21	Windshield	Tinted	_____
5.22	Windshield wipers	Intermittent	_____
5.23	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
5.24	Mirrors	Interior rearview & heated dual exterior	_____
5.25	Ignition keys	Three (3) keys required	_____
5.26	Remote keyless entry	Two (2) required	_____
5.27	Air conditioning	Required	_____
5.28	Tilt steering	Required	_____
5.29	Cruise control	Required	_____
5.30	Door locks	Power	_____
5.31	Windows	Power	_____
5.32	Seat	Cloth-faced, split bench, 60/40 or 40/20/40	_____
5.33	Radio	AM-FM with CD player	_____
5.34	12-Volt power point	Required	_____

DETAILED SPECIFICATIONS 16036 (continued)

5.35	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
5.36	Air bags	Required, driver's and passenger	_____
5.37	Fuel tank	100 Litre approx., fully fuelled upon delivery	_____
5.38	Tubular side steps	Dual, chrome finish, OEM	_____
5.39	Bumper, rear	Rear step bumper	_____
5.40	Bumper, front	Chrome with license plate bracket and mounting hardware	_____
5.41	Towing prep package	Class 4 (10,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
5.42	Electric brake controller	Required, factory installed	_____
5.43	Colour - Exterior	White	_____
	- Interior	Grey	_____
5.44	Basic vehicle warranty	Three (3) years or 60 000 km (37,282 miles)	_____
5.45	Powertrain warranty	Five (5) years or 100 000 km (62,137 miles)	_____
5.46	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. and MGI (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
5.47	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
5.48	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
5.49	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices.

5.50	Opt. 1: 4WD	4WD with dash mounted electronic shift	_____
------	-------------	--	-------

FORM N: DETAILED SPECIFICATIONS 16037

Item 11-13

9500 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 9500 lbs. GVWR, Extended Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM 5.	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.1	GVWR 9500 lbs. approx., state	_____
5.2	Wheelbase 155 in. approx., state	_____
5.3	Cargo length 6.5 ft. nominal	_____

DETAILED SPECIFICATIONS 16037 (continued)

5.4	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails	_____
5.5	Cab configuration	Extended cab	_____
5.6	Door configuration	Four (4) full sized, front hinged doors	_____
5.7	Engine	Gasoline, state displacement	_____
5.8	Block heater	Required, submersible type with cord through grille	_____
5.9	Coolant	Extended Life Coolant, -35°C	_____
5.10	Battery	650 CCA approx.	_____
5.11	Transmission	Automatic	_____
5.12	Transmission cooling	As required for trailer towing	_____
5.13	Steering	Power	_____
5.14	Brakes	Power with ABS	_____
5.15	Wheels	Standard manufacturer's wheels, without locking nuts	_____
5.16	Tires – Front & rear	LT, BSW Tier 1 or 2 all-terrain mud and snow, state size	_____
5.17	Spare wheel & tire	Required with underbody carrier	_____
5.18	Mudflaps	Required, front and rear, OEM, moulded	_____
5.19	Rear axle	Limited slip or posi-traction, axle ratio suitable for 10,000 lbs. towing capacity, state ratio	_____
5.20	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats front and rear	_____
5.21	Windshield	Tinted	_____
5.22	Windshield wipers	Intermittent	_____
5.23	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
5.24	Windows	Power	_____
5.25	Mirrors	Interior rearview & heated dual exterior	_____
5.26	Ignition keys	Three (3) keys required	_____
5.27	Remote keyless entry	Two (2) required	_____
5.28	Door locks	Power	_____
5.29	Air conditioning	Required	_____
5.30	Tilt steering	Required	_____
5.31	Cruise control	Required	_____
5.32	Seat, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
5.33	Seats, rear	60-40 split-bench	_____
5.34	Radio	AM-FM with CD player	_____

DETAILED SPECIFICATIONS 16037 (continued)

5.35	12-Volt power point	Required	
5.36	Bluetooth [®] technology	Required for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit	
5.37	Air bags	Required, front driver’s and passenger	
5.38	Fuel tank	110 Litre approx., fully fuelled upon delivery	
5.39	Tubular side steps	Dual, chrome finish, OEM	
5.40	Bumper, rear	Rear step bumper	
5.41	Bumper, front	Chrome with license plate bracket and mounting hardware	
5.42	Towing prep package	Class 4 (10,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
5.43	Electric brake controller	Required, factory installed	
5.44	Colour - Exterior	White	
	- Interior	Grey	
5.45	Basic vehicle warranty	Three (3) years or 60 000 km (37,282 miles)	
5.46	Powertrain warranty	Five (5) years or 100,000 km (62,137 miles)	
5.47	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. and MGI (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB	
5.48	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	
5.49	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
5.50	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

Options:

Note: Options to be priced only as indicated on Form B: Prices.

5.51	Opt. 1: 4WD	4WD with dash mounted electronic shift	
5.52	Opt. 2: SPPP	Snow Plow Prep Package	
5.53	Opt. 3: Box length	8' box length	

FORM N: DETAILED SPECIFICATIONS 16038

Item 14-17

9500 LBS. GVWR CREW CAB PICK-UP TRUCK

1.0 DESCRIPTION OF EQUIPMENT

1.1 Shall be a 9500 lbs. GVWR Crew Cab Pick-up Truck. The Pick-up Truck shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE YEAR, MAKE AND MODEL BEING BID:** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM 5.	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
5.1	GVWR 9500 lbs. approx., state	_____
5.2	Wheelbase 155 in. approx., state	_____
5.3	Cargo length 6.5 ft. nominal	_____

DETAILED SPECIFICATIONS 15038 (continued)

5.4	Cargo box liner	OEM Factory supplied spray-on box liner covering complete inside of box including tailgate and top of side rails	_____
5.5	Cab configuration	Crew cab	_____
5.6	Door configuration	Four (4) full sized, front hinged doors	_____
5.7	Engine	Gasoline, state displacement	_____
5.8	Block heater	Required, submersible type with cord through grille	_____
5.9	Coolant	Extended Life Coolant, -35°C	_____
5.10	Battery	650 CCA approx.	_____
5.11	Transmission	Automatic	_____
5.12	Transmission cooling	As required for trailer towing	_____
5.13	Steering	Power	_____
5.14	Brakes	Power with ABS	_____
5.15	Wheels	Standard manufacturer's wheels, without locking nuts	_____
5.16	Tires – Front & rear	LT, BSW Tier 1 or 2 all-terrain mud and snow, state size	_____
5.17	Spare wheel & tire	Required with underbody carrier	_____
5.18	Mudflaps	Required, front and rear, OEM, moulded	_____
5.19	Rear axle	Limited slip or posi-traction, axle ratio suitable for 12,500 lbs. towing capacity, state ratio	_____
5.20	Floor covering	Black vinyl floor covering throughout with throw-in rubber floor mats front and rear	_____
5.21	Windshield	Tinted	_____
5.22	Windshield wipers	Intermittent	_____
5.23	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
5.24	Windows	Power	_____
5.25	Mirrors	Interior rearview & heated dual exterior	_____
5.26	Ignition keys	Three (3) required	_____
5.27	Remote keyless entry	Two (2) required	_____
5.28	Door locks	Power	_____
5.29	Air conditioning	Required	_____
5.30	Tilt steering	Required	_____
5.31	Cruise control	Required	_____
5.32	Seat, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
5.33	Seats, rear	60-40 split-bench	_____

DETAILED SPECIFICATIONS 15038 (continued)

5.34	Radio	AM-FM with CD player	_____
5.35	12-Volt power point	Required	_____
5.36	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
5.37	Air bags	Required, front driver's and passenger	_____
5.38	Fuel tank	110 Litre approx., fully fuelled upon delivery	_____
5.39	Tubular side steps	Dual, chrome finish, OEM	_____
5.40	Bumper, rear	Rear step bumper	_____
5.41	Bumper, front	Chrome with license plate bracket and mounting hardware	_____
5.42	Towing prep package	Heavy duty trailer towing equipment, suitable for towing a 12,500 lbs. load c/w trailer plug wiring and receiver hitch	_____
5.43	Electric brake controller	Required, factory installed	_____
5.44	Colour - Exterior	White	_____
	- Interior	Grey	_____
5.45	Basic vehicle warranty	Three (3) years or 60 000 km (37,282 miles)	_____
5.46	Powertrain warranty	Five (5) years or 100,000 km (62,137 miles)	_____
5.47	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.V.I.S. and MGI (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
5.48	Delivery time	Within 20-calendar weeks from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
5.49	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
5.50	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices.

5.51	Opt. 1: 4WD	4WD with dash mounted electronic shift	_____
5.52	Opt. 3: Box Length	8' cargo box	_____

DETAILED SPECIFICATIONS 15038 (continued)

5.53 Opt. 4: WFPS Package	Winnipeg Fire Paramedic Service options	
5.53.1 Splash guards	Front and rear	_____
5.53.2 Skid plates	Off-road skid plates	_____
5.53.3 Exterior mirrors	Wide load, extendable	_____
5.53.4 Rear window	Electric rear window defogger	_____
5.53.5 Rear camera	Rear vision camera system, factory installed	_____
5.53.6 Seats, front	High back front bucket seats with 6-way power driver seat adjustment	_____
5.53.7 Air bag system	Head curtain side impact	_____
5.53.8 Ignition keys	Five (5) required	_____

FORM N: DETAILED SPECIFICATIONS 16039

Item 18

SUPPLY & INSTALLATION OF WARNING LIGHTS AND EQUIPMENT

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. LIGHTING SPECIFICATIONS

- 2.1 Cargo rack – Backrack® or Headrack® equivalent, supplied and installed. _____
- 2.2 Utility light bracket – 16"x7", center mounted, required for mounting mini light bar. _____
- 2.3 Mini light bar – Whelen R2LPPA mounted to top-centre of Backrack/Headrack, 360° visibility, wired “hot”, i.e., able for actuation while vehicle is turned-off, fused as per manufacturer’s recommendations. _____
- 2.4 Actuation switch – backlit with high/off/low settings, labelled “beacon” with a permanent type, engraved style label. Exact mounting location to be determined at time of installation. _____
- 2.5 L-bracket – required for actuation switch. _____
- 2.6 All wiring for warning light and switch shall be colour coded, loomed and properly secured. _____
- 2.6.1 All electrical connectors shall be crimped and soldered, then sealed using heat shrink tubing. _____
- 2.6.2 All joining of wires shall be soldered and sealed using heat shrink tubing or approved OEM weathertight connections (crimp-on electrical connectors for joining of wires are not acceptable). _____
- 2.6.3 Any holes required to run wires through shall be drilled (not punched), grommeted and sealed as required. _____