


## B.M. ELEV. FIELD BOOK #: **APEGII Certificate of Authorization** POSTED TO LBIS ENGINEERING SERVICES INC Alliance Engineering Services Inc. No.2906 Date: DESIGNED CHECKED AFG APPROVED AFG REVISED & RE-ISSUED FOR TENDER & CONSTRUCTION 2016-07-11 AFG ISSUED FOR TENDER & CONSTRUCTION 2016-06-30 AFG HOR. SCALE AS NOTED RELEASED FOR ISSUED FOR 99% 2016-06-15 AFG VERTICAL AS NOTED A ISSUED FOR 33% CLIENT REVIEW |2016-05-13 AFG | 2016-06-15 DATE NO. REVISIONS DATE BY DATE



M2.2



## THE CITY OF WINNIPEG

WATER AND WASTE DEPARTMENT

SUPPLY AND INSTALL OF HVAC SYSTEMS

GENERAL NOTES

NOT BE ACCEPTED.

SEPARATIONS.

OPENINGS.

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY WORK NOT EXPLICITLY SET OUT IN THE CONTRACT DOCUMENTS BUT WHICH MAY BE REASONABLY

3. THESE PLANS ARE SCHEMATIC IN NATURE AND INDICATE THE APPROXIMATE

THROUGH COORDINATION WITH OTHER TRADES AND TO SUIT FIELD

AND GENERAL LOCATION OF THE WORK. CONTRACTOR SHALL INSTALL WORK

ENSURE ANY MULTI DISCIPLINE NOTES OR DETAILS ARE REVIEWED BY ALL SUBCONTRACTORS PRIOR TO BID SUBMISSION, A LATER CLAIM SUBMITTED BY THE CONTRACTOR FOR AN ADDITION TO THE CONTRACT PRICE BECAUSE OF

CHANGES IN WORK NECESSITATED DUE TO A LACK OF COORDINATION WILL

DETAILS FOR CUTTING AND SEALING PENETRATIONS THROUGH OPENINGS & FIRE

5. COORDINATE WORKS WITH OTHER SUBCONTRACTORS. REFER TO SPECIFIC

8. PERFORM ALL WORKS IN ACCORDANCE WITH NATIONAL BUILDING CODE, TO

AND THE REQUIREMENTS OF THE AUTHORITY HAVING JURISDICTION.

9. SUPPORT ALL DUCTWORK TO MEET CODE REQUIREMENTS & ESTABLISHED

10. INVESTIGATE SITE PRIOR TO CONSTRUCTION TO CONFIRM ALL DIMENSIONS

11. PERFORM ALL CUTTING & PATCHING NECESSARY FOR ANY REQUIRED

12. PROVIDE TAB TO ENSURE AIR DISTRIBUTION TO VOLUMES INDICATED.

MECHANICAL AND ELECTRICAL PERMITS/INSPECTIONS REQUIRED BY

13. CONTRACTOR TO PAY FOR AND OBTAIN ALL NECESSARY BUILDING,

SMACNA & ASHRAE STANDARDS, ALL LOCAL CODES, BYLAWS & STANDARDS,

AND INSTALLATION REQUIREMENTS. ANY DISCREPANCIES OR QUESTIONS SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACT ADMINISTRATOR PRIOR TO

6. REFER TO TECHNICAL SPECIFICATIONS FOR EQUIPMENT AND MATERIAL

SPECIFICATIONS AND INSTALLATION REQUIREMENTS.

7. INSULATE DUCTWORK WHERE INDICATED AND SPECIFIED.

INDUSTRY TRADE PRACTICES, (SMACNA, ASHRAE).

AUTHORITIES HAVING JURISDICTION.

IMPLIED FOR THE PROPER COMPLETION OF THE WORK.

4. CONTRACTOR SHALL COORDINATE WITH SUBCONTRACTORS TO

2. EQUIVALENTS IN ACCORDANCE WITH B7.

HVAC SECTIONS 1-0601M-M0005-001

SHEET 1 OF 1