

**FORM A: BID**  
(See B8)

1. Contract Title SUPPLY AND DELIVERY OF A ROTARY MOWER

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

| No.   | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60 ) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_  
\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_  
\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
(See B9)

SUPPLY AND DELIVERY OF A ROTARY MOWER

UNIT PRICES

| ITEM NO. | DESCRIPTION                           | SPEC. REF. | UNIT | QUANTITY | UNIT PRICE |
|----------|---------------------------------------|------------|------|----------|------------|
| 1.       | Rear Mount Rotary Mower with Flex Arm | 16001      | Each | 1        |            |

\_\_\_\_\_  
Name of Bidder

**FORM N: DETAILED SPECIFICATIONS 16001**  
**ROTARY MOWER**

**1.0 DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **Rotary Mower** and other equipment and features as specified herein.
- 1.2 The **Rotary Mower** shall be a new 2016 model year or newer.
- 1.3 The **Rotary Mower** and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

- 2.2 The **Rotary Mower** shall comply with the applicable regulations:

National Safety Mark, NSM = <http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Act, Parts 12, 22 =  
<http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = <http://www.sae.org/>

City of Winnipeg Lighting Visibility  
Standard = <http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

**3.0 SERVICE FACILITY**

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

**4.0 REFERENCES**

- 4.1 Provide five (5) Canadian references where this equipment is used in a working environment where climatic conditions are similar to the City of Winnipeg.

---

---

---

---

---

## 5.0 **MAKE & MODEL**

- 5.1 **State** make, model and year of the equipment bid- \_\_\_\_\_

---

## 6.0 **INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

- 6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

- 6.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

- 6.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

## 7.0 **PERFORMANCE RELIABILITY**

- 7.1 The responsibility for the design of the **Rotary Mower**, its performance and reliability shall rest upon the Contractor.

- 7.2 The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.

- 7.3 Where the **Rotary Mower** develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.

- 7.4 The equipment shall be capable of consistent top performance in City of Winnipeg Environment. Note: The City of Winnipeg has four seasons with ambient temperatures ranging from approximately 90°F (32°C) to -40°F (-40°C)

## 8.0 **FUEL**

- 8.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions).

## 9.0 **QUALIFICATIONS OF MANUFACTURER & CONTRACTOR**

- 9.1 The manufacturer of the **Rotary Mower** shall have five (5) years continuous experience manufacturing the equipment.

9.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.

9.3 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining **Rotary Mower** of the type being offered.

**10.0 SPECIFICATIONS:** Rotary Mower: **Schulte XH1000, Land Pride RC6610** or equivalent. Flex Arm: **Schulte FLX-1510** or equivalent. Equivalents shall be evaluated in accordance with B6 Substitutes.

**ROTARY MOWER**

|       |  |  |         |
|-------|--|--|---------|
| 10.1  | To be compatible with a Kubota M7060HD Tractor with an adjustable category I and II (3) point hitch. |  | _____   |
| 10.2  | Cutting width  | Approx. 126 inches, <b>state</b>                           | _____   |
| 10.3  | Overall width  | Approx. 139 inches, <b>state</b>                           | _____   |
| 10.4  | Overall length   | Approx. 192 inches, <b>state</b>                           | _____   |
| 10.5  | Transport width, minimum   | Approx. 88 inches, <b>state</b>                            | _____   |
| 10.6  | Transport height   | Approx. 88 inches, <b>state</b>                            | _____   |
| 10.7  | Deck thickness   | 7GA (3/16")  | _____   |
| 10.8  | Overall weight   | Approx. 5000lbs.   | _____   |
| 10.9  | Tractor HP   | Capacity of using tractor with 50-250 HP                   | _____   |
| 10.10 | Hitch  | Hitch self-leveling swivel clevis                          | _____   |
| 10.11 | Hitch option   | <b>State</b> optional price for hitch pintle ring          | \$_____ |
| 10.12 | Tongue weight  | Approx. 1700-1900lbs.                                      | _____   |
| 10.13 | Cutting height   | 2 to 14 inches   | _____   |
| 10.14 | Ground clearance   | Approx.15 inches   | _____   |
| 10.15 | Cutting capacity   | 4.5 inch material  | _____   |
| 10.16 | Blade overlap  | Approx. 6-6.5 inches                                       | _____   |
| 10.17 | Input driveline  | Cat 6 CV or Cat 5 heavy 3 joint                            | _____   |
| 10.18 | Blade type   | 5" x 4" quick change blade pins, hi-lift, flat or shredder | _____   |
| 10.19 | Blade tip speed  | 540 RPM: 16,000RPM   | _____   |
| 10.20 | Divider gear box rating  | Approx. 260 HP, <b>state</b>                               | _____   |
| 10.21 | Centre/wing gearbox rating   | Approx. 210 HP, <b>state</b>                               | _____   |
| 10.22 | Wing working range   | 25° down to 90° up   | _____   |
| 10.23 | Wing leveling  | Wing leveling adjustment                                   | _____   |

|       |                     |  |       |
|-------|---------------------|--|-------|
| 10.24 | Hydraulics          | Mower wing and axle hydraulically operated               | _____ |
| 10.25 | Tires               | 24-26" foam filled Air craft tires                       | _____ |
| 10.26 | Safety guards       | Double safety chains with individually replaceable links | _____ |
| 10.27 | Material flow       | Fully baffled deck                                       | _____ |
| 10.28 | Stump jumper        | Round welded   | _____ |
| 10.29 | Suspension          | Tandem walking axles                                     | _____ |
| 10.30 | Slow moving sign    | Slow-moving vehicle warning triangle                     | _____ |
| 10.31 | Wing transport lock | Safety lock bars for wings                               | _____ |
| 10.32 | Safety              | Safety light kit   | _____ |

**FLEX ARM**

|       |  |  |       |
|-------|--|--|-------|
| 10.33 | To be compatible with a Kubota M7060HD Tractor with an adjustable category I and II (3) point hitch. |  | _____ |
| 10.34 | Hitch  | Adjustable clevis hitch and tow chain  | _____ |
| 10.35 | Tires  | Heavy duty 11L x 15, 12 ply tires with a load capacity of approx. 4000 lbs.                            | _____ |
| 10.36 | Cutting offset   | Cut directly in-line with the tractor or at any offset distance up to approx.122"                      | _____ |
| 10.37 | Axles  | Bolt-in replaceable axles  | _____ |
| 10.38 | Major pivot points   | Spring steel tension bushings and induction hardened pins at major pivot points                        | _____ |
| 10.39 | Hydraulic cylinder   | Heavy duty 3.5" x 36 welded hydraulic cylinder or equivalent   | _____ |
| 10.40 | Overall weight   | Approx. 2500-2600lbs.  | _____ |
| 10.41 | Hubs   | 6 bolt hubs with approx. 6000lbs. capacity   | _____ |
| 10.42 | Continuous power rating  | Approx. 200HP  | _____ |
| 10.43 | PTO input  | 540RPM   | _____ |
| 10.44 | Transport widths   | Arm and rotary cutter, approx. 70" to the left of the tractor and 52" to the right for a total of 121" | _____ |
| 10.45 | Safety   | Safety light kit   | _____ |

11.0 **WARRANTY**

- 11.1 Basic coverage (Rotary Mower) (Complete Rotary Mower) Warranty 1 year unlimited hours \_\_\_\_\_
- 11.2 Gear Box warranty (Rotary Mower) (Complete Gear Box) Warranty 6 year unlimited hours \_\_\_\_\_
- 11.3 Deck Warranty (Rotary Mower) **State** Mower Deck rust-through warranty time \_\_\_\_\_
- 11.4 Basic coverage (Flex Arm) (Complete Flex Arm) Warranty 1 year unlimited hours \_\_\_\_\_
- 11.5 Gear Box warranty (Flex Arm) (Complete Gear Box) Warranty 6 year unlimited hours \_\_\_\_\_
- 11.6 All warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_
- 12.0 **DELIVERY**
- 12.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. The successful bidder shall be notified by the Contractor Administrator the delivery address prior to issuance of the purchase order \_\_\_\_\_
- 12.2 Delivery Time: **Sixteen to eighteen (16-18) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. \_\_\_\_\_
- 12.3 Delivery Contact: The Contractor shall contact the Contract Administrator prior to delivery of the equipment. \_\_\_\_\_
- 12.4 P.D.I: A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list \_\_\_\_\_
- 13.0 **MANUALS**
- 13.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. \_\_\_\_\_
- 13.2 The following manuals shall be supplied with the units when delivered:
- a) Operator's manual – Two (2) per unit (one operator manual shall be sent to the Equipment Operator Training Branch) \_\_\_\_\_
- b) Parts and service manuals – one (1) complete sets including preventative maintenance schedules. CDs are preferred. \_\_\_\_\_
- 14.0 **PARTS/LABOUR PRICING**
- 14.1 Bidder to provide City of Winnipeg Parts Discount % Pricing from retail parts pricing. **State percentage discount-** \_\_\_\_\_

14.2 Bidder to provide City of Winnipeg Labor Discount % Pricing from Retail shop labor rate. **State percentage discount-** \_\_\_\_\_