

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of:
(Choose one)
 a bid bond (Form G1: Bid Bond and Agreement to Bond)
 an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
 a certified cheque or draft
and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
No. _____ Dated _____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>Yale Avenue – Winona Street to Leola Street</u>					
A.1	Sanitary Sewers	CW 2130				
a)	750mm C76 – CL V					
i)	Trenchless installation, Class B Type 3 bedding, Class 3 backfill, 6-7m depth		m	1,030		
b)	300mm SDR 35 PVC					
i)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 2-3m depth		m	14.5		
ii)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 3-4m depth		m	8		
iii)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 4-5m depth		m	4.5		
A.2	Manholes	CW 2130				
a)	SD-010					
i)	1500mm Diam x 1800mm high base (New MH 018, MH 023, MH 025, MH 028, MH 031 & MH 035)		vt.m	40		
b)	SD-010D					
i)	1800mm Diam Chamber (New MH 024 and MH 029)		vt.m	15		
c)	SD_010D (Twin drop manholes)					
i)	2100mm Diam Chamber twin drop manhole (New MH 019, MH 026, MH 032 and MH 036)		vt.m	27		
A.3	Connecting to Existing Manhole	CW 2130				
a)	300mm Diam		each	5		
A.4	Connecting to Existing Sewer	E26				
a)	750mm Diam (Yale Avenue)		each	1		
A.5	Sewer Inspection	CW 2145				
a)	750mm Diam		m	1,044		
b)	300mm Diam		m	27		
A.6	Concrete Pipe – Three Edge Bearing Test	CW 2130				

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
a)	750mm Diam C76-V		each	2			
A.7	Abandoning Existing Sewer and Cement Stabilized Flowable Fill	CW 2130					
a)	300mm diameter		m ³	0.5			
b)	Removal of all metal work associated with flap gates and sluice/control gates (where installed) including initial condition survey and delivery to City depot (MH Ref S-MH40012464 & S-MH40012587, refer to DWG C-502)	E23	each	2			
A.8	Exploration of Existing Utilities and Services	CW 1120					
a)	Confirmation of vertical elevations of existing 1800mm LDS pipe in Yale Avenue at Ch. 1+375	E25	each	1			
A	<u>Yale Avenue – Winona Street to Leola Street</u>					SUBTOTAL	

B	<u>Bond Street – Yale Avenue to Melrose Avenue</u>					
B.1	Sanitary Sewers	CW 2130				
a)	300mm SDR 35 PVC					
i)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 2-3m		m	5		
ii)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 3-4m		m	10		
iii)	Trenchless installation, Class B Type 3 bedding, Class 3 backfill, 4-5m depth		m	270		
B.2	Manholes	CW 2130				
a)	SD-010					
i)	1200mm Diam x 1800mm high base (New MH 020 and MH 021)		vt.m	10		
b)	SD-010D					
i)	1500mm Diam Chamber (New MH 022)		vt.m	4.5		
B.3	Connecting to Existing Manhole	CW 2130				
a)	300mm Diam		each	3		
B.4	Sewer Inspection	CW 2145				
a)	300mm Diam (New Sewer)		m	285		

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
B.5	Connecting Existing Sewer Service to New Sewer	CW 2130					
a)	New connections		each	28			
b)	Sewer Service Risers		m	56			
c)	Sewer Services (150mm)		m	313			
B.6	Plugging and Abandoning Existing Sewers and Sewer Services	CW 2130					
a)	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres		each	3			
B	<u>Bond Street – Yale Avenue to Melrose Avenue</u>					SUBTOTAL	

C	<u>Kanata Street – Yale Avenue to Victoria Avenue</u>					
C.1	Sanitary Sewers	CW 2130				
a)	300mm SDR 35 PVC					
i)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 2-3m depth		m	5		
ii)	Trenchless installation, Class B Type 3 bedding, Class 3 backfill, 4-5m depth		m	86		
C.2	Manholes	CW 2130				
a)	SD-010D					
i)	1500mm Diam Chamber (New MH 027)		vt.m	4.5		
C.3	Connecting to Existing Manhole	CW 2130				
a)	300mm Diam		each	1		
C.4	Sewer Inspection	CW 2145				
a)	300mm Diam (New Sewer		m	91		
C.5	Connecting Existing Sewer Service to New Sewer	CW 2130				
a)	New Connections		each	4		
b)	Sewer Service Risers		m	8		
c)	Sewer Services (150mm)		m	41		
C.6	Plugging and Abandoning Existing Sewers and Sewer Services	CW 2130				

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres		each	1		
C	<u>Kanata Street – Yale Avenue West to Victoria Avenue</u>				SUBTOTAL	

D <u>Wabasha Street – Yale Avenue to Victoria Avenue</u>						
D.1	Sanitary Sewers	CW 2130				
a)	300mm SDR 35 PVC					
i)	Installation in a trench, Class B Type 3 bedding, Class 3 backfill, 2-3m depth		m	5		
ii)	Trenchless installation, Class B Type 3 bedding, Class 3 backfill, 4-5m depth		m	86		
D.2	Manholes	CW 2130				
a)	SD-010D					
i)	1500mm Diam Chamber (new MH 030)		vt.m	5		
D.3	Connecting to Existing Manhole	CW 2130				
a)	300mm Diam		each	1		
D.4	Sewer Inspection	CW 2145				
a)	300mm Diam (New Sewer)		m	91		
D.5	Plugging and Abandoning Existing Sewers and Sewer Services	CW 2130				
a)	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres		each	1		
D	<u>Wabasha Street – Yale Avenue to Victoria Avenue</u>				SUBTOTAL	

E <u>Roanoke Street – Ravelston Avenue to Victoria Avenue</u>						
E.1	Sanitary Sewers	CW 2130				
a)	300mm SDR 35 PVC					
i)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 2-3m		m	6.5		
ii)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 3-4m		m	8.5		

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Trenchless installation, Class B, Type 3 Bedding, Class 3 Backfill, 4-6m depth		m	81.5		
iv)	Trenchless installation, Class B, Type 3 bedding, Class 3 backfill, 5-6m depth		m	87		
E.2	Manholes	CW 2130				
a)	SD-010D					
i)	1500mm Diam Chamber (New MH 033 and MH 034)		vt.m	9		
E.3	Connecting to Existing Manhole	CW 2130				
a)	300mm Diam		each	2		
E.4	Sewer Inspection	CW2145				
a)	300mm Diam (New Sewer)		m	183.5		
E.5	Connecting Existing Sewer Service to New Sewer	CW 2130				
a)	New Connections		each	12		
b)	Sewer Service Risers		m	24		
c)	Sewer Services (150mm)		m	120		
E.6	Plugging and Abandoning Existing Sewers and Sewer Services	CW 2130				
a)	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres		each	2		
E	<i>Roanoke Street – Ravelston Avenue to Victoria Avenue</i>				SUBTOTAL	

F	<i>Leola Street – Yale Avenue to Victoria Avenue</i>					
F.1	Sanitary Sewers	CW 2130				
a)	300mm SDR 35 PVC					
i)	Installation in a trench, Class B, Type 3 bedding, Class 3 backfill, 2-3m depth		m	5		
ii)	Trenchless installation, Class B, Type 3 bedding, Class 3 backfill, 4-5m depth		m	86		
F.2	Manholes	CW 2130				
a)	SD-010D					

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	1500mm Diam Chamber (New MH 037)		vt.m	5		
F.3	Connecting to Existing Manhole	CW 2130				
a)	300mm Diam		each	1		
F.4	Sewer Inspection	CW 2145				
a)	300mm Diam (New Sewer)		m	91		
F.5	Connecting Existing Sewer Service to New Sewer	CW 2130				
a)	New Connections		each	5		
b)	Sewer Service Risers		m	10		
c)	Sewer Services (150mm)		m	47		
F.6	Plugging and Abandoning Existing Sewers and Sewer Services	CW 2130				
a)	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres		each	1		
F	<i>Leola Street – Yale Avenue to Victoria Avenue</i>				SUBTOTAL	

G	<i>Provisional Items</i>					
G.1	Trenchless Obstructions	E8	Allow	1	\$25,000	\$25,000
G.2	Hydro Vac Existing Services Confirmation		hour	6		
G.3	Remove and Replace Existing Catch Basin / Catch Pit	CW 2130				
a)	SD-023		each	2		
G.4	Install Catch Basin Lead	CW 2130				
a)	250mm Diam SDR 35 PVC					
i)	Trenchless installation, Class B, Sand bedding, Class 3 backfill		m	20		
G.5	Foundation, Bedding and Backfill	CW 2030				
a)	Cement Stabilized Fill		m ³	20		
b)	Granular Backfill Material	E6, E14	m ³	40		
G.6	Partial Slab Patches	CW 3230				
a)	200mm Reinforced Concrete Pavement		m ²	25		

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
b)	150mm Reinforced Concrete Pavement		m ²	150			
G.7	Concrete Pavements for Early Opening	CW 3310					
a)	Construction of 200mm Concrete Pavement for Early Opening (24hour) (Reinforced)		m ²	20			
G.8	Concrete Curb Installation	CW 3240					
a)	Barrier Curb		m	20			
b)	Ramp Curb		m	5			
G.9	Miscellaneous Concrete Slab Renewal	CW 3235					
a)	100mm Concrete Sidewalk		m ²	20			
G.10	Temporary Surface Restoration	E14					
a)	Street Pavement		m ²	200			
b)	Sidewalk		m ²	10			
G.11	Construction of Asphaltic Concrete	CW 3410					
a)	Overlays Type 1A		tonne	30			
G.12	Miscellaneous Boulevard Sodding	CW 3510	m ²	50			
G	<i>Provisional Items</i>					SUBTOTAL	

H	TOTAL BID PRICE (Items A + B + C + D + E + F + G) (GST extra) (in figures) \$ _____ _____ _____
----------	--

FORM B: PRICES
 (See B10)

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
UNIT PRICES FOR BID EVALUATION (Refer to B17)						
The following pricing forms part of the Bid Evaluation, but not the TOTAL BID PRICE						
I	Site Occupancy					
a)	Initial Span	D19	Charged Day		\$2,000.00	
TOTAL EVALUATED PRICE (Items H + I) (GST extra) (in figures) \$ _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 743-2016

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 743-2016

TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 743-2016
TRANSCONA SEWER RELIEF WORKS – CONTRACT NO.2

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on November 29, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)