

**FORM A: BID**  
(See B8)

1. Contract Title SUPPLY AND DELIVERY OF VANS

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
(See B9)

**SUPPLY AND DELIVERY OF VANS**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	Medium Roof Cargo Van 9000lbs. GVWR	16050	Each	1	
2.	Mini Cargo Van 5200lbs. GVWR	16051	Each	1	
3.	Medium Roof Passenger Van 8550lbs. GVWR	16052	Each	2	

\_\_\_\_\_  
Name of Bidder

**FORM N: DETAILED SPECIFICATIONS 16050**  
**CARGO VAN**

**1.0 DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **Cargo Van** and other equipment and features as specified herein.
- 1.2 The **Cargo Van** shall be a new 2017 model year or newer.
- 1.3 The **Cargo Van** and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

- 2.2 The **Cargo Van** shall comply with the applicable regulations:

National Safety Mark, NSM = <http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Act, Parts 12, 22 =  
<http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = <http://www.sae.org/>

City of Winnipeg Lighting Visibility  
Standard = <http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

**3.0 SERVICE FACILITY**

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

**4.0 MAKE & MODEL**

**4.1 SPECIFICATION AND ELIGIBLE MODEL- FORD TRANSIT 250 OR EQUIVALENT IN ACCORDANCE TO B6. SUBSTITUTES**

**5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

**5.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

**6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions).

<b>7.0 SPECIFICATION</b>	<b>BIDDER TO STATE "YES" OR STATE DEVIATION</b>
7.1 GVWR: 9000 lbs.	_____
7.2 Wheelbase: Approximately 130", <b>state</b>	_____
7.3 Medium roof: Height approximately 100", <b>state</b>	_____
7.4 Engine: V6, Gasoline 270-275 HP	_____
7.5 Transmission: 6-speed automatic Heavy Duty Transmission	_____
7.6 External transmission oil cooler	_____
7.7 Rear Wheel Drive	_____
7.8 Differential: Heavy Duty locking	_____
7.9 Heavy duty alternator approx. 220 amp: <b>state amperage</b>	_____
7.10 Block heater: with cord through grille	_____
7.11 Coolant: Antifreeze to -35°C	_____
7.12 Battery: Heavy duty battery approx. 70 amp/hour, <b>state</b>	_____
7.13 Steering: Tilt and power	_____
7.14 Brakes: Power with ABS	_____
7.15 Rims: 16 inch steel road wheels	_____
7.16 Tires - Front & rear: All season radials, size P235/65R16	_____
7.17 Full-size spare wheel & tire with carrier	_____

- 7.18 Mud-flaps: Front and rear \_\_\_\_\_
- 7.19 Traction Control with message centre \_\_\_\_\_
- 7.20 Mirrors: Interior rear view and heated dual power exterior with turn signals \_\_\_\_\_
- 7.21 Windshield wipers: Intermittent \_\_\_\_\_
- 7.22 Wiper blades: Winter blades with heavy duty \_\_\_\_\_
- 7.23 Three (3) Remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. \_\_\_\_\_
- 7.24 Keyless entry pad \_\_\_\_\_
- 7.25 Air conditioning \_\_\_\_\_
- 7.26 Cruise control: with message center \_\_\_\_\_
- 7.27 Door locks: Power \_\_\_\_\_
- 7.28 Seats: Two (2) bucket seats, cloth or cloth and vinyl with seatback storage pockets (each seat) \_\_\_\_\_
- 7.29 Power driver seat: 10 way adjustable \_\_\_\_\_
- 7.30 Passenger side sliding door cargo door \_\_\_\_\_
- 7.31 Rear cargo door: 50/50 hinged rear (without windows), \_\_\_\_\_
- 7.32 Interior lights: Dome with door switches on front, side and rear doors \_\_\_\_\_
- 7.33 Map lights: front and rear \_\_\_\_\_
- 7.34 Radio: AM-FM with SYNC, Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit (6 Speakers) \_\_\_\_\_
- 7.35 Cup holders: front \_\_\_\_\_
- 7.36 Front door side pockets \_\_\_\_\_
- 7.37 Air bags: front driver’s and passenger \_\_\_\_\_
- 7.38 12-Volt power point \_\_\_\_\_
- 7.39 Bumper: Black, moulded-in-color with Lower valence \_\_\_\_\_
- 7.40 Rear Bumper: Black, Moulded-In-Colour without Integral Step \_\_\_\_\_
- 7.41 Colour Interior: Black, cloth \_\_\_\_\_
- 7.42 Colour Exterior: White \_\_\_\_\_
- 7.43 Windows: tinted glass \_\_\_\_\_
- 7.44 Backup alarm \_\_\_\_\_
- 7.45 Perimeter anti-theft alarm \_\_\_\_\_
- 7.46 Load area protection package \_\_\_\_\_
- 7.47 Fuel tank: Fully fuelled upon delivery \_\_\_\_\_

8.0 **WARRANTY**

- 8.1 Basic vehicle: Three (3) years or 60,000 km “bumper to bumper” \_\_\_\_\_
- 8.2 Powertrain coverage: Five (5) years or 100,000 km \_\_\_\_\_
- 8.3 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 8.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included. \_\_\_\_\_
- 8.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_

9.0 **DELIVERY**

- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. \_\_\_\_\_
- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. \_\_\_\_\_
- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. \_\_\_\_\_
- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. \_\_\_\_\_

10.0 **MANUALS**

- 10.1 Manuals supplied under this contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. \_\_\_\_\_
- 10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: \_\_\_\_\_

## FORM N: DETAILED SPECIFICATIONS 16051

### MINI CARGO VAN

#### **1.0 DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a Mini Cargo Van and other equipment and features as specified herein.
- 1.2 The Mini Cargo Van shall be a new 2017 model year or newer.
- 1.3 The Mini Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

#### **2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The Mini Cargo Van shall comply with the applicable regulations:

National Safety Mark, NSM = <http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Act, Parts 12, 22 =  
<http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = <http://www.sae.org/>

City of Winnipeg Lighting Visibility  
Standard=<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

#### **3.0 SERVICE FACILITY**

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

**4.0 MAKE & MODEL**

4.1 **SPECIFICATION AND ELIGIBLE MODEL- FORD TRANSIT CONNECT XL OR EQUIVALENT IN ACCORDANCE TO B6. SUBSTITUTES**

**5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

**6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions).

<b>7.0 SPECIFICATION</b>	<b>BIDDER TO STATE "YES" OR STATE DEVIATION</b>
7.1 GVWR: Approx. 5200lbs.	_____
7.2 Wheelbase: Approx.120 in., <b>state</b>	_____
7.3 Engine: 4-cylinder, gasoline approx. 169HP	_____
7.4 Block heater/Pan heater with cord through grille	_____
7.5 Coolant Extended Life Coolant, -35°C	_____
7.6 Battery: <b>state</b> CCA	_____
7.7 Transmission: 6 speed automatic	_____
7.8 Alternator: approx. 150 amps	_____
7.9 Steering: Power	_____
7.10 Brakes: Power with ABS, traction control and stability control	_____
7.11 Wheels: Standard manufacturer's wheels, without locking nuts	_____
7.12 Tires/Wheels: 16 x 6.5 inch Steel wheels with All Season Tires	_____
7.13 Spare wheel & tire	_____
7.14 Splash guards: (4) front and rear	_____
7.15 Mirrors: Interior rearview and dual power exterior	_____
7.16 Windshield wipers: Intermittent	_____
7.17 Ignition keys: Three (3) sets	_____

- 7.18 Remote keyless entry: Three (3) fobs \_\_\_\_\_
- 7.19 Air conditioning \_\_\_\_\_
- 7.20 Tilt steering \_\_\_\_\_
- 7.21 Cruise control \_\_\_\_\_
- 7.22 Door locks: Power \_\_\_\_\_
- 7.23 Windows: Power \_\_\_\_\_
- 7.24 Front seating: Two (2) front bucket seats, cloth \_\_\_\_\_
- 7.25 6-Way Manual Driver Seat and 4-Way Manual Passenger Seat \_\_\_\_\_
- 7.26 Colour: Interior Charcoal black \_\_\_\_\_
- 7.27 Dual sliding side doors with windows \_\_\_\_\_
- 7.28 Fixed 2<sup>rd</sup> row glass driver side and passenger side \_\_\_\_\_
- 7.29 Rear split cargo doors 180° swing-out with windows \_\_\_\_\_
- 7.30 Rear window grilles \_\_\_\_\_
- 7.31 Rear window defroster: Electric \_\_\_\_\_
- 7.32 Air bags: front driver's and passenger w/curtains \_\_\_\_\_
- 7.33 12-Volt power point \_\_\_\_\_
- 7.34 Radio: AM-FM with CD player with SYNC. Bluetooth® technology: for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit \_\_\_\_\_
- 7.35 Rear view camera \_\_\_\_\_
- 7.36 Fuel tank: Fully fuelled upon delivery \_\_\_\_\_
- 7.37 Colour: Exterior Silver \_\_\_\_\_
- 7.38 Perimeter Anti-Theft Alarm System \_\_\_\_\_
- 7.39 Rear LED cargo area light \_\_\_\_\_
- 7.40 Front vinyl floor cover \_\_\_\_\_
  
- 8.0 **WARRANTY**
- 8.1 Basic vehicle: Three (3) years or 60,000 km "bumper to bumper" \_\_\_\_\_
- 8.2 Powertrain coverage: Five (5) years or 100,000 km \_\_\_\_\_
- 8.3 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 8.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included. \_\_\_\_\_
- 8.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_

9.0 **DELIVERY**

9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. \_\_\_\_\_

9.2 **Delivery Time: twelve to fifteen (12-15) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. \_\_\_\_\_

9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. \_\_\_\_\_

9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. \_\_\_\_\_

10.0 **MANUALS**

10.1 Manuals supplied under this contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. \_\_\_\_\_

10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: \_\_\_\_\_

**FORM N: DETAILED SPECIFICATIONS 16052**  
**PASSENGER VAN**

**1.0 DESCRIPTION OF EQUIPMENT**

- 1.1 These specifications describe a **Passenger Van** and other equipment and features as specified herein.
- 1.2 The **Passenger Van** shall be a new 2017 model year or newer.
- 1.3 The **Passenger Van** and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

**2.0 OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

- 2.2 The **Passenger Van** shall comply with the applicable regulations:

National Safety Mark, NSM = <http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Act, Parts 12, 22 =  
<http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = <http://www.sae.org/>

City of Winnipeg Lighting Visibility  
Standard=<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

**3.0 SERVICE FACILITY**

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

**4.0 MAKE & MODEL**

**4.1 SPECIFICATION AND ELIGIBLE MODEL- FORD TRANSIT PASSENGER WAGON XL OR EQUIVALENT IN ACCORDANCE TO B6. SUBSTITUTES**

**5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

**5.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

**6.0 FUEL**

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions).

<b>7.0 SPECIFICATION</b>	<b>BIDDER TO STATE "YES" OR STATE DEVIATION</b>
7.1 GVWR: 8550 lbs.	_____
7.2 Wheelbase: Approximately 130", <b>state</b>	_____
7.3 Medium roof: Height approximately 100", <b>state</b>	_____
7.4 Engine: V6, Gasoline 270-275 HP	_____
7.5 Transmission: 6-speed automatic Heavy Duty Transmission	_____
7.6 External transmission oil cooler	_____
7.7 Rear Wheel Drive	_____
7.8 Differential: Heavy Duty locking	_____
7.9 Heavy duty alternator approx. 220 amp: <b>state amperage</b>	_____
7.10 Block heater: with cord through grille	_____
7.11 Coolant: Antifreeze to -35°C	_____
7.12 Battery: Dual heavy duty batteries approx. 70 amp/hour, <b>state</b>	_____
7.13 Steering: Tilt and power	_____
7.14 Brakes: Power with ABS	_____
7.15 Rims: 16 inch steel road wheels	_____
7.16 Tires - Front & rear: All season radials, size P235/65R16	_____
7.17 Full-size spare wheel & tire with carrier	_____

- 7.18 Mud-flaps: Front and rear \_\_\_\_\_
- 7.19 Traction Control \_\_\_\_\_
- 7.20 Mirrors: Interior rear view and heated dual power exterior with turn signals \_\_\_\_\_
- 7.21 Windshield wipers: Intermittent \_\_\_\_\_
- 7.22 Wiper blades: Winter blades with heavy duty \_\_\_\_\_
- 7.23 Three (3) Remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. \_\_\_\_\_
- 7.24 Keyless entry pad \_\_\_\_\_
- 7.25 Air conditioning front and rear \_\_\_\_\_
- 7.26 Cruise control with message center \_\_\_\_\_
- 7.27 Door locks: Power \_\_\_\_\_
- 7.28 Seats: Two (2) bucket seats, cloth with seatback storage pockets (each seat) \_\_\_\_\_
- 7.29 Seating capacity: 8 passenger \_\_\_\_\_
- 7.30 Power driver seat: 10 way adjustable and 2 way Manual passenger seat \_\_\_\_\_
- 7.31 Vinyl front and rear floor covering \_\_\_\_\_
- 7.32 Passenger side sliding door \_\_\_\_\_
- 7.33 Rear cargo door: 50/50 hinged rear \_\_\_\_\_
- 7.34 Windows: All-around, fixed \_\_\_\_\_
- 7.35 Windows: Privacy glass \_\_\_\_\_
- 7.36 Interior lights: Dome with door switches on front, side and rear doors \_\_\_\_\_
- 7.37 Map lights: front and rear \_\_\_\_\_
- 7.38 Radio: AM-FM with single-CD player. Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit. \_\_\_\_\_
- 7.39 Cup holders: front \_\_\_\_\_
- 7.40 Front door side pockets \_\_\_\_\_
- 7.41 Air bags: front driver’s and passenger \_\_\_\_\_
- 7.42 12-Volt power point \_\_\_\_\_
- 7.43 Bumper: Black, moulded-in-color with Lower valence \_\_\_\_\_
- 7.44 Rear Bumper: Black, Moulded-In-Colour without Integral Step \_\_\_\_\_
- 7.45 Colour Interior: Black, cloth \_\_\_\_\_
- 7.46 Colour Exterior: White \_\_\_\_\_
- 7.47 MyKey: Programmable driving modes for control of top speed, audio volume, seat belt use. \_\_\_\_\_

- 7.48 Backup alarm, **State** dB \_\_\_\_\_
- 7.49 Perimeter anti-theft alarm \_\_\_\_\_
- 7.50 Rear window defogger \_\_\_\_\_
- 7.51 Running board \_\_\_\_\_
- 7.52 Modified Vehicle Wiring System with kit \_\_\_\_\_
- 7.53 Power inverter: 12V to 110V, **state** wattage \_\_\_\_\_
- 7.54 User-defined upfitter switches \_\_\_\_\_
- 7.55 Auxiliary fuse box \_\_\_\_\_
- 7.56 Fuel tank: Fully fuelled upon delivery \_\_\_\_\_
- 
- 8.0 **WARRANTY**
- 8.1 Basic vehicle: Three (3) years or 60,000 km “bumper to bumper” \_\_\_\_\_
- 8.2 Powertrain coverage: Five (5) years or 100,000 km \_\_\_\_\_
- 8.3 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 8.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included. \_\_\_\_\_
- 8.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_
- 
- 9.0 **DELIVERY**
- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. \_\_\_\_\_
- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. \_\_\_\_\_
- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. \_\_\_\_\_
- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. \_\_\_\_\_
- 
- 10.0 **MANUALS**
- 10.1 Manuals supplied under this contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. \_\_\_\_\_
- 10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: \_\_\_\_\_