



NOTES:

- 1. TUBING FROM THE REGULATORS IN THE PANELS TO THE FLEXIBLE TUBING CONNECTION FOR EACH SELF CLEANING HEAD IS TO BE 316L SS. SIZE AS REQUIRED TO MEET SELF CLEANING HEAD VENDOR REQUIREMENTS.



NO.	REVISIONS	DATE	DESIGN	CHECK
01	ISSUED FOR ADDENDUM 4 - 976-2016	2017/06/30	J.C.	J.C.
00	ISSUED FOR CONSTRUCTION - 976-2016	2017/04/05	J.C.	J.C.

CH2MHILL	
DESIGNED BY: T. CHURCH	CHECKED BY: F. ABSI
DRAWN BY: J. CORTEZ	APPROVED BY: H.T. FREIHAMMER
SCALE: NTS	ISSUED FOR CONSTRUCTION BY: J. SHUMKA
DATE: 2017/04/05	DATE: 2017/04/05
CONSULTANT NO.: 474248	



THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT

SOUTH END WATER POLLUTION CONTROL CENTRE
SEWPC UPGRADING/EXPANSION PROJECT
PROCESS AND INSTRUMENTATION DIAGRAM
BIOREACTORS

INSTRUMENT AIR FOR SELF CLEANING HEADS

CITY DRAWING NUMBER: 1-0102-PPID-R109

SHEET: 001 | REV: 01 | SIZE: A1