

**FORM A: BID**  
(See B9)

1. Contract Title TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET AND ASSOCIATED ROAD WORK

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of:  
(Choose one)  
 a bid bond (Form G1: Bid Bond and Agreement to Bond)  
 an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)  
 a certified cheque or draft  
and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:  
No. \_\_\_\_\_ Dated \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
11. Time This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>Truro Creek at Winchester Street – Culvert Replacement</u></b>					
A.1	Mobilization and Demobilization	E5	LS	1		
A.2	Traffic Control	E7	LS	1		
A.3	Creek Flow Maintenance	E11	LS	1		
A.4	Creek Bank Excavation	E12	LS	1		
A.5	Slope Stabilization	E13 & CW 3615-R4				
i)	Class 350 Rip Rap		m <sup>3</sup>	250		
ii)	Infill 300 mm Nominal Stone Rip Rap		m <sup>3</sup>	2		
A.6	Supply and Install Silt Fence Barrier	E14	m	65		
A.7	Supply and Install Erosion Control Blanket (ECB)	E15	m <sup>2</sup>	290		
A.8	Culvert Demolition and Removals	E20	LS	1		
A.9	Structural Backfill	E21 & CW 2030-R7 & CW 2160- R7				
i)	Flowable Cement-Stabilized Fill		LS	1		
ii)	Drainage Fill & HDPE Perforated Drain		LS	1		
iii)	Clay Fill		LS	1		
iv)	Granular Base Course Material		LS	1		
v)	Granular Sub-Base Course Material		LS	1		
A.10	Supply and Place Reinforcing Steel	E22	kg	27,272		
A.11	Supply and Place Structural Concrete	E23	LS	1		
A.12	Supply and Install Anchor Units for Culvert Barrier Aluminum Top Rail	E23	LS	1		
A.13	Concrete Heating and Hoarding	E23	LS	1		
A.14	Board Insulation	E24				
i)	75 mm Thick		m <sup>2</sup>	142		
A.15	Supply and Install Culvert Barrier Aluminum Top Rail	E27	m	36		

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.16	Hot-Poured Rubberized Asphalt Waterproofing	E28	m <sup>2</sup>	73		
A.17	Aluminum Balanced Barrier Guardrail	E29 & CW 3650-R6	m	35		
A.18	Construction of Curb to Traffic Barrier Transition	E34	m	18		
<b>A</b>	<b><u>Truro Creek at Winchester Street – Culvert Replacement</u></b>				<b>Subtotal:</b>	
<b>B</b>	<b><u>Truro Creek at Winchester Street – Roadworks &amp; Underground Works</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Excavation	CW 3110-R19	m <sup>3</sup>	205		
B.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	540		
B.3	Crushed Sub-Base Material	CW 3110-R19				
i)	50 mm		tonne	250		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m <sup>3</sup>	50		
B.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	550		
B.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	540		
B.7	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	540		
	<b>ROADWORKS - RENEWALS</b>					
B.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	600		
B.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
B.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	60		
B.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m <sup>2</sup>	100		
B.12	Miscellaneous Concrete Slab Installation	CW 3235-R9				

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	100 mm Sidewalk	SD-228A	m <sup>2</sup>	35		
B.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	5		
b)	Greater than 20 sq.m.		m <sup>2</sup>	100		
B.14	Construction of Asphaltic Concrete Overlay	E31 & CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	100		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
B.15	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	10		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
B.16	Concrete Pavements, Median Slabs, Bull-Noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	510		
B.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	115		
ii)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	12		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	15		
iv)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	3		
	<b>JOINT AND CRACK SEALING</b>					
B.18	Reflective Crack Maintenance	CW 3250-R7	m	130		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
B.19	Catch Basin	CW 2130-R12				

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	SD-024, 1800 mm deep		each	2		
B.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Bedding, Class 3 Backfill		m	9		
B.21	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
B.22	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (PVC) Connecting Pipe					
a)	Connecting to 250 mm (Concrete ) Sewer		each	2		
B.23	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
B.24	Removal of Existing Catch Basins	CW 2130-R12	each	2		
B.25	Installation of Subdrains	CW 3120-R4	m	24		
	<b>ADJUSTMENTS</b>					
B.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
B.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-Cast Concrete Risers		vert. m	0.5		
B.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	1		
	<b>LANDSCAPING</b>					
B.29	Sodding	CW 3510-R9				
i)	Width > or = 600 mm		m <sup>2</sup>	650		
B.30	Seeding	CW 3520-R7	m <sup>2</sup>	290		
	<b>MISCELLANEOUS</b>					
B.31	Removal of Existing Trees	E26	each	5		

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>UNDERGROUND WORKS</b>						
B.32	Existing Water Main Removal	CW 2110-R11 & E18	m	40		
B.33	Connection to Existing Water Main	CW 2110-R11 & E17 & E19	each	2		
B.34	Supply and Install New Water Main	CW 2110-R11 & E17 & E19				
i)	150 dia. PVC C900					
a)	In a Trench, Class B Bedding, Class 5 Backfill		m	45		
B.35	Supply and Install Valves and Fittings	CW 2110-R11				
i)	150 dia.					
a)	22.5° Bend		each	4		
b)	45° Bend		each	4		
<b>B</b>	<b><i>Truro Creek at Winchester Street – Roadworks &amp; Underground Works</i></b>				<b>Subtotal:</b>	
<b>C</b>	<b><i>Truro Creek at Linwood Street – Culvert Replacement</i></b>					
C.1	Mobilization and Demobilization	E5	LS	1		
C.2	Traffic Control	E7	LS	1		
C.3	Creek Flow Maintenance	E11	LS	1		
C.4	Creek Bank Excavation	E12	LS	1		
C.5	Slope Stabilization	E13 & CW 3615-R4				
i)	Class 350 Rip Rap		m <sup>3</sup>	300		
ii)	Infill 300 mm Nominal Stone Rip Rap		m <sup>3</sup>	2		
C.6	Supply and Install Silt Fence Barrier	E14	m	45		
C.7	Supply and Install Erosion Control Blanket (ECB)	E15	m <sup>2</sup>	125		
C.8	Culvert Demolition and Removals	E20	LS	1		
C.9	Structural Backfill	E21 & CW 2030-R7 & CW 2160-R7				
i)	Flowable Cement-Stabilized Fill		LS	1		

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Drainage Fill & HDPE Perforated Drain		LS	1		
iii)	Clay Fill		LS	1		
iv)	Granular Base Course Material		LS	1		
v)	Granular Sub-Base Course Material		LS	1		
C.10	Supply and Place Reinforcing Steel	E22	kg	24,682		
C.11	Supply and Place Structural Concrete	E23	LS	1		
C.12	Supply and Install Anchor Units for Culvert Barrier Aluminum Top Rail	E23	LS	1		
C.13	Concrete Heating and Hoarding	E23	LS	1		
C.14	Board Insulation	E24				
i)	75 mm Thick		m <sup>2</sup>	142		
C.15	Supply and Install Culvert Barrier Aluminum Top Rail	E27	m	30		
C.16	Hot-Poured Rubberized Asphalt Waterproofing	E28	m <sup>2</sup>	73		
C.17	Construction of Curb to Traffic Barrier Transition	E34	m	32		
<b>C</b>	<b><u>Truro Creek at Linwood Street – Culvert Replacement</u></b>				<b>Subtotal:</b>	
<b>D</b>	<b><u>Truro Creek at Linwood Street – Roadworks &amp; Underground Works</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Excavation	CW 3110-R19	m <sup>3</sup>	160		
D.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	665		
D.3	Crushed Sub-Base Material	CW 3110-R19				
i)	50 mm		tonne	470		
D.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m <sup>3</sup>	85		
D.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	450		
D.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	665		
D.7	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	665		

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>ROADWORKS - RENEWALS</b>						
D.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	710		
D.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	60		
D.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	60		
D.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m <sup>2</sup>	70		
D.12	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m <sup>2</sup>	20		
D.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	5		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	30		
c)	Greater than 20 sq.m.		m <sup>2</sup>	120		
D.14	Construction of Asphaltic Concrete Overlay	E31 & CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
D.15	Construction of Asphalt Patches	CW 3410-R11				
			m <sup>2</sup>	30		
D.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	40		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
D.17	Concrete Pavements, Median Slabs, Bull-Noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	600		

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
	i) Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	125		
	ii) Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	16		
	iii) Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	21		
	iv) Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	5		
	<b>JOINT AND CRACK SEALING</b>					
D.19	Joint Sealing	CW 3250-R7	m	150		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
D.20	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	1		
D.21	Catch Pit	CW 2130-R12				
	i) SD-023		each	1		
D.22	Sewer Service					
	i) 300 mm, PVC					
	a) In a Trench, Class B Bedding, Class 3 Backfill		m	14		
D.23	Drainage Connection Pipe	CW 2130-R12	m	8		
D.24	Frames & Covers	CW3210-R8				
	i) AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-007 - Standard Solid Cover for Standard Frame		each	2		
	iii) AP-011 - Barrier Curb and Gutter Frame		each	2		
	iv) AP-012 - Barrier Curb and Gutter Cover		each	2		
D.25	Connecting to Existing Catch Basin	CW 2130-R12				

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	250 mm Drainage Connection Pipe		each	1		
D.26	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (Type PVC) Connecting Pipe					
a)	Connecting to 375 mm Sewer		each	1		
D.27	Installation of Subdrains	CW 3120-R4	m	12		
<b>ADJUSTMENTS</b>						
D.28	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
D.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-Cast Concrete Risers		vert. m	0.5		
D.30	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
D.31	Adjustment of Valve Boxes	CW 3210-R8	each	1		
D.32	Valve Box Extensions	CW 3210-R8	each	1		
D.33	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1		
D.34	Curb Stop Extensions	CW 3210-R8	each	1		
D.35	Raising of Existing Hydrant	CW 2110-R11	each	1		
<b>LANDSCAPING</b>						
D.36	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	450		
D.37	Seeding	CW 3520-R7	m <sup>2</sup>	125		
<b>MISCELLANEOUS</b>						
D.38	Removal of Existing Trees	E26	each	4		
D.39	Removal of Wooden Pedestrian Bridge	E7	LS	1		

**FORM B: PRICES**  
 (See B10)

**TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
 AND ASSOCIATED ROAD WORK**

**UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>UNDERGROUND WORKS</b>						
D.40	Existing Water Main Removal	CW 2110-R11 & E18	m	40		
D.41	Connection to Existing Water Main	CW 2110-R11 & E17 & E19	each	2		
D.42	Supply and Install New Water Main	CW 2110-R11 & E17 & E19				
	i) 150 dia.					
	a) In a Trench, Class B Bedding, Class 5 Backfill		m	45		
D.43	Supply and Install Valves and Fittings	CW 2110-R11				
	i) 150 dia. PVC C900					
	a) 22.5° Bend		each	4		
	b) 45° Bend		each	4		
<b>D</b>	<b><u>Truro Creek at Linwood Street – Roadworks &amp; Underground Works</u></b>				<b>Subtotal:</b>	
<b><u>SUMMARY</u></b>						
<b>A</b>	<b><u>Truro Creek at Winchester Street – Culvert Replacement</u></b>				<b>Subtotal:</b>	
<b>B</b>	<b><u>Truro Creek at Winchester Street – Roadworks &amp; Underground Works</u></b>				<b>Subtotal:</b>	
	<b>TOTAL TRURO CREEK AT WINCHESTER STREET – ALL WORKS</b>				<b><u>TOTAL:</u></b>	
<b>C</b>	<b><u>Truro Creek at Linwood Street – Culvert Replacement</u></b>				<b>Subtotal:</b>	
<b>D</b>	<b><u>Truro Creek at Linwood Street – Roadworks &amp; Underground Works</u></b>				<b>Subtotal:</b>	
	<b>TOTAL TRURO CREEK AT LINWOOD STREET – ALL WORKS</b>				<b><u>TOTAL:</u></b>	
TOTAL BID PRICE (GST extra) (in figures) \$ _____						

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B13)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 1014-2017

TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
AND ASSOCIATED ROAD WORK

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B13)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_ of  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 1014-2017

TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
AND ASSOCIATED ROAD WORK

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING**  
**(BID SECURITY)** (Page 1 of 2)  
(See B13)

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 1014-2017

TRURO CREEK CULVERTS REPLACEMENT AT WINCHESTER STREET AND LINWOOD STREET  
AND ASSOCIATED ROAD WORK

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING**  
**(BID SECURITY)** (Page 2 of 2)  
(See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on March 13, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING**  
**(BID SECURITY)** (Page 2 of 2)  
(See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on March 13, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)