




2 VESTIBULE DEMO PLAN
Scale: 1/4" = 1'-0"



3 BOOK DROP-OFF DEMO PLAN
Scale: 1/4" = 1'-0"




4 VESTIBULE NEW PLAN
Scale: 1/4" = 1'-0"



5 BOOK DROP-OFF & SITE WORK NEW PLAN
Scale: 1/4" = 1'-0"




6 EXISTING INTERIOR ENTRY DEMO ELEVATION
Scale: 1/4" = 1'-0"




7 EXISTING EXTERIOR ENTRY DEMO ELEVATION
Scale: 1/4" = 1'-0"

GENERAL GLAZING NOTES:
 A. STOREFRONT MULLION SYSTEM TO BE SUITABLE TO MATCH HORTON DOOR. PERFORMANCE TO BE TRIFAB 451 OR EQUAL. GLAZING TO BE TEMPERED AND THICKNESS DETERMINED FOR APPLICATION BY SUPPLIER.
 B. EXTERIOR FRAME COLOUR TO BE CLEAR ANODIZED ALUMINUM. DOOR TO MATCH.
 C. INTERIOR FRAME COLOUR TO BE CLEAR ANODIZED ALUMINUM. DOOR TO MATCH.



8 NEW INTERIOR VESTIBULE ELEVATION
Scale: 1/4" = 1'-0"



9 EXISTING EXTERIOR ENTRY NEW ELEVATION
Scale: 1/4" = 1'-0"

FLOOR PLAN GENERAL NOTES


- A. REFER TO INTERIOR DESIGN DRAWINGS FOR FULL EXTENT OF NEW WORK.
- B. PATCH AND REPAIR ALL FLOOR AND WALLS AFFECTED AND DIRECTLY ADJACENT TO NEW WORK.

FLOOR PLAN KEYNOTES


- NEW HORTON PROSLIDE SERIES 2003 SLIDING DOOR CW EMERGENCY BREAK-AWAY PANELS AND SIDELIGHT PANELS. ALLOW FOR BREAK-AWAY AND PANIC HARDWARE. ALLOW FOR TIE-IN OF AB AND VB. REFER TO DETAILS AND ELEVATIONS. COORDINATE ELEC REQUIREMENTS WITH ELEC.
- INTERIOR STOREFRONT GLAZING UNIT CW SLIDING DOOR SYSTEM SIMILAR TO EXTERIOR SLIDING DOOR. REFER TO DETAILS AND ELEVATIONS. COORDINATE ELEC REQUIREMENTS WITH ELEC.
- MODIFY AND RELOCATE IRRIGATION SYSTEM. NEW CONCRETE PAD AND CURB LET-DOWN. REFER TO DETAILS.
- EXISTING PLANTING TO REMAIN. TIE INTO EXISTING SIDEWALK.
- EXISTING ELECTRICAL FEEDER.
- EXISTING ELECTRICAL.
- PATCH AND REPAIR WALL, FLOOR AND BULKHEAD TO MATCH ADJACENT WHERE WORK AFFECTED BY NEW WORK.
- NEW BOOK CHUTE CW SIGN AS PER CITY OF WINNIPEG STANDARDS. REFER TO DETAILS.
- EXTEND NEW SIDEWALK TO ACCOMMODATE EXISTING DOOR LANDING BEYOND. SITE CONFIRM LOCATION.
- PROVIDE NEW POT LIGHT IN SOFFIT DIRECTLY ABOVE DROP-OFF. TIE INTO EXISTING ELECTRICAL.

GENERAL NOTES

BUILDING CODE REVIEW IS FOR ARCHITECTURAL SCOPE ONLY. REVIEW IS FOR ARCHITECTURAL BUILDING CODE REQUIREMENTS ONLY.
 BUILDING CODE REVIEW IS BASED ON NBC 2010 WITH MANITOBA AMENDMENTS. TO BE READ IN CONJUNCTION WITH THE BUILDING CODE SUMMARY WHERE APPLICABLE.
 COORDINATE ALL WORK WITH FULL PROJECT SCOPE PRIOR TO COMMENCEMENT OF WORK.
 THESE DRAWINGS SHALL NOT BE SCALED.
 CONTRACTOR SHALL SATISFY HIMSELF THAT ALL DIMENSIONS, ELEVATIONS, DATUMS AND DETAILED INFORMATION SHOWN ARE CORRECT.
 CONTRACTOR TO VERIFY ALL EXISTING SITE CONDITIONS AND REPORT ALL DISCREPANCIES TO THE CONSULTANT 5 DAYS PRIOR TO CLOSE OF BID.
 CONTRACTOR TO COMPARE BID DOCUMENTS WITH WORK IN PLACE.
 ALL DUCTS, FLOOR GRILLES AND PITS TO BE SIZED BY MECHANICAL.
 GENERAL CONTRACTOR TO COORDINATE AND PROVIDE ALL SOLID BLOCKING WITHIN THE WALL AND CEILING AREAS TO SUPPORT SURFACE MOUNTED FIXTURES, APPLIANCES, HANDRAILS, SIGNS, ETC. IN CONTRACT AS WELL AS FOR N.I.C. ITEMS IN CO-ORDINATION WITH THE OWNER.
 CONTRACTOR TO PROVIDE BLOCKING AS NOTED FOR SUPPORT OF SHELVEWORK, CASEWORK, EQUIPMENT, AND SPECIALTIES. COORDINATE STUD LOCATIONS AND BACKING SUPPORT MOUNTING HEIGHTS WITH INSTALLER PRIOR TO CONSTRUCTION.
 ALL PRODUCTS TO BE INSTALLED ACCORDING TO MANUFACTURER'S WRITTEN INSTRUCTIONS.
 THESE DRAWINGS TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS, SCHEDULES, SPECIFICATIONS AND DETAILS. REFER ALSO TO ENGINEERING DRAWINGS AND SPECIFICATION AS APPLICABLE.
 CONTRACTOR TO SEAL NEW AND EXISTING PENETRATIONS WITH PURPOSE MADE FIRE STOP CAULKING OR PURPOSE MADE PRODUCTS FROM HILTI, 3M, OR APPROVED EQUAL THROUGH ALL FIRE SEPARATIONS TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION. MECHANICAL AND ELECTRICAL CONTRACTORS ARE RESPONSIBLE FOR FIRE STOPPING ALL NEW AND ABANDONED MECHANICAL AND ELECTRICAL PENETRATIONS THROUGH FIRE SEPARATIONS TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION AS DEFINED BY THE SCOPE OF WORK. CONTRACTOR TO CONSULT WITH MANUFACTURER TECHNICAL REPRESENTATIVE FOR SELECTION OF RECOMMENDED RATED SYSTEMS, OR CONSULT ARCHITECT FOR DIRECTION.
 CONTACT ALI AHRABI AT HILTI: 204-930-0173, Ali.Ahrabi@hilti.com.
 SPRAY FOAM AROUND ALL EXTERIOR WALL PENETRATIONS AND TIE-IN AIR & VAPOUR BARRIER. MAINTAIN FRR AS REQUIRED. PATCH AND MAKE GOOD ADJACENT TO MATCH.
 INTERIOR FINISH MATERIALS SHALL HAVE A FLAME SPREAD RATING NOT EXCEEDING 150 FOR WALLS & 150 FOR CEILING.
 ENSURE ALL SURFACE MATERIALS, DRAPES, CURTAINS, & OTHER DECORATIVE MATERIALS MEET THE "STANDARDS FOR FLAME TEST" AS CITED IN THE 2010 NATIONAL BUILDING CODE 3.1.12.1.
 CONTRACTOR TO SUBMIT APPLICATION & ATTAIN ALL NECESSARY PERMITS.
 FURNITURE & EQUIPMENT LAYOUT IS NOT IN CONTRACT AND BY OTHERS. FURNITURE & EQUIPMENT LAYOUTS SHOWN ARE DIAGRAMMATIC AND FOR REFERENCE PURPOSES ONLY.
 ALERT ARCHITECT IMMEDIATELY OF ANY SITE DISCOVERIES DURING EXCAVATION AND HALT WORK.



10 NEW BOOK CHUTE ELEVATION
Scale: 1/4" = 1'-0"



1 KEYPLAN
Scale: 1:500

BLOK
 1-BLOK architecture inc | 217-1460 Chevrier Blvd Winnipeg Manitoba
 CANADA | R3T 1Y6 | www.f-blok.ca | 204.943.5067



SCOPE OF WORK UNDER ARCHITECTURAL SEAL IS FOR SCOPE SHOWN ON SHEETS A1 AND A2 ONLY.

NO.	DATE	DESCRIPTION	BY
01	SEPT. 13, 2017	FOR CONSTRUCTION	NK

DRAWN BY
PRINTING DATE

DRAWINGS & SPECIFICATIONS, AS INSTRUMENTS OF SERVICES ARE THE PROPERTY OF SYNERGY INTERIOR DESIGN INC., THE COPYRIGHT IN THE SAME BEING RESERVED TO THEM. NO REPRODUCTION MAY BE MADE WITHOUT THE PERMISSION OF SYNERGY INTERIOR DESIGN INC. ALL PRINTS TO BE RETURNED.
 THE CONTRACTOR IS TO VERIFY DIMENSIONS & DATA NOTED HEREIN WITH CONDITIONS THE SITE & IS HELD RESPONSIBLE FOR REPORTING ANY DISCREPANCY TO THE DESIGNER FOR ADJUSTMENT.

I.D.
 SYNERGY INTERIOR DESIGN INC
 13 Rosewarne Avenue WINNIPEG, MB Canada R2M 0V8
 204 233 9159
 malvine@synergyinteriors.com
 DATE JULY 2017 SCALE AS SHOWN REVISIONS
 DRAWN BY CHECKED BY
PEMBINA TRAILS LIBRARY RENOVATIONS