

WESTON PARK PLAYGROUND REDEVELOPMENT

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: March 13, 2017
BY: Ian Legge
TELEPHONE NO. 204 986-5597

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20160708

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 9 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Revise: E23.2 to read:

E23.2 Materials

E23.2.1 Basketball Standards shall be one (1) of two (2) approved types. Type one is:

- (a) Douglas goose neck heavy duty basketball standards, Model # 39180M, 141mm (5 9/16") O.D.
Galvanizes steel post, 1828mm (72") extension.
- (b) Douglas FAL aluminum backboard, Model # 39166.
- (c) Dura Goal II (double rimmed) goal and chain net, Model # 39157.

E23.2.2 Type two is:

- (a) Sportsplay single heavy duty basketball standards, product # 541-616, 114mm O.D. galvanized steel post, 1200mm extension, aluminum backboard, super goal (double rimmed) and chain net.

E23.2.3 Concrete Piles shall be:

- (a) As per CW 2160.
- (b) Concrete Type A, compressive strength 32 MPa at 28 days, minimum cementitious content
340 Kg/m³, sulfate resistant.
- (b) 6.0 M deep, 400mm diameter reinforced concrete piles as shown on the Drawings.

Clarification of E23.2: Sportsplay basketball standard was given approved equal status.