

**FORM A: BID**  
(See B8)

1. Contract Title Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420170317 - RW

Template Version: C420170317 - RW

6. Bid Security

In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>Concordia Avenue (North Side) from Louelda Street to Moncton Avenue</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	12		
A.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	135		
	<b>ROADWORKS - RENEWALS</b>					
A.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	10		
A.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m <sup>2</sup>	230		
A.5	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (125mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	6		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	8		
A.6	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	15		
	<b>LANDSCAPING</b>					
A.7	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	15		
ii)	width > or = 600 mm		m <sup>2</sup>	90		
A.8	Salt Tolerant Grass Seeding	E9	m <sup>2</sup>	90		
<b>A</b>	<b><u>Concordia Avenue (North Side) from Louelda Street to Moncton Avenue</u></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
<b>B</b>	<b><u>Shaftesbury Boulevard (East Side) from Taylor Boulevard to Grant Avenue</u></b>						
	<b>EARTH AND BASE WORKS</b>						
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	35			
B.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	375			
	<b>ROADWORKS - RENEWALS</b>						
B.3	Drilled Tie Bars	CW 3230-R8					
i)	15 M Deformed Tie Bar		each	5			
B.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9					
i)	100 mm Sidewalk	SD-228A					
a)	Greater than 20 sq.m.		m <sup>2</sup>	540			
ii)	150 mm Reinforced Sidewalk						
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	15			
iii)	Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	60			
B.5	Concrete Curb Renewal	CW 3240-R10					
i)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	8			
B.6	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	25			
	<b>LANDSCAPING</b>						
B.7	Sodding	CW 3510-R9					
i)	width < 600 mm		m <sup>2</sup>	40			
ii)	width > or = 600 mm		m <sup>2</sup>	240			
B.8	Salt Tolerant Grass Seeding	E9	m <sup>2</sup>	235			
<b>B</b>	<b><u>Shaftesbury Boulevard (East Side) from Taylor Boulevard to Grant Avenue</u></b>				Subtotal:		

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C</b>	<b><u>William Avenue (North Side) from Kate Street to Adelaide Street</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	100		
C.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	200		
	<b>ROADWORKS - RENEWALS</b>					
C.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	5		
C.4	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	60		
C.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m <sup>2</sup>	175		
ii)	Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	1730		
C.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	6		
C.7	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	2		
C.8	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	2		
C.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	40		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65		
C.10	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	210		
C.11	Detectable Warning Surface Tiles	CW 3326-R3	each	13		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.12	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	1		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	1		
	<b>ADJUSTMENTS</b>					
C.13	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
C.14	Adjustment of Valve Boxes	CW 3210-R8	each	2		
C.15	Adjustment of Curb Stop Boxes	CW 3210-R8	each	20		
C.16	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
C.17	Curb Stop Extensions	CW 3210-R8	each	2		
	<b>LANDSCAPING</b>					
C.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	80		
ii)	width > or = 600 mm		m <sup>2</sup>	300		
<b>C</b>	<b><u>William Avenue (North Side) from Kate Street to Adelaide Street</u></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>D</b>	<b><u>Edmonton Street from Broadway to Graham Avenue</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	40		
D.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	155		
	<b>ROADWORKS - RENEWALS</b>					
D.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	10		
D.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
D.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	60		
D.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m <sup>2</sup>	1065		
ii)	100 mm Sidewalk		m <sup>2</sup>	30		
iii)	Monolithic Curb and Sidewalk		m <sup>2</sup>	235		
D.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m <sup>2</sup>	1330		
D.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	2		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	20		
ii)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m <sup>2</sup>	15		
D.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	2		

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.10	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	2		
D.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	2		
D.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	350		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	20		
D.13	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	12		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	95		
D.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	25		
D.15	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	160		
D.16	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
D.17	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m <sup>2</sup>	220		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
D.18	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	2		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	1		
<b>ADJUSTMENTS</b>						
D.19	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
D.20	Adjustment of Valve Boxes	CW 3210-R8	each	6		
D.21	Valve Box Extensions	CW 3210-R8	each	4		

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.22	Adjustment of Curb Stop Boxes	CW 3210-R8	each	7		
D.23	Curb Inlet Box Covers (AP-020)	CW 3210-R8	each	2		
D.24	Curb Inlet Frames	CW 3210-R8	each	3		
D.25	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	3		
D.26	Curb Stop Extensions	CW 3210-R8	each	5		
<b>LANDSCAPING</b>						
D.27	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	20		
ii)	width > or = 600 mm		m <sup>2</sup>	40		
<b>MISCELLANEOUS</b>						
D.28	Supply & Install Cast Iron Tree Well Grate - ADA Compliant - 600mm Diameter Tree Opening	E14	each	1		
D.29	Reinforced Concrete Tree Well Curb	E13	m	6		
<b>D</b>	<b><i>Edmonton Street from Broadway to Graham Avenue</i></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>E</b>	<b><u>Carlton Street from Broadway to York Avenue</u></b>					
	<b>EARTH AND BASE WORKS</b>					
E.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	15		
E.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	100		
	<b>ROADWORKS - RENEWALS</b>					
E.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	10		
E.4	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m <sup>2</sup>	400		
ii)	Monolithic Curb and Sidewalk		m <sup>2</sup>	50		
E.5	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m <sup>2</sup>	450		
E.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	190		
E.7	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	2		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	32		
E.8	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	120		
E.9	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
E.10	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m <sup>2</sup>	50		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
E.11	Frames & Covers	CW3210-R8				

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
<b>ADJUSTMENTS</b>						
E.12	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
E.13	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	1		
<b>LANDSCAPING</b>						
E.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	10		
ii)	width > or = 600 mm		m <sup>2</sup>	90		
<b>MISCELLANEOUS</b>						
E.15	Tree Removal (Diameter 90mm-160mm)	E15	each	5		
<b>E</b>	<b><u>Carlton Street from Broadway to York Avenue</u></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>F</b>	<b><u>McDermot Avenue from #173 to #163 McDermot Avenue</u></b>					
	<b>EARTH AND BASE WORKS</b>					
F.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	3		
	<b>ROADWORKS - RENEWALS</b>					
F.2	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m <sup>2</sup>	15		
F.3	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m <sup>2</sup>	125		
F.4	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	25		
F.5	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	10		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
F.6	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m <sup>2</sup>	15		
ii)	Holland Stone Paver - Natural	E11	m <sup>2</sup>	5		
	<b>MISCELLANEOUS</b>					
F.7	Supply & Install Cast Iron Tree Well Grate - ADA Compliant - 600mm Diameter Tree Opening	E14	each	2		
F.8	Reinforced Concrete Tree Well Curb	E13	m	6		
<b>F</b>	<b><u>McDermot Avenue from #173 to #163 McDermot Avenue</u></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>G</b>	<b><u>Detectable Warning Surface Tile Installations</u></b>					
	<b>EARTH AND BASE WORKS</b>					
G.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	10		
G.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	20		
	<b>ROADWORKS - RENEWALS</b>					
G.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	130		
G.4	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m <sup>2</sup>	15		
G.5	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m <sup>2</sup>	15		
G.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	225		
G.7	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	2		
G.8	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	2		
G.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	25		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	100		
G.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	25		
G.11	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	40		

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.12	Detectable Warning Surface Tiles	CW 3326-R3	each	40		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
G.13	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m <sup>2</sup>	2		
<b>LANDSCAPING</b>						
G.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	5		
ii)	width > or = 600 mm		m <sup>2</sup>	30		
G.15	Salt Tolerant Grass Seeding	E9	m <sup>2</sup>	15		
<b>G</b>	<b><u>Detectable Warning Surface Tile Installations</u></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>A</b>	<u>Concordia Avenue (North Side) from Louelda Street to Moncton Avenue</u>				Subtotal:	
<b>B</b>	<u>Shaftesbury Boulevard (East Side) from Taylor Boulevard to Grant Avenue</u>				Subtotal:	
<b>C</b>	<u>William Avenue (North Side) from Kate Street to Adelaide Street</u>				Subtotal:	
<b>D</b>	<u>Edmonton Street from Broadway to Graham Avenue</u>				Subtotal:	
<b>E</b>	<u>Carlton Street from Broadway to York Avenue</u>				Subtotal:	
<b>F</b>	<u>McDermot Avenue from #173 to #163 McDermot Avenue</u>				Subtotal:	
<b>G</b>	<u>Detectable Warning Surface Tile Installations</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B12)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 285-2017

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B12)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

**BID OPPORTUNITY NO. 285-2017**

**Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B12)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 285-2017

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and  
Associated Works

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 2, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)