

FORM A: BID
(See B8)

1. Contract Title 2017 Regional Street Renewal Program – M^cGillivray Boulevard Rehabilitation and Kenaston Boulevard Pavement Widening

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- (Choose one)
- In accordance with B12.1, the Bidder encloses bid security in the form of:
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | | Dated | |
|-------|--|-------|-------|
| _____ | | _____ | _____ |
| _____ | | _____ | _____ |
| _____ | | _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|---|--------------------|----------------|------------------|------------|--------|
| A | <u>McGILLIVRAY BLVD - WAVERLEY ST TO FENNEL ST - REHABILITATION (2017)</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Supplying and Placing Base Course Material | CW 3110-R19 E12 | tonne | 2000 | | |
| A.2 | Grading of Boulevards | CW 3110-R19 | m ² | 8500 | | |
| | ROADWORKS - RENEWALS | | | | | |
| A.3 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 215 | | |
| ii) | Asphalt Pavement | | m ² | 150 | | |
| A.4 | Slab Replacement - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m ² | 215 | | |
| A.5 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m ² | 40 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m ² | 520 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m ² | 20 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m ² | 500 | | |
| A.6 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 1250 | | |
| A.7 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 20 | | |
| ii) | 20 M Deformed Tie Bar | | each | 1900 | | |
| A.8 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | Bullnose | SD-227C | m ² | 25 | | |
| A.9 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m ² | 10 | | |
| b) | 5 sq.m. to 20 sq.m. | | m ² | 25 | | |
| A.10 | Remove Existing Bollard | E25 | each | 1 | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|--|-------------------|----------------|------------------|------------|--------|
| A.11 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier | SD-202C | m | 1250 | | |
| ii) | Modified Barrier (Integral) | | m | 35 | | |
| iii) | Splash Strip Monolithic | | m | 15 | | |
| A.12 | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 1300 | | |
| A.13 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 20 | | |
| A.14 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 3700 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 125 | | |
| A.15 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m ² | 500 | | |
| ii) | 50 - 100 mm Depth (Asphalt) | | m ² | 100 | | |
| iii) | 1 - 50 mm Depth (Concrete) | | m ² | 20 | | |
| A.16 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 8 | | |
| | JOINT AND CRACK SEALING | | | | | |
| A.17 | Reflective Crack Maintenance | CW 3250-R7 | m | 3350 | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|---|---------------------------|----------------|------------------|------------|--------|
| ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | | |
| A.18 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1200 mm deep | | each | 1 | | |
| A.19 Frames & Covers | | | | | | |
| | | CW3210-R8 E24 | | | | |
| i) | Supply and Install Ditch Inlet Grate c/w Cast-in-Place Concrete Collar | | each | 4 | | |
| A.20 | Concrete Spillways c/w Curb Inlet Grate | E13 | each | 11 | | |
| A.21 | Grouted Stone Riprap | CW 3615-R4 | m ³ | 20 | | |
| A.22 | Straw Wattles | E17 | m | 30 | | |
| A.23 | Asphalt Swale | E14 | m ² | 1700 | | |
| A.24 Corrugated Steel Pipe Culvert - Supply | | | | | | |
| | | CW 3610-R5 E16 | | | | |
| i) | 300 mm (1.6 mm Wall C/W Bevelled End Section) | | m | 17 | | |
| A.25 Corrugated Steel Pipe Culvert - Install | | | | | | |
| | | CW 3610-R5 E16 | | | | |
| i) | 300 mm (1.6 mm Wall) | | m | 17 | | |
| ADJUSTMENTS | | | | | | |
| A.26 | Adjustment of Manholes/Catch Basins Frames | CW 3210-R8 | each | 4 | | |
| A.27 | Replacing Existing Manhole or Catchbasin Rungs | CW 2130-R12 | each | 2 | | |
| A.28 | Adjustment of Valve Boxes | CW 3210-R8 | each | 5 | | |
| A.29 | Valve Box Extensions | CW 3210-R8 | each | 2 | | |
| A.30 | Adjustment of Curb Stop Boxes | CW 3210-R8 | each | 5 | | |
| A.31 | Curb Stop Extensions | CW 3210-R8 | each | 2 | | |
| LANDSCAPING | | | | | | |
| A.32 Sodding | | | | | | |
| | | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m ² | 50 | | |
| ii) | width > or = 600 mm | | m ² | 4700 | | |
| A.33 | Salt Tolerant Grass Seeding | E8 | m ² | 3800 | | |
| A | <u>McGILLIVRAY BLVD - WAVERLEY ST TO FENNEL ST - REHABILITATION (2017)</u> | | | | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|--------------------|----------------|------------------|------------|--------|
| B | <u>McGILLIVRAY BLVD - FENNEL ST TO PEMBINA HWY - REHABILITATION (2018)</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Supplying and Placing Base Course Material | CW 3110-R19 E12 | tonne | 3100 | | |
| B.2 | Grading of Boulevards | CW 3110-R19 | m ² | 8000 | | |
| | ROADWORKS - RENEWALS | | | | | |
| B.3 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 250 | | |
| ii) | Asphalt Pavement | | m ² | 220 | | |
| B.4 | Slab Replacement - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m ² | 250 | | |
| B.5 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m ² | 50 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m ² | 300 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m ² | 20 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m ² | 20 | | |
| B.6 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 600 | | |
| B.7 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 25 | | |
| ii) | 20 M Deformed Tie Bar | | each | 830 | | |
| B.8 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | Bullnose | SD-227C | m ² | 10 | | |
| B.9 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m ² | 10 | | |
| b) | 5 sq.m. to 20 sq.m. | | m ² | 50 | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|--------------------|----------------|------------------|------------|--------|
| B.10 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier | SD-202C | m | 1150 | | |
| ii) | Modified Barrier (Integral) | | m | 20 | | |
| B.11 | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | Splash Strip (100 mm reveal ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 150 | | |
| ii) | Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 1050 | | |
| B.12 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| a) | 3 m to 30 m | | m | 70 | | |
| ii) | Modified Barrier (150 mm reveal ht, Dowelled) | SD-203B | m | 15 | | |
| iii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 10 | | |
| B.13 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 3700 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 150 | | |
| B.14 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m ² | 1000 | | |
| ii) | 50 - 100 mm Depth (Asphalt) | | m ² | 300 | | |
| iii) | 1 - 50 mm Depth (Concrete) | | m ² | 20 | | |
| B.15 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 8 | | |
| | JOINT AND CRACK SEALING | | | | | |
| B.16 | Reflective Crack Maintenance | CW 3250-R7 | m | 1500 | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|---|--------------------------|----------------|------------------|------------|--------|
| ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | | |
| B.17 | Frames & Covers | CW3210-R8 E24 | | | | |
| i) | Supply and Install Ditch Inlet Grate c/w Cast-in-Place Concrete Collar | | each | 3 | | |
| B.18 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| i) | 300 mm Corrugated Steel Pipe | | each | 1 | | |
| B.19 | Grouted Stone Riprap | CW 3615-R4 | m ³ | 12 | | |
| B.20 | Straw Wattles | E17 | m | 30 | | |
| B.21 | Corrugated Steel Pipe Culvert - Supply | CW 3610-R5 E16 | | | | |
| i) | 300 mm (1.6 mm Wall C/W Bevelled End Section) | | m | 2 | | |
| B.22 | Corrugated Steel Pipe Culvert - Install | CW 3610-R5 E16 | | | | |
| i) | 300 mm (1.6 mm Wall) | | m | 2 | | |
| B.23 | Supply and Installation of CSP Bar Screens | E15 | each | 1 | | |
| ADJUSTMENTS | | | | | | |
| B.24 | Adjustment of Manholes/Catch Basins Frames | CW 3210-R8 | each | 4 | | |
| B.25 | Replacing Existing Manhole or Catchbasin Rungs | CW 2130-R12 | each | 2 | | |
| B.26 | Adjustment of Valve Boxes | CW 3210-R8 | each | 5 | | |
| B.27 | Valve Box Extensions | CW 3210-R8 | each | 2 | | |
| B.28 | Adjustment of Curb Stop Boxes | CW 3210-R8 | each | 3 | | |
| B.29 | Curb Stop Extensions | CW 3210-R8 | each | 1 | | |
| LANDSCAPING | | | | | | |
| B.30 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m ² | 100 | | |
| ii) | width > or = 600 mm | | m ² | 4500 | | |
| B.31 | Salt Tolerant Grass Seeding | E8 | m ² | 3250 | | |
| MISCELLANEOUS | | | | | | |
| B.32 | Coordination of Construction with CN Rail | E11 | L.S. | 1 | | |
| B | <u>McGILLIVRAY BLVD - FENNEL ST TO PEMBINA HWY - REHABILITATION (2018)</u> | | | | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| C | <u>KENASTON BLVD - McGILLIVRAY BLVD TO BISHOP GRANDIN BLVD - SOUTHBOUND WIDENING (2017)</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| C.1 | Excavation | CW 3110-R19 | m ³ | 4000 | | |
| C.2 | Sub-Grade Compaction | CW 3110-R19 | m ² | 5300 | | |
| C.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm - Limestone | | tonne | 4400 | | |
| ii) | 150 mm - Limestone | | tonne | 2000 | | |
| C.4 | Supplying and Placing Limestone Base Course Material | CW 3110-R19 | m ³ | 625 | | |
| C.5 | Grading of Boulevards | CW 3110-R19 | m ² | 1000 | | |
| C.6 | Preparation of Existing Ground | CW 3170-R3 | m ² | 4000 | | |
| C.7 | Ditch Grading | CW 3110-R19 | m ² | 4000 | | |
| C.8 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 5300 | | |
| C.9 | Fill Material | CW 3170-R3 | | | | |
| i) | Placing Suitable Site Material | | m ³ | 130 | | |
| | ROADWORKS - RENEWALS | | | | | |
| C.10 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 2400 | | |
| ii) | Asphalt Pavement | | m ² | 600 | | |
| C.11 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 60 | | |
| C.12 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 45 | | |
| ii) | 20 M Deformed Tie Bar | | each | 850 | | |
| C.13 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | Median Slab | | m ² | 90 | | |
| ii) | 100 mm Sidewalk | | m ² | 70 | | |
| iii) | 150 mm Reinforced Sidewalk | | m ² | 5 | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|---|--------------------|----------------|------------------|------------|--------|
| C.14 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | Median Slab | SD-227A | m ² | 5 | | |
| ii) | 100 mm Sidewalk | SD-228A | m ² | 170 | | |
| iii) | 150 mm Reinforced Sidewalk | | m ² | 5 | | |
| C.15 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 20 | | |
| C.16 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 0 - 50 mm Depth (Asphalt) | | m ² | 170 | | |
| C.17 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 14 | | |
| C.18 | Removal and Disposal of Interlocking Paving Stones | E19 | m ² | 120 | | |
| C.19 | Removal and Salvage of Garbage Receptacle | E22 | each | 2 | | |
| ROADWORKS - NEW CONSTRUCTION | | | | | | |
| C.20 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 3,850 | | |
| C.21 | Concrete Pavements for Early Opening | CW 3310-R17 | | | | |
| i) | Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled) | | m ² | 300 | | |
| C.22 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Barrier (180 mm ht, Dowelled) | SD-205 | m | 65 | | |
| ii) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 150 | | |
| iii) | Construction of Curb Ramp (8-12 mm ht, Integral) | SD-229C | m | 20 | | |
| iv) | Construction of Curb Ramp (8-12 mm ht, Monolithic) | SD-229C | m | 40 | | |
| C.23 | Supply and Installation of Dowel Assemblies | CW 3310-R17 | m | 630 | | |
| C.24 | Supply and Installation of Skewed Dowel Assemblies (1:6 Skew) | CW 3310-R17 E20 | m | 150 | | |
| C.25 | Interlocking Paving Stones | CW 3335-R1 E19 | m ² | 115 | | |
| C.26 | Lean Concrete Base | CW 3335-R1 | m ² | 115 | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|-------|------------------|------------|--------|
| C.27 | Construction of Asphaltic Concrete Pavements | CW 3410-R11 | | | | |
| i) | Mainline (Shoulder) | | | | | |
| a) | Type IA | | tonne | 350 | | |
| ii) | Mainline (Path) | | | | | |
| a) | Type IA | | tonne | 40 | | |
| | JOINT AND CRACK SEALING | | | | | |
| C.28 | Reflective Crack Maintenance | CW 3250-R7 | m | 250 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| C.29 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1200 mm deep | | each | 1 | | |
| ii) | SD-024, 1800 mm deep | | each | 1 | | |
| C.30 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm, PVC | | | | | |
| a) | In a Trench, Class 2 Type B Bedding, Class 2 Backfill | | m | 2 | | |
| b) | Trenchless Installation | | m | 12 | | |
| C.31 | Frames & Covers | CW3210-R8 | | | | |
| i) | AP-006 - Standard Frame for Manhole and Catch Basin | | each | 1 | | |
| ii) | AP-007 - Standard Solid Cover for Standard Frame | | each | 1 | | |
| C.32 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| i) | 300 mm Corrugated Steel Pipe | | each | 1 | | |
| C.33 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | each | 2 | | |
| C.34 | Connecting New Subdrain to Existing Subdrain | E21 | | | | |
| i) | 150 mm | | each | 1 | | |
| C.35 | Removal of Existing Catch Basins | CW 2130-R12 | each | 2 | | |
| C.36 | Removal of Existing Pipes | E18 | m | 12 | | |
| C.37 | Installation of Subdrains | CW 3120-R4 | m | 180 | | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------------|----------------|------------------|------------|--------|
| C.38 | Corrugated Steel Pipe Culvert - Supply | CW 3610-R5 E16 | | | | |
| i) | 300 mm (1.6 mm Wall C/W Bevelled End Section) | | m | 5 | | |
| C.39 | Corrugated Steel Pipe Culvert - Install | CW 3610-R5 E16 | | | | |
| i) | 300 mm (1.6 mm Wall) | | m | 5 | | |
| C.40 | Concrete Spillway | E13 | each | 2 | | |
| C.41 | Relocate Existing 300 Corrugated Steel Pipe Culvert | | m | 10 | | |
| C.42 | Supply and Installation of CSP Bar Screens | E15 | each | 1 | | |
| C.43 | Straw Wattles | E17 | m | 3 | | |
| | ADJUSTMENTS | | | | | |
| C.44 | Adjustment of Manholes/Catch Basins Frames | CW 3210-R8 | each | 1 | | |
| | LANDSCAPING | | | | | |
| C.45 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m ² | 50 | | |
| ii) | width > or = 600 mm | | m ² | 1000 | | |
| C.46 | Salt Tolerant Grass Seeding | E8 | m ² | 4000 | | |
| C.47 | Tree Removal | E23 | each | 15 | | |
| C | <u>KENASTON BLVD - MCGILLIVRAY BLVD TO BISHOP GRANDIN BLVD - SOUTHBOUND WIDENING (2017)</u> | | | | Subtotal: | |

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------------------------|---|------------|------|------------------|--------------|--------|
| SUMMARY | | | | | | |
| A | <u>McGILLIVRAY BLVD - WAVERLEY ST TO FENNEL ST - REHABILITATION (2017)</u> | | | | Subtotal: | |
| B | <u>McGILLIVRAY BLVD - FENNEL ST TO PEMBINA HWY - REHABILITATION (2018)</u> | | | | Subtotal: | |
| C | <u>KENASTON BLVD - McGILLIVRAY BLVD TO BISHOP GRANDIN BLVD - SOUTHBOUND WIDENING (2017)</u> | | | | Subtotal: | |
| TOTAL BID PRICE (GST extra) | | | | | (in figures) | _____ |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 300-2017

2017 Regional Street Renewal Program – M^cGillivray Boulevard Rehabilitation and Kenaston Boulevard Pavement Widening

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 300-2017

2017 Regional Street Renewal Program – McGillivray Boulevard Rehabilitation and Kenaston Boulevard Pavement Widening

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 300-2017

2017 Regional Street Renewal Program – Mc Gillivray Boulevard Rehabilitation and Kenaston
Boulevard Pavement Widening

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 4, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)