

FORM A: BID
(See B9)

1. Contract Title 2017 Walk Bike Infrastructure Program: McDermot Avenue Protected Bike Lanes and Various Other Locations

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- (Choose one)
- In accordance with B13.1, the Bidder encloses bid security in the form of:
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<i>McDermot Ave - Arlington St to Furby St - Protected Bike Lanes</i>					
	EARTH AND BASE WORKS					
A.1	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	110		
A.2	Supplying and Placing Base Course Material	CW 3110-R19	m ³	60		
A.3	Grading of Boulevards	CW 3110-R19	m ²	350		
	ROADWORK - REMOVALS/RENEWALS					
A.4	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	300		
ii)	Asphalt Pavement		m ²	380		
A.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	1925		
A.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	10		
ii)	230 mm Concrete Pavement (Type B)		m ²	100		
iii)	230 mm Concrete Pavement (Type D)		m ²	50		
A.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	250		
A.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1300		
A.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	150		

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	115		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	240		
b)	Greater than 20 sq.m.		m ²	480		
A.12	Construction of Monolithic Mountable Barrier	E13	m ²	650		
A.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	60		
ii)	Barrier (150 mm reveal ht, Integral)	SD-204	m	10		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	5		
A.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	20		
b)	3 m to 30 m		m	250		
c)	Greater than 30 m		m	500		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	150		
A.15	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	320		
A.16	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	1090		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	135		

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	1250		
ii)	50 - 100 mm Depth (Asphalt)		m ²	3750		
A.18	Pavement Repair Fabric	E11	m ²	500		
A.19	Detectable Warning Surface Tiles	CW 3326-R3	each	38		
JOINT AND CRACK SEALING						
A.20	Reflective Crack Maintenance	CW 3250-R7	m	250		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.21	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
A.22	Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
A.23	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	4		
A.24	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type Sand Bedding, Class 3 Backfill		m	10		
b)	Trenchless Installation, Class B Type Sand Bedding, Class 3 Backfill		m	18		
A.25	Drainage Connection Pipe	CW 2130-R12	m	15		

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.26	Frames & Covers	CW3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	4		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	4		
A.27	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
A.28	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
A.29	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	9		
A.30	Abandoning Existing Catch Basins	CW 2130-R12	each	2		
A.31	Relocation of Existing Catch Basins	CW 2130-R12	each	5		
A.32	Abandoning Existing Drainage Inlets	CW 2130-R12	each	10		
	ADJUSTMENTS					
A.33	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	10		
A.34	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.8		
A.35	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	18		
A.36	Adjustment of Valve Boxes	CW 3210-R8	each	20		
A.37	Valve Box Extensions	CW 3210-R8	each	5		
A.38	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
A.39	Patching Existing Manholes and Catch Basins	CW 2130-R12	vert. m	0.6		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
A.40	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	350		
	MISCELLANEOUS					
A.41	Removal of Bollards	E17	each	2		
A.42	Supply and Install Bollards	E17	each	1		
A.43	Supply and Install Green Paint	E19	m ²	400		
A	<u>McDermot Ave - Arlington St to Furby St - Protected Bike Lanes</u>				Subtotal:	

 Name of Bidder

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Sherbrook St - Cumberland Ave to McDermot Ave - Protected Bike Lanes</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m ³	290		
B.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	150		
ii)	150 mm		tonne	430		
B.3	Supplying and Placing Base Course Material	CW 3110-R19	m ³	35		
B.4	Separation Geotextile Fabric	CW 3130-R4	m ²	430		
	ROADWORK - REMOVALS/RENEWALS					
B.5	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m ²	140		
B.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
B.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	950		
B.8	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	580		
B.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	200		
ii)	100 mm Sidewalk	SD-228A	m ²	630		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	12		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	b) 5 sq.m. to 20 sq.m.		m ²	30		
	c) Greater than 20 sq.m.		m ²	240		
B.11	Concrete Curb Removal	CW 3240-R10				
	i) Barrier Integral		m	370		
B.12	Concrete Curb Installation	CW 3240-R10				
	i) Barrier (150 mm reveal ht, Dowelled)	SD-205	m	440		
	ii) Barrier (150 mm reveal ht, Integral)	SD-204	m	215		
	iii) Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	45		
	iv) Safety Curb (330 mm reveal ht)	SD-206B	m	65		
B.13	Concrete Curb Renewal	CW 3240-R10				
	i) Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a) 3 m to 30 m		m	30		
B.14	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	65		
B.15	Detectable Warning Surface Tiles	CW 3326-R3	each	12		
ROADWORK - NEW CONSTRUCTION						
B.16	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
	i) Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m ²	430		
B.17	Interlocking Paving Stones	CW 3335-R1	m ²	1		
B.18	100mm Concrete Sidewalk with Block-outs for Interlocking Paving Stones	E22	m ²	2		
B.19	Directional Bar Tiles	E23	each	7		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.20	Catch Pit	CW 2130-R12				
	i) SD-023		each	2		

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.21	Drainage Connection Pipe	CW 2130-R12	m	6		
B.22	Relocation of Existing Catch Basins	CW 2130-R12	each	3		
ADJUSTMENTS						
B.23	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
B.24	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
B.25	Adjustment of Valve Boxes	CW 3210-R8	each	5		
B.26	Valve Box Extensions	CW 3210-R8	each	3		
B.27	Relocating Existing Hydrant - Type A	CW 2110-R11	each	3		
B.28	Watermain	CW 2110-R11				
i)	150 mm					
a)	Class 3 Backfill		m	10		
LANDSCAPING						
B.29	Tree Removal	E16	each	2		
MISCELLANEOUS						
B.30	Relocating Somerset Sign	E14	each	1		
B.31	Remove and Replace Fencing	E21	m	60		
B	<i>Sherbrook St - Cumberland Ave to McDermot Ave - Protected Bike Lanes</i>				Subtotal:	

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Sherbrook St - Notre Dame Ave to William Ave - Asphalt Overlay Preservation</u>					
	ROADWORK - REMOVALS/RENEWALS					
C.1	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	20		
C.2	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	5		
ii)	230 mm Concrete Pavement (Type B)		m ²	40		
iii)	230 mm Concrete Pavement (Type D)		m ²	20		
C.3	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
C.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	300		
C.5	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	880		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
	JOINT AND CRACK SEALING					
C.6	Reflective Crack Maintenance	CW 3250-R7	m	300		
	ADJUSTMENTS					
C.7	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.8	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
C.9	Adjustment of Valve Boxes	CW 3210-R8	each	5		
C.10	Patching Existing Manholes and Catch Basins	CW 2130-R12	vert. m	0.6		
C	<u>Sherbrook St - Notre Dame Ave to William Ave - Asphalt Overlay Preservation</u>				Subtotal:	

 Name of Bidder

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
D	<u>Keewatin St - Burrows Ave to Inkster Blvd - AT Facility</u>						
	EARTH AND BASE WORKS						
D.1	Excavation	CW 3110-R19	m ³	1500			
D.2	Sub-Grade Compaction	CW 3110-R19	m ²	2750			
D.3	Crushed Sub-base Material	CW 3110-R19					
i)	50 mm		tonne	1000			
ii)	150 mm		tonne	450			
D.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	400			
D.5	Grading of Boulevards	CW 3110-R19	m ²	3650			
D.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2750			
D.7	Supply and Install Geogrid	CW 3135-R1	m ²	1375			
	ROADWORK - REMOVALS/RENEWALS						
D.8	Pavement Removal	CW 3110-R19					
i)	Asphalt Pavement		m ²	150			
ii)	Concrete Pavement		m ²	50			
D.9	Miscellaneous Concrete Slab Removal	CW 3235-R9					
i)	100 mm Sidewalk		m ²	1350			
D.10	Miscellaneous Concrete Slab Installation	CW 3235-R9					
i)	Median Slab	SD-227A	m ²	60			
ii)	100 mm Sidewalk	SD-228A	m ²	1100			
iii)	125 mm Reinforced Concrete Sidewalk	E20	m ²	1000			
D.11	Concrete Curb Removal	CW 3240-R10					
i)	Barrier Integral		m	900			

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.12	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	900		
D.13	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	200		
D.14	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
D.15	Path Rumble Strip	E15	m	550		
D.16	Supply and Installation of MMA Marking with Anti-Skid	E18	m	300		
ROADWORK - NEW CONSTRUCTION						
D.17	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	230		
D.18	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m ²	120		
D.19	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	330		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	105		
D.20	Interlocking Paving Stones	CW 3335-R1	m ²	3		
D.21	100mm Concrete Sidewalk with Block-outs for Interlocking Paving Stones	E22	m ²	6		
D.22	Directional Bar Tiles	E23	each	21		
JOINT AND CRACK SEALING						
D.23	Reflective Crack Maintenance	CW 3250-R7	m	500		

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.24	Relocation of Existing Catch Basins	CW 2130-R12	each	1		
D.25	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
D.26	Drainage Connection Pipe	CW 2130-R12	m	4		
D.27	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
D.28	Removal of Existing Catch Basins	CW 2130-R12	each	2		
D.29	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
	LANDSCAPING					
D.30	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	80		
D.31	Salt Tolerant Grass Seeding	E12	m ²	3650		
D.32	Tree Removal	E16	each	4		
D	<u>Keewatin St - Burrows Ave to Inkster Blvd - AT Facility</u>				Subtotal:	

FORM B(R1): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>McDermot Ave - Arlington St to Furby St - Protected Bike Lanes</u>				Subtotal:	
B	<u>Sherbrook St - Cumberland Ave to McDermot Ave - Protected Bike Lanes</u>				Subtotal:	
C	<u>Sherbrook St - Notre Dame Ave to William Ave - Asphalt Overlay Preservation</u>				Subtotal:	
D	<u>Keewatin St - Burrows Ave to Inkster Blvd - AT Facility</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 543-2017

2017 Walk Bike Infrastructure Program: McDermot Avenue Protected Bike Lanes and Various Other Locations

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 543-2017

2017 Walk Bike Infrastructure Program: McDermot Avenue Protected Bike Lanes and Various Other Locations

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 543-2017

2017 Walk Bike Infrastructure Program: McDermot Avenue Protected Bike Lanes and Various
Other Locations

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 9, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)