

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a Purchase Order from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (See B10)

COURTYARD WATERPROOFING – DYNASTY BUILDING – 180 KING STREET

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
1.	Top surface concrete repairs with rapid set mortar, removal and infilling depths from 0mm up to 76mm (3.0 inches).	03 92 12 Detail A/S6.1	Sq. m.	2.5		
2.	Top surface concrete repairs with rapid set mortar, removal and infilling depths of 76mm (3.0 inches) to 152mm (6.0 inch).	03 92 12 Detail A/S6.1	Sq. m.	1.5		
3.	Top surface scaling repairs, for repair depths of up to 25.4 mm (1.0 inch)	03 92 20 Detail B/S6.1	Sq. m.	4.6		
4.	Form and pour concrete repairs with repair mortar, removal and infilling depths from 0mm up to 76mm (3.0 inches).	03 93 30	Sq. m.	2.5		
5.	Form and pour concrete repairs with repair mortar, removal and infilling depths of 76mm (3.0 inches) to 152mm (6.0 inch).	03 93 30 Detail D/S6.1	Sq. m.	1.5		
6.	Supplemental reinforcing steel in concrete repair areas; 10M and 15M bars.	03 20 00	Kgs	10		
7.	Supplemental reinforcing steel in concrete repair areas; 10M dowels.	03 20 00	Dowel	15		
8.	Routing and filling of cracks; 6.4mm (1/4") wide by 6.4mm (1/4") deep.	07 92 10 Detail D/S6.1	Lin. m.	8		
9.	Routing and filling of cracks; 12.7mm (1/2") wide by 6.4mm (1/4") deep.	07 92 10 Detail D/S6.1	Lin. m.	8		
10.	All remaining Work excluding Item 1 to Item 9	n/a	Lump Sum	1		
<p>TOTAL BID PRICE (GST extra) (in figures) \$ _____</p> <p>_____</p>						

 Name of Bidder