



SEWER JUNCTION INFORMATION FROM SEWER VIDEO INSPECTION		
SEWER ID S-MA60000124		
DISTANCE FR	ROM MH ID S-	-MH60000031
DISTANCE	DIAMETER	CLOCK
1.7	100	2
12.1	100	10
14.3	100	10
18.3	100	2 2
18.9	100	2
34.4	100	10
52.9	100	11
53.9	100	11
58.2	100	2
59.0	100	2
62.5	100	10
65.3	100	2
68.3	100	11
80.2	100	1
82.2	100	2
83.9	100	10
85.4	100	10
93.4	100	2
100.9	100	10
101.5	100	11
104.0	100	2
105.5	100	11
116.3	100	2
117.8	100	1

## WARNING

IF POWER EQUIPMENT OR EXPLOSIVES ARE TO BE USED FOR EXCAVATION ON THIS PROJECT THE CONTRACTOR MUST:

1) NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION.

2) TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS.

SEE PROVINCIAL REGULATION 210/72 FOR DETAILS

FOR INDEX SEE 11696

## **METRIC**

WHOLE NUMBERS INDICATE MILLIMETRES DECIMALIZED NUMBERS INDICATE METRES



