

FORM A: BID
(See B8)

1. Contract Title 2018 REGIONAL STREET RENEWAL – ROBLIN BOULEVARD
EASTBOUND FROM CHALFONT ROAD TO SHAFTESBURY
BOULEVARD AND ASSINIBOINE PARK DRIVE FROM ROBLIN
BOULEVARD TO COMMISSARY ROAD - RECONSTRUCTION AND
ASSOCIATED WORKS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. _____ Dated _____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

- YES, 51% Indigenous ownership
- NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|--------------------|----------------|------------------|------------|--------|
| A | <u>ROBLIN BOULEVARD - Assiniboine Park Drive to Shaftesbury Boulevard - Concrete Reconstruction</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Clearing and Grubbing | CW 3010-R4, E17 | m ² | 150 | | |
| A.2 | Excavation | CW 3110-R19 | m ³ | 8000 | | |
| A.3 | Sub-Grade Compaction | CW 3110-R19 | m ² | 12450 | | |
| A.4 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm - Limestone | | tonne | 6300 | | |
| ii) | 100 mm - Limestone | | tonne | 8600 | | |
| A.5 | Supplying and Placing Limestone Base Course Material | CW 3110-R19 | m ³ | 1200 | | |
| A.6 | Grading of Boulevards | CW 3110-R19 | m ² | 500 | | |
| A.7 | Ditch Grading | CW 3110-R19 | m ² | 7000 | | |
| A.8 | Ditch Excavation | CW 3110-R19 | m ³ | 1000 | | |
| A.9 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 12450 | | |
| A.10 | Supply and Install Geogrid | CW 3135-R1 | m ² | 12450 | | |
| A.11 | Fill Material | CW 3170-R3 | | | | |
| i) | Placing Suitable Site Material | | m ³ | 400 | | |
| ii) | Supplying and Placing Imported Material | | m ³ | 500 | | |
| | ROADWORKS - REMOVALS/RENEWALS | | | | | |
| A.12 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | E19 | m ² | 10000 | | |
| ii) | Asphalt Pavement | | m ² | 600 | | |
| A.13 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 28.6 mm Diameter | | each | 40 | | |
| A.14 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 725 | | |
| ii) | 25 M Deformed Tie Bar | | each | 25 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|---|-------------|----------------|------------------|------------|--------|
| A.15 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | Median Slab | | m ² | 60 | | |
| ii) | Monolithic Median Slab | | m ² | 30 | | |
| iii) | 100 mm Sidewalk | | m ² | 100 | | |
| iv) | Bullnose | | m ² | 35 | | |
| A.16 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | 5 sq.m. to 20 sq.m. | | m ² | 25 | | |
| A.17 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier Separate | | m | 200 | | |
| ii) | Curb Ramp | | m | 15 | | |
| iii) | Splash Strip Separate | | m | 600 | | |
| iv) | Splash Strip Monolithic | | m | 25 | | |
| A.18 | Construction of Asphaltic Concrete Overlay | CW 3410-R12 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 275 | | |
| A.19 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 50 - 100 mm Depth (Asphalt) | | m ² | 500 | | |
| A.20 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 6 | | |
| ROADWORKS - NEW CONSTRUCTION | | | | | | |
| A.21 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of Monolithic Concrete Bull-noses | SD-227C | m ² | 5 | | |
| A.22 | Concrete Pavements for Early Opening | CW 3310-R17 | | | | |
| i) | Construction of 250 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled) | | m ² | 600 | | |
| ii) | Construction of 250 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled, Slip Form Paving) | | m ² | 9700 | | |
| iii) | Construction of 250 mm Concrete Pavement for Early Opening 72 (Plain-Dowelled) | | m ² | 300 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|---|--------------|----------------|------------------|------------|--------|
| iv) | Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled) | | m ² | 60 | | |
| A.23 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Barrier (180 mm ht, Separate) | SD-203A | m | 200 | | |
| ii) | Construction of Barrier (180 mm ht, Separate, Slip Form Paving) | SD-203A | m | 1000 | | |
| iii) | Construction of Barrier (180 mm ht, Integral) | SD-204 | m | 1220 | | |
| iv) | Construction of Curb Ramp (8-12 mm ht, Integral) | SD-229C | m | 30 | | |
| v) | Construction of Curb Ramp (8-12 mm ht, Monolithic) | SD-229C | m | 10 | | |
| vi) | Construction of Safety Curb (330 mm ht) | SD-206B | m | 30 | | |
| vii) | Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width, Slip Form Paving) | SD-223A | m | 350 | | |
| viii) | Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 35 | | |
| ix) | Construction of Splash Strip with Thickened Edge (Separate, 600 mm width) | SD-223B, E18 | m | 1200 | | |
| A.24 | Supply and Installation of Dowel Assemblies | CW 3310-R17 | m | 2150 | | |
| A.25 | 100 mm Concrete Sidewalk | CW 3325-R5 | m ² | 125 | | |
| ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | | |
| A.26 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1200 mm deep (AP-011, AP-012) | | each | 2 | | |
| ii) | SD-024, 1800 mm deep (AP-011, AP-012) | | each | 4 | | |
| iii) | SD-025, 1200 mm deep | | each | 3 | | |
| A.27 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm, PVC | | | | | |
| a) | In a Trench, Class B Type 2 Bedding, Class 3 Backfill | | m | 29 | | |
| b) | Trenchless Installation, Class B Bedding with Sand, Class 3 Backfill | | m | 110 | | |
| A.28 | Manhole | CW 2130-R12 | | | | |
| i) | SD-010 (1200mm diameter base) | | vert. m | 11 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|------|------------------|------------|--------|
| A.29 | Land Drainage Sewer | CW 2130-R12 | | | | |
| i) | 250 mm PVC (0-3m deep) | | | | | |
| a) | Trenchless Installation, Class B Bedding with Sand, Class 3 Backfill | | m | 21 | | |
| ii) | 300 mm PVC (0-3m deep) | | | | | |
| a) | Trenchless Installation, Class B Bedding with Sand, Class 3 Backfill | | m | 116 | | |
| iii) | 450 mm PVC (0-3m deep) | | | | | |
| a) | Trenchless Installation, Class B Bedding with Sand, Class 3 Backfill | | m | 78 | | |
| A.30 | Frames & Covers | CW 3210-R8 | | | | |
| i) | AP-006 - Standard Frame for Manhole and Catch Basin | | each | 1 | | |
| ii) | AP-007 - Standard Solid Cover for Standard Frame | | each | 1 | | |
| iii) | Supply and Install Ditch Inlet Grate c/w Cast-In-Place Concrete Collar | E15 | each | 3 | | |
| A.31 | Connecting to Existing Manhole | CW 2130-R12 | | | | |
| i) | 250 mm Catch Basin Lead | | each | 4 | | |
| ii) | 250 mm Land Drainage Sewer | | each | 1 | | |
| iii) | 300 mm Land Drainage Sewer | | each | 1 | | |
| A.32 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm (PVC) Connecting Pipe | | | | | |
| a) | Connecting to 300 mm (PVC) Land Drainage Sewer | | each | 2 | | |
| b) | Connecting to 1050 mm (Concrete) Land Drainage Sewer (Open Channel) | | each | 2 | | |
| A.33 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | each | 1 | | |
| A.34 | Abandoning Existing Catch Basins | CW 2130-R12 | each | 3 | | |
| A.35 | Removal of Existing Catch Basins | CW 2130-R12 | each | 1 | | |
| A.36 | Installation of Subdrains | CW 3120-R4 | m | 150 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|--|-----------------|----------------|------------------|------------|--------|
| A.37 | Corrugated Steel Pipe Culvert - Supply | CW 3610-R5 | | | | |
| i) | (450 mm, 16 gauge, Galvanized) | | m | 128 | | |
| A.38 | Corrugated Steel Pipe Culvert - Install | CW 3610-R5 | | | | |
| i) | (450 mm, 16 gauge, Galvanized) | | m | 128 | | |
| A.39 | Removal of Existing Culverts | CW 3610-R5 | m | 88 | | |
| A.40 | Culvert End Markers | CW 3610-R5 | each | 28 | | |
| A.41 | Construction of Reinforced Concrete Spillway with riprap | CW 3210-R8, E11 | m ² | 55 | | |
| A.42 | Installation of French Drains | E16 | each | 2 | | |
| A.43 | Outlet Flow Restrictor | E20, SD-025B | | | | |
| i) | 200mm | | each | 1 | | |
| A.44 | Watermain and Water Service Insulation | E24 | | | | |
| i) | Pipe Under Roadway Excavation (SD-018) | | m ² | 100 | | |
| ADJUSTMENTS | | | | | | |
| A.45 | Adjustment of Manholes/Catch Basins Frames | CW 3210-R8 | each | 1 | | |
| A.46 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1.0 | | |
| A.47 | Lifter Rings (AP-010) | CW 3210-R8 | | | | |
| i) | 51 mm | | each | 1 | | |
| ii) | 76 mm | | each | 4 | | |
| A.48 | Adjustment of Valve Boxes | CW 3210-R8 | each | 14 | | |
| A.49 | Valve Box Extensions | CW 3210-R8 | each | 6 | | |
| A.50 | Curb Inlet Frames | CW 3210-R8 | each | 13 | | |
| A.51 | Abandonment of Hydrant Tees on Watermains in Service | CW 2110-R11 | each | 2 | | |
| A.52 | New Hydrant Assembly on Existing Watermain | CW 2110-R11 | | | | |
| i) | SD-006 | | each | 2 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------|--|-----------------|----------------|------------------|------------|--------|
| A.53 | Watermain Repair - Up to 3.0 Metres Long | CW 2110-R11 | | | | |
| i) | 200 mm | | | | | |
| a) | In a Trench, Class B Bedding with Sand, Class 3 Backfill | | each | 2 | | |
| A.54 | Sewer Inspection | CW 2145-R4 | | | | |
| i) | 250 mm (PVC) Catch Basin Lead | | m | 78 | | |
| ii) | 250 mm (PVC) Land Drainage Sewer | | m | 21 | | |
| iii) | 300 mm (PVC) Land Drainage Sewer | | m | 116 | | |
| iv) | 450 mm (PVC) Land Drainage Sewer | | m | 78 | | |
| A.55 | Manhole Inspection | CW 2145-R4 | | | | |
| i) | SD-010 | | each | 6 | | |
| LANDSCAPING | | | | | | |
| A.56 | Sodding | CW 3510-R9 | | | | |
| i) | width > or = 600 mm | | m ² | 100 | | |
| A.57 | Salt Tolerant Grass Seeding | E10 | m ² | 8000 | | |
| MISCELLANEOUS | | | | | | |
| A.58 | Grouted Stone Riprap | CW 3615-R4 | m ³ | 15 | | |
| A.59 | Tree Removal | CW 3010-R4, E12 | each | 6 | | |
| ELECTRICAL WORKS | | | | | | |
| A.60 | Relocate Electrical Works for Outfront Media Bus Stop Shelter at the following Bus Stop: | E14 | | | | |
| i) | EB Roblin Boulevard at Assiniboine Park Drive/Pedestrian Corridor Crossing @ 3+95 (Outfront Bus Shelter #7407) | | Lump Sum | 1 | | |
| ii) | WB Roblin Boulevard at Zoo Bus Loop @ 7+32 (Outfront Bus Shelter #7420) | | Lump Sum | 1 | | |
| A | <u>ROBLIN BOULEVARD - Assiniboine Park Drive to Shaftesbury Boulevard - Concrete Reconstruction</u> | | | | Subtotal: | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-----------------|----------------|------------------|------------|--------|
| B | <u>ROBLIN BOULEVARD MULTI-USE PATHWAY - Chalfont Road to Shaftesbury Boulevard - Rehabilitation</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Clearing and Grubbing | CW 3010-R4, E17 | m ² | 600 | | |
| B.2 | Excavation | CW 3110-R19 | m ³ | 275 | | |
| B.3 | Sub-Grade Compaction | CW 3110-R19 | m ² | 1100 | | |
| B.4 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 425 | | |
| B.5 | Grading of Boulevards | CW 3110-R19 | m ² | 3000 | | |
| B.6 | Preparation of Existing Roadway | CW 3150-R4, E22 | m ² | 6000 | | |
| | ROADWORKS - REMOVALS/RENEWALS | | | | | |
| B.7 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 10 | | |
| B.8 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m ² | 5 | | |
| B.9 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Separate) | SD-203A | | | | |
| a) | Less than 3 m | | m | 5 | | |
| ii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 3 | | |
| B.10 | Construction of Asphaltic Concrete Overlay | CW 3410-R12 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 1350 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 50 | | |
| B.11 | Pavement Repair Fabric | E23 | m ² | 5250 | | |
| B.12 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 50 - 100 mm Depth (Asphalt) | E21 | m ² | 4500 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|-------------|----------------|------------------|------------|--------|
| B.13 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 2 | | |
| | ROADWORKS - NEW CONSTRUCTION | | | | | |
| B.14 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Modified Barrier (150 mm ht, Dowelled) | SD-203B | m | 5 | | |
| ii) | Construction of Curb and Gutter (150mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) | SD-200 | m | 10 | | |
| iii) | Construction of Curb Ramp (8-12 mm ht, Monolithic) | SD-229C | m | 4 | | |
| B.15 | 100 mm Concrete Sidewalk | CW 3325-R5 | m ² | 10 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| B.16 | Corrugated Steel Pipe Culvert - Supply | CW 3610-R5 | | | | |
| i) | (300 mm, 16 gauge, Galvanized) | | m | 54 | | |
| ii) | (450 mm, 16 gauge, Galvanized) | | m | 15 | | |
| iii) | (1000 mm, 16 gauge, Galvanized) | | m | 24 | | |
| B.17 | Corrugated Steel Pipe Culvert - Install | CW 3610-R5 | | | | |
| i) | (300 mm, 16 gauge, Galvanized) | | m | 54 | | |
| ii) | (450 mm, 16 gauge, Galvanized) | | m | 15 | | |
| iii) | (1000 mm, 16 gauge, Galvanized) | | m | 24 | | |
| B.18 | Removal of Existing Culverts | CW 3610-R5 | m | 70 | | |
| B.19 | Culvert End Markers | CW 3610-R5 | each | 20 | | |
| | ADJUSTMENTS | | | | | |
| B.20 | Adjustment of Manholes/Catch Basins Frames | CW 3210-R8 | each | 1 | | |
| B.21 | Adjustment of Valve Boxes | CW 3210-R8 | each | 10 | | |
| B.22 | Valve Box Extensions | CW 3210-R8 | each | 2 | | |
| B.23 | Adjustment of Curb Stop Boxes | CW 3210-R8 | each | 1 | | |
| B.24 | Curb Stop Extensions | CW 3210-R8 | each | 1 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|----------------|------------------|------------|--------|
| | LANDSCAPING | | | | | |
| B.25 | Sodding | CW 3510-R9 | | | | |
| i) | width > or = 600 mm | | m ² | 2100 | | |
| B.26 | Salt Tolerant Grass Seeding | E10 | m ² | 900 | | |
| | MISCELLANEOUS | | | | | |
| B.27 | Remove Existing Bollard | E13 | each | 1 | | |
| B | <u>ROBLIN BOULEVARD MULTI-USE PATHWAY - Chalfont Road to Shaftesbury Boulevard - Rehabilitation</u> | | | | Subtotal: | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|-------------|----------------|------------------|------------|--------|
| C | <u>ASSINIBOINE PARK DRIVE - Roblin Boulevard to Commissary Road - Asphalt Reconstruction</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| C.1 | Excavation | CW 3110-R19 | m ³ | 3400 | | |
| C.2 | Sub-Grade Compaction | CW 3110-R19 | m ² | 6150 | | |
| C.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm - Limestone | | tonne | 2350 | | |
| ii) | 100 mm - Limestone | | tonne | 4300 | | |
| C.4 | Supplying and Placing Limestone Base Course Material | CW 3110-R19 | m ³ | 525 | | |
| C.5 | Grading of Boulevards | CW 3110-R19 | m ² | 1000 | | |
| C.6 | Ditch Grading | CW 3110-R19 | m ² | 700 | | |
| C.7 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 6150 | | |
| C.8 | Supply and Install Geogrid | CW 3135-R1 | m ² | 6150 | | |
| C.9 | Surfacing Material | CW 3150-R4 | | | | |
| i) | Limestone | | tonne | 200 | | |
| | ROADWORKS - REMOVALS/RENEWALS | | | | | |
| C.10 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Asphalt Pavement | | m ² | 6700 | | |
| | ROADWORKS - NEW CONSTRUCTION | | | | | |
| C.11 | Construction of Asphaltic Concrete Pavements | CW 3410-R12 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 800 | | |
| b) | Construction of Asphaltic Concrete Base Course (Type III) | | tonne | 1100 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 75 | | |
| b) | Construction of Asphaltic Concrete Base Course (Type III) | | tonne | 80 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|--|------------|----------------|------------------|------------|--------|
| ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | | |
| C.12 | Corrugated Steel Pipe Culvert - Supply | CW 3610-R5 | | | | |
| i) | (450 mm, 16 gauge, Galvanized) | | m | 3 | | |
| C.13 | Corrugated Steel Pipe Culvert - Install | CW 3610-R5 | | | | |
| i) | (450 mm, 16 gauge, Galvanized) | | m | 3 | | |
| C.14 | Connections to Existing Culverts | CW 3610-R5 | each | 1 | | |
| C.15 | Culvert End Markers | CW 3610-R5 | each | 12 | | |
| LANDSCAPING | | | | | | |
| C.16 | Sodding | CW 3510-R9 | | | | |
| i) | width > or = 600 mm | | m ² | 1000 | | |
| C | <u>ASSINIBOINE PARK DRIVE - Roblin Boulevard to Commissary Road - Asphalt Reconstruction</u> | | | | Subtotal: | |
| SUMMARY | | | | | | |
| A | <u>ROBLIN BOULEVARD - Assiniboine Park Drive to Shaftesbury Boulevard - Concrete Reconstruction</u> | | | | Subtotal: | |
| B | <u>ROBLIN BOULEVARD MULTI-USE PATHWAY - Chalfont Road to Shaftesbury Boulevard - Rehabilitation</u> | | | | Subtotal: | |
| C | <u>ASSINIBOINE PARK DRIVE - Roblin Boulevard to Commissary Road - Asphalt Reconstruction</u> | | | | Subtotal: | |
| TOTAL BID PRICE (GST extra) | | | (in figures) | | _____ | |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 2-2018

2018 REGIONAL STREET RENEWAL – ROBLIN BOULEVARD EASTBOUND FROM CHALFONT ROAD TO SHAFTESBURY BOULEVARD AND ASSINIBOINE PARK DRIVE FROM ROBLIN BOULEVARD TO COMMISSARY ROAD - RECONSTRUCTION AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 2-2018

2018 REGIONAL STREET RENEWAL – ROBLIN BOULEVARD EASTBOUND FROM CHALFONT ROAD TO SHAFTESBURY BOULEVARD AND ASSINIBOINE PARK DRIVE FROM ROBLIN BOULEVARD TO COMMISSARY ROAD - RECONSTRUCTION AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 2-2018

2018 REGIONAL STREET RENEWAL – ROBLIN BOULEVARD EASTBOUND FROM
CHALFONT ROAD TO SHAFTESBURY BOULEVARD AND ASSINIBOINE PARK DRIVE FROM ROBLIN
BOULEVARD TO COMMISSARY ROAD - RECONSTRUCTION AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 21, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)