

FORM A: BID
(See B8)

1. Contract Title 2018 Local Improvements

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- (Choose one)
- In accordance with B13.1, the Bidder encloses bid security in the form of:
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12. Indigenous Self-Declaration
- The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
- YES, 51% Indigenous ownership
- NO, it is not
- This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 RESIDENTIAL SURFACE WORKS						
A	<u>Bronstone Blvd./West Fernwood Ave. Lane - The Block Bounded By Bronstone Blvd., West Fernwood Ave. and St. Mary's Rd.</u>					
EARTH AND BASE WORKS						
A.1	Excavation	CW 3110-R19, E.13	m ³	965.0		
A.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	1610.0		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1065.0		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	136.0		
A.5	Grading of Boulevards	CW 3110-R19	m ²	75.0		
A.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1610.0		
A.7	Supply and Install Geogrid	CW 3135-R1	m ²	161.0		
A.8	Surfacing Material	CW 3150-R4				
i)	Granular		tonne	78.0		
A.9	Supplying and Placing Approach Surfacing Material	E.16	tonne	45.0		
ROADWORKS - RENEWALS						
A.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	75.0		
ii)	Asphalt Pavement		m ²	140.0		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10.0		
A.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10.0		
A.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	10.0		
A.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	10.0		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	37.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
A.16	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	210.0		
A.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	25.0		
A.18	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	168.0		
A.19	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	252.0		
LANDSCAPING						
A.20	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	75.0		
A	<u>Bronstone Blvd./West Fernwood Ave. Lane - The Block Bounded By Bronstone Blvd., West Fernwood Ave. and St. Mary's Rd.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Gauvin St./Llyod St. Lane - The Block Bounded By Gauvin St., Llyod St., Lyndale Dr. and Coniston St.</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19, E.13	m ³	885.0		
B.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	1395.0		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	925.0		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	110.0		
B.5	Grading of Boulevards	CW 3110-R19	m ²	60.0		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1395.0		
B.7	Supply and Install Geogrid	CW 3135-R1	m ²	140.0		
B.8	Surfacing Material	CW 3150-R4				
i)	Granular		tonne	128.0		
B.9	Supplying and Placing Approach Surfacing Material	E.16	tonne	135.0		
	ROADWORKS - RENEWALS					
B.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	85.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
B.11	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	200.0		
B.12	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	20.0		
B.13	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	147.0		
B.14	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	221.0		
LANDSCAPING						
B.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	60.0		
B	<u>Gauvin St./Llyod St. Lane - The Block Bounded By Gauvin St., Llyod St., Lyndale Dr. and Coniston St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Lawndale Ave./Ferndale Ave. Lane - The Block Bounded By Lawndale Ave., Ferndale Ave., Coniston St. and Highfield St.</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19, E.13	m ³	470.0		
C.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	885.0		
C.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	585.0		
C.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	70.0		
C.5	Grading of Boulevards	CW 3110-R19	m ²	60.0		
C.6	Separation Geotextile Fabric	CW 3130-R4	m ²	885.0		
C.7	Supply and Install Geogrid	CW 3135-R1	m ²	89.0		
C.8	Surfacing Material	CW 3150-R4				
i)	Granular		tonne	24.0		
C.9	Supplying and Placing Approach Surfacing Material	E.16	tonne	40.0		
	ROADWORKS - RENEWALS					
C.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	65.0		
ii)	Asphalt Pavement		m ²	25.0		
C.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5.0		
C.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5.0		
C.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5.0		
C.14	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	11.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
C.15	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	115.0		
C.16	Construction of Asphaltic Concrete Pavements	CW 3410-R16				
i)	Main Line Paving					
a)	Type IA		tonne	100.0		
C.17	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	147.0		
	LANDSCAPING					
C.18	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	60.0		
C	<u>Lawndale Ave./Ferndale Ave. Lane - The Block Bounded By Lawndale Ave., Ferndale Ave., Coniston St. and Highfield St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Rue Notre Dame/Rue Dumoulin Lane - The Block Bounded By Rue Notre Dame, Rue Dumoulin, Rue La Fleche and Rue Archibald</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19, E.13	m ³	535.0		
D.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	1035.0		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	690.0		
ii)	100 mm		tonne	70.0		
D.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	85.0		
D.5	Grading of Boulevards	CW 3110-R19	m ²	50.0		
D.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1035.0		
D.7	Supply and Install Geogrid	CW 3135-R1	m ²	315.0		
D.8	Surfacing Material	CW 3150-R4				
i)	Granular		tonne	30.0		
D.9	Supplying and Placing Approach Surfacing Material	E.16	tonne	120.0		
	ROADWORKS - RENEWALS					
D.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	50.0		
ii)	Asphalt Pavement		m ²	35.0		
D.11	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	11.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
D.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	115.0		
D.13	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	111.0		
D.14	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	168.0		
	LANDSCAPING					
D.15	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	50.0		
D	<u>Rue Notre Dame/Rue Dumoulin Lane - The Block Bounded By Rue Notre Dame, Rue Dumoulin, Rue La Fleche and Rue Archibald</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Tache Ave./Crawford Ave. Lane - The Block Bounded By Tache Ave., Crawford Ave., Lyndale Dr. and Coniston St.</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19, E.13	m ³	550.0		
E.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	1085.0		
E.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	720.0		
E.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	90.0		
E.5	Grading of Boulevards	CW 3110-R19	m ²	85.0		
E.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1085.0		
D.7	Supply and Install Geogrid	CW 3135-R1	m ²	1085.0		
E.8	Surfacing Material	CW 3150-R4				
i)	Granular		tonne	43.0		
E.9	Supplying and Placing Approach Surfacing Material	E.16	tonne	40.0		
	ROADWORKS - RENEWALS					
E.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	40.0		
ii)	Asphalt Pavement		m ²	40.0		
E.11	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	11.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
E.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	135.0		
E.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	15.0		
E.14	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	116.0		
E.15	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	174.0		
LANDSCAPING						
E.16	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	85.0		
E	<u>Tache Ave./Crawford Ave. Lane - The Block Bounded By Tache Ave., Crawford Ave., Lyndale Dr. and Coniston St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 CITY OF WINNIPEG PAID WORKS						
F	<u>Bronstone Blvd./West Fernwood Ave. Lane - City of Winnipeg Paid Works</u>					
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R19, E.13	m ³	65.0		
F.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	120.0		
F.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	80.0		
F.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	10.0		
F.5	Grading of Boulevards	CW 3110-R19	m ²	26.0		
F.6	Separation Geotextile Fabric	CW 3130-R4	m ²	120.0		
	ROADWORKS - RENEWALS					
F.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	117.0		
ii)	Asphalt Pavement		m ²	65.0		
F.8	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	48.0		
F.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	100.0		
F.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	100.0		
F.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	20.0		
F.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	20.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.13	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	10.0		
F.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	10.0		
ROADWORKS - NEW CONSTRUCTION						
F.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	97.0		
F.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	5.0		
ii)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	25.0		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	15.0		
LANDSCAPING						
F.17	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	26.0		
F	<u>Bronstone Blvd./West Fernwood Ave. Lane - City of Winnipeg Paid Works</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>Gauvin St./Llyod St. Lane - City of Winnipeg Paid Works</u>					
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R19, E.13	m ³	80.0		
G.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	140.0		
G.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	85.0		
G.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	10.0		
G.5	Grading of Boulevards	CW 3110-R19	m ²	80.0		
G.6	Separation Geotextile Fabric	CW 3130-R4	m ²	140.0		
G.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m ³	10.0		
	ROADWORKS - RENEWALS					
G.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	149.0		
G.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	71.0		
G.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	105.0		
G.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	105.0		
G.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	20.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.13	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	55.0		
G.14	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	10.0		
G.15	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	15.0		
ROADWORKS - NEW CONSTRUCTION						
G.16	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	106.0		
G.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	40.0		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	10.0		
LANDSCAPING						
G.18	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	80.0		
G	<u>Gauvin St./Llyod St. Lane - City of Winnipeg Paid Works</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H	<u>Lawndale Ave./Ferndale Ave. Lane - City of Winnipeg Paid Works</u>					
	EARTH AND BASE WORKS					
H.1	Excavation	CW 3110-R19, E.13	m ³	55.0		
H.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	110.0		
H.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	65.0		
H.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	10.0		
H.5	Grading of Boulevards	CW 3110-R19	m ²	25.0		
H.6	Separation Geotextile Fabric	CW 3130-R4	m ²	95.0		
H.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m ³	5.0		
	ROADWORKS - RENEWALS					
H.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	89.0		
H.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	21.0		
H.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	90.0		
H.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	85.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	15.0		
H.13	Concrete Curb Removal	CW 3240-R10				
i)	Lip Curb	SD-202C	m	20.0		
H.14	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	10.0		
H.15	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	5.0		
ROADWORKS - NEW CONSTRUCTION						
H.16	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	79.0		
H.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	20.0		
LANDSCAPING						
H.18	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	25.0		
H	<u>Lawndale Ave./Ferndale Ave. Lane - City of Winnipeg Paid Works</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	<u>Rue Notre Dame/Rue Dumoulin Lane - City of Winnipeg Paid Works</u>					
	EARTH AND BASE WORKS					
I.1	Excavation	CW 3110-R19, E.13	m ³	70.0		
I.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	135.0		
I.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	90.0		
I.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	15.0		
I.5	Grading of Boulevards	CW 3110-R19	m ²	50.0		
I.6	Separation Geotextile Fabric	CW 3130-R4	m ²	135.0		
	ROADWORKS - RENEWALS					
I.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	135.0		
I.8	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	50.0		
I.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	110.0		
I.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	110.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	35.0		
I.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	40.0		
I.13	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	20.0		
I.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	15.0		
ROADWORKS - NEW CONSTRUCTION						
I.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	110.0		
I.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	40.0		
LANDSCAPING						
I.17	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	50.0		
I	<u>Rue Notre Dame/Rue Dumoulin Lane - City of Winnipeg Paid Works</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J	<u>Tache Ave./Crawford Ave. Lane - City of Winnipeg Paid Works</u>					
	EARTH AND BASE WORKS					
J.1	Excavation	CW 3110-R19, E.13	m ³	80.0		
J.2	Sub-Grade Compaction	CW 3110-R19, E.13	m ²	145.0		
J.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	100.0		
J.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	15.0		
J.5	Grading of Boulevards	CW 3110-R19	m ²	80.0		
J.6	Separation Geotextile Fabric	CW 3130-R4	m ²	145.0		
	ROADWORKS - RENEWALS					
J.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	79.0		
J.8	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	51.0		
J.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	105.0		
J.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	105.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	20.0		
J.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	30.0		
ii)	Lip Curb	SD-202C	m	15.0		
J.13	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	15.0		
J.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	15.0		
ROADWORKS - NEW CONSTRUCTION						
J.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	121.0		
J.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	50.0		
LANDSCAPING						
J.17	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	80.0		
J	<u>Tache Ave./Crawford Ave. Lane - City of Winnipeg Paid Works</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3 DRAINAGE AND UNDERGROUND WORKS						
K	<u>Bronstone Blvd./West Fernwood Lane - Drainage and Underground Works</u>					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
K.1	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	4.7		
K.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	3.0		
K.3	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	168.6		
K.4	Land Drainage Sewer Inspection	CW2145-R3				
i)	300 mm, PVC		m	168.6		
K.5	Frames & Covers	CW3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
K.6	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 375 mm (UNKN) Sewer		each	1.0		
K.7	Installation of Subdrains	CW 3120-R4	m	36.0		
	ADJUSTMENTS					
K.8	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
K.9	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.5		
K.10	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	5.0		
K	<u>Bronstone Blvd./West Fernwood Lane - Drainage and Underground Works</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	<u>Gauvin St./Llyod St. lane - Drainage and Underground Works</u>					
	ROADWORKS - RENEWALS					
L.1	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	20.0		
L.2	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20.0		
L.3	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
L.4	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	2.6		
L.5	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	4.0		
L.6	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	177.1		
L.7	Land Drainage Sewer Inspection	CW2145-R3				
i)	300 mm, PVC		m	177.1		
L.8	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1.0		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1.0		
L.9	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 450 mm (CONC.) Combined Sewer		each	1.0		
L.10	Installation of Subdrains	CW 3120-R4	m	48.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
L.11	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
L.12	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	1.6		
L.13	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	5.0		
L	<u>Gauvin St./Llyod St. lane - Drainage and Underground Works</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
M	<u>Lawndale Ave./Ferndale Ave. Lane - Drainage and Underground Works</u>					
	ROADWORKS - RENEWALS					
M.1	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	20.0		
M.2	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20.0		
M.3	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
M.4	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	2.5		
M.5	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2.0		
M.6	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	85.2		
M.7	Land Drainage Sewer Inspection	CW2145-R3				
i)	300 mm, PVC		m	85.2		
M.8	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 750 mm (CONC.) Sewer		each	1.0		
M.9	Removal of Existing Catch Basins	CW 2130-R12	each	2.0		
M.10	Installation of Subdrains	CW 3120-R4	m	24.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
M.11	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.4		
M.12	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	3.0		
M	<u>Lawndale Ave./Ferndale Ave. Lane - Drainage and Underground Works</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
N	<u>Rue Notre Dame/Rue Dumoulin Lane - Drainage and Underground Works</u>						
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
N.1	Catch Basin	CW 2130-R12					
i)	SD-025, 1200 mm deep		each	1.0			
N.2	Remove and Replace Existing Catch Basin	CW 2130-R12					
i)	SD-025		each	1.0			
N.3	Land Drainage Sewer	CW 2130-R12					
i)	300 mm, PVC						
	a) Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	45.7			
N.4	Land Drainage Sewer Inspection	CW2145-R3					
i)	300 mm, PVC		m	45.7			
N.5	Frames & Covers	CW3210-R8					
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1.0			
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1.0			
N.6	Connecting to Existing Sewer	CW 2130-R12					
i)	300 mm (PVC) Connecting Pipe						
	a) Connecting to UNKN.mm (UNKN.) Sewer		each	1.0			
N.7	Installation of Subdrains	CW 3120-R4	m	24.0			
	ADJUSTMENTS						
N.8	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1			
N.9	Lifter Rings (AP-010)	CW 3210-R8					
i)	51 mm		each	3.0			
N	<u>Rue Notre Dame/Rue Dumoulin Lane - Drainage and Underground Works</u>				Subtotal:		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
O	<u>Tache Ave./Crawford Ave. Lane - Drainage and Underground Works</u>						
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
O.1	Manhole	CW 2130-R12					
i)	SD-010, 1200 mm diameter base		vert. m	2.1			
O.2	Catch Basin	CW 2130-R12					
i)	SD-025, 1800 mm deep		each	2.0			
O.3	Land Drainage Sewer	CW 2130-R12					
i)	300 mm, PVC						
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	38.0			
ii)	300 mm, PVC						
a)	In a Trench, Installation, Class B Type Sand Bedding, Class 2 Backfill		m	40.7			
O.4	Land Drainage Sewer Inspection	CW2145-R3					
i)	300 mm, PVC		m	78.7			
O.5	Connecting to Existing Sewer	CW 2130-R12					
i)	300 mm (PVC) Connecting Pipe						
a)	Connecting to 375 mm (CONC.) Sewer		each	1.0			
O.6	Installation of Subdrains	CW 3120-R4	m	24.0			
	ADJUSTMENTS						
O.7	Catchbasin Risers	CW 2130-R12, E.15					
i)	Pre-cast Concrete Risers		vert. m	0.2			
O.8	Lifter Rings (AP-010)	CW 3210-R8					
i)	51 mm		each	2.0			
O	<u>Tache Ave./Crawford Ave. Lane - Drainage and Underground Works</u>				Subtotal:		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 RESIDENTIAL SURFACE WORKS						
A	<u>Bronstone Blvd./West Fernwood Ave. Lane - The Block Bounded By Bronstone Blvd., West Fernwood Ave. and St. Mary's Rd.</u>				Subtotal:	
B	<u>Gauvin St./Llyod St. Lane - The Block Bounded By Gauvin St., Llyod St., Lyndale Dr. and Coniston St.</u>				Subtotal:	
C	<u>Lawndale Ave./Ferndale Ave. Lane - The Block Bounded By Lawndale Ave., Ferndale Ave., Coniston St. and Highfield St.</u>				Subtotal:	
D	<u>Rue Notre Dame/Rue Dumoulin Lane - The Block Bounded By Rue Notre Dame, Rue Dumoulin, Rue La Fleche and Rue Archibald</u>				Subtotal:	
E	<u>Tache Ave./Crawford Ave. Lane - The Block Bounded By Tache Ave., Crawford Ave., Lyndale Dr. and Coniston St.</u>				Subtotal:	
					(total price) PART 1	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 CITY OF WINNIPEG PAID WORKS						
F	<u>Bronstone Blvd./West Fernwood Ave. Lane - City of Winnipeg Paid Works</u>				Subtotal:	
G	<u>Gauvin St./Llyod St. Lane - City of Winnipeg Paid Works</u>				Subtotal:	
H	<u>Lawndale Ave./Ferndale Ave. Lane - City of Winnipeg Paid Works</u>				Subtotal:	
I	<u>Rue Notre Dame/Rue Dumoulin Lane - City of Winnipeg Paid Works</u>				Subtotal:	
J	<u>Tache Ave./Crawford Ave. Lane - City of Winnipeg Paid Works</u>				Subtotal:	
(total price) PART 2						

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3 DRAINAGE AND UNDERGROUND WORKS						
K	<u>Bronstone Blvd./West Fernwood Lane - Drainage and Underground Works</u>				Subtotal:	
L	<u>Gauvin St./Llyod St. lane - Drainage and Underground Works</u>				Subtotal:	
M	<u>Lawndale Ave./Ferndale Ave. Lane - Drainage and Underground Works</u>				Subtotal:	
N	<u>Rue Notre Dame/Rue Dumoulin Lane - Drainage and Underground Works</u>				Subtotal:	
O	<u>Tache Ave./Crawford Ave. Lane - Drainage and Underground Works</u>				Subtotal:	
(total price) PART 3						
TOTAL BID PRICE (GST extra)				(in figures) _____		

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 30-2018

2018 Local Improvements

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 30-2018

2018 Local Improvements

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 30-2018
2018 Local Improvements

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 28, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)