

FORM A: BID
(See B8)

1. Contract Title SUPPLY AND DELIVERY OF VANS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

11. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(See B9)

SUPPLY AND DELIVERY OF VANS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	Medium Roof Cargo Van 8600lbs. GVWR	18017	Each	1	
2.	High Roof Cargo Van Ext. length. 9500lbs. GVWR	18018	Each	1	
3.	High Roof Cargo Van Reg. length. 9500lbs. GVWR	18029	Each	1	
4.	Mini Passenger Van 6000lbs. GVWR	18019	Each	9	
5.	Low Roof Cargo Van 9000lbs. GVWR	18020	Each	1	
6.	Mini Cargo Van 5200lbs. GVWR	18028	Each	3	
7.	Low Roof Cargo Van 8600lbs. GVWR	18030	Each	2	

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 18017

MEDIUM ROOF CARGO VAN 8600LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a Medium Roof Cargo Van and other equipment and features as specified herein.
- 1.2 The Medium Roof Cargo Van shall be a new 2018 model year or newer.
- 1.3 The Medium Roof Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The Medium Roof Cargo Van shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

7.0 SPECIFICATION

BIDDER TO STATE "YES" OR STATE DEVIATION

7.1	GVWR: Approx. 8600 lbs.	_____
7.2	Wheelbase: Approximately 130-140", state .	_____
7.3	Medium roof: Height approximately 100", state	_____
7.4	Interior height: approximately 72", state .	_____
7.5	Engine: V6, Gasoline 270-275 HP.	_____
7.6	Transmission: 6-speed automatic Heavy Duty Transmission.	_____
7.7	External transmission oil cooler.	_____
7.8	Rear Wheel Drive.	_____
7.9	Differential: 3.73 axle ratio, heavy duty locking or limited slip.	_____
7.10	Heavy duty alternator approx. 220 amp: state amperage	_____
7.11	Block heater/pan heater with cord through grille.	_____
7.12	Coolant: Antifreeze to -35°C.	_____
7.13	Dual Batteries: Heavy duty battery approx. 70 amp/hour each, state .	_____

- 7.14 Steering: Tilt and power. _____
- 7.15 Brakes: Power with ABS. _____
- 7.16 Rims: 16 inch steel road wheels. _____
- 7.17 Tires - Front & rear: All season radials, **state** size. _____
- 7.18 Full-size spare wheel & tire with carrier. _____
- 7.19 Mud-flaps: Front and rear. _____
- 7.20 Stability and traction control. _____
- 7.21 Mirrors: Interior rear view and heated dual power exterior with turn signals. _____
- 7.22 Windshield wipers: Intermittent. _____
- 7.23 Wiper blades: Winter blades with heavy duty rubber boot. _____
- 7.24 Three (3) Remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. _____
- 7.25 Remote start. _____
- 7.26 Air conditioning. _____
- 7.27 Cruise control: with message center. _____
- 7.28 Door locks: Power. _____
- 7.29 Seats: Two (2) bucket seats, cloth or cloth and vinyl with seatback storage pockets (each seat). _____
- 7.30 Passenger side sliding door cargo door (with window and wire mesh security caging). _____
- 7.31 Rear cargo door: 50/50 hinged rear (with windows and wire mesh security caging). _____
- 7.32 Interior lights: Dome with door switches on front, side and rear doors. _____
- 7.33 Map lights: front and rear. _____
- 7.34 Radio: AM-FM with CD or MP3 player and Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit. _____
- 7.35 Cup holders: front. _____
- 7.36 Front door side pockets. _____
- 7.37 Air bags: front driver’s and passenger. _____
- 7.38 12-Volt power point. _____
- 7.39 Front Bumper: Black, molded-in-Color. _____
- 7.40 Rear Bumper: Black, Molded-In-Color with Integral Step. _____
- 7.41 Colour Interior: Black, cloth. _____
- 7.42 Colour Exterior: White. _____
- 7.43 Windows: tinted glass. _____

- 7.44 Backup alarm, approx. 97 dB. _____
- 7.45 Backup camera. _____
- 7.46 Rear park assist w/audible warning. _____
- 7.47 Perimeter anti-theft alarm. _____
- 7.48 Rubber anti slip floor in cargo area. _____

8.0 **WARRANTY**

- 8.1 All warranty information shall be detailed and include all exclusions. _____

The Contractor shall provide all published warranty information upon delivery of the equipment.

Bidder shall state all warranty information.

- 8.2 Basic vehicle (Comprehensive): **State.** _____
- 8.3 Drivetrain coverage: **State.** _____
- 8.4 Roadside assistance: **State.** _____
- 8.5 Corrosion (Sheet metal) **State.** _____
- 8.6 Corrosion (Sheet metal rust-through): **State.** _____

9.0 **DELIVERY**

- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____
- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____
- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____
- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

- 10.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, USB is preferred where available. _____
- 10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____

FORM N: DETAILED SPECIFICATIONS 18018

HIGH ROOF CARGO VAN 9500LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a High Roof Cargo Van and other equipment and features as specified herein.
- 1.2 The High Roof Cargo Van shall be a new 2018 model year or newer.
- 1.3 The High Roof Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The High Roof Cargo Van shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

7.0 SPECIFICATION

BIDDER TO STATE "YES" OR STATE DEVIATION

7.1	GVWR: Approx. 9500 lbs.	_____
7.2	Configuration: SWR Single rear wheel.	_____
7.3	Wheelbase: approximately 148", state .	_____
7.4	Extended body length: approximately 263", state .	_____
7.5	High roof: exterior height approximately 110", state .	_____
7.6	Interior height: approximately 81", state .	_____
7.7	Engine: V6, gasoline 300-310 HP. Torque: 375-400 lb.-ft.	_____
7.8	Transmission: 6-speed automatic Heavy Duty Transmission.	_____
7.9	External transmission oil cooler.	_____
7.10	Rear Wheel Drive.	_____
7.11	Differential: 3.73 axle ratio, heavy duty locking or limited slip.	_____
7.12	Heavy duty alternator approx. 220 amp: state amperage .	_____
7.13	Block heater/pan heater with cord through grille.	_____

- 7.14 Coolant: antifreeze to -35°C. _____
- 7.15 Dual Batteries: heavy duty battery approx. 70 amp/hour each, **state**. _____
- 7.16 Steering: tilt and power. _____
- 7.17 Brakes: power with ABS. _____
- 7.18 Rims: 16 inch steel road wheels. _____
- 7.19 Tires: wheels with All-terrain Winter Rates Tires or All-weather Winter Rated Tires (bearing the mountain snow flake symbol and meets specific snow traction performance requirements set by the Rubber Association of Canada) , **state** size. _____
- 7.20 Full-size spare wheel & tire with carrier. _____
- 7.21 Wheel well liner. _____
- 7.22 Mud-flaps: front and rear. _____
- 7.23 Stability and traction control. _____
- 7.24 Mirrors: Interior rear view and heated dual power exterior with turn signals. _____
- 7.25 Windshield wipers: Intermittent rain sensing. _____
- 7.26 Wiper blades: winter blades with heavy duty rubber boot. _____
- 7.27 Three (3) remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. _____
- 7.28 Remote start. _____
- 7.29 Air conditioning. _____
- 7.30 Front and rear heat air conditioning (Rear heating shall be factory installed and insulated). _____
- 7.31 Cruise control: with message center. _____
- 7.32 Door locks: power. _____
- 7.33 Seats: two (2) bucket seats, vinyl with seatback storage pockets (each seat). Manual seat adjustment. _____
- 7.34 Front door side pockets. _____
- 7.35 Passenger side sliding door cargo door with tinted window. _____
- 7.36 Rear cargo door: 50/50 hinged with rear tinted glass windows. _____
- 7.37 Rear window defrost. _____
- 7.38 Interior lights: dome with door switches on front, side and rear doors. _____
- 7.39 Map lights: front and rear. _____
- 7.40 Interior cargo lights: factory LED lights. _____
- 7.41 Radio: AM-FM with Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit (6 Speakers) _____

- 7.42 Cup holders: front. _____
- 7.43 Front door side pockets. _____
- 7.44 Air bags: front driver's and passenger. _____
- 7.45 12-Volt power point. _____
- 7.46 Power Inverter 12V to 110V. _____
- 7.47 Bumper: Black, moulded-in-color. _____
- 7.48 Rear Bumper: Black, Moulded-In-Colour with Integral step. _____
- 7.49 Colour Interior: black or grey, cloth. _____
- 7.50 Colour exterior: Race red or equivalent in accordance with B6. _____
- 7.51 Windows: tinted glass. _____
- 7.52 Backup alarm, approx. 97 dB. _____
- 7.53 Rear view camera _____
- 7.54 Rear park assist w/audible warning _____
- 7.55 Lane Keeping alert. _____
- 7.56 Perimeter anti-theft alarm. _____
- 7.57 Running boards installed. _____
- 7.58 Towing: towing package with 7-pin trailer wiring provision (sealed), trailer brake controller for approx. 6000 lbs. trailer capacity or greater. _____
- 7.59 High Capacity Up-fitter Switches. _____

8.0 **WARRANTY**

- 8.1 All warranty information shall be detailed and include all exclusions. _____

The Contractor shall provide all published warranty information upon delivery of the equipment.

Bidder shall state all warranty information.

- 8.2 Basic vehicle (Comprehensive): **State.** _____
- 8.3 Drivetrain coverage: **State.** _____
- 8.4 Roadside assistance: **State.** _____
- 8.5 Corrosion (Sheet metal) **State.** _____
- 8.6 Corrosion (Sheet metal rust-through): **State.** _____

9.0 **DELIVERY**

- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.V.I.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____

- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____
- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____
- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____
- 10.0 **MANUALS**
- 10.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, USB is preferred where available. _____
- 10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____

FORM N: DETAILED SPECIFICATIONS 18029

HIGH ROOF CARGO VAN 9500LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a High Roof Cargo Van and other equipment and features as specified herein.
- 1.2 The High Roof Cargo Van shall be a new 2018 model year or newer.
- 1.3 The High Roof Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The High Roof Cargo Van shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

7.0 SPECIFICATION

BIDDER TO STATE "YES" OR STATE DEVIATION

7.1	GVWR: Approx. 9500 lbs.	_____
7.2	Configuration: SWR Single rear wheel	_____
7.3	Wheelbase: approximately 148", state .	_____
7.4	Regular body length: approximately 235", state .	_____
7.5	High roof: exterior height approximately 110", state .	_____
7.6	Interior height: approximately 81", state .	_____
7.7	Engine: V6, Gasoline 270-275 HP.	_____
7.8	Transmission: 6-speed automatic Heavy Duty Transmission.	_____
7.9	External transmission oil cooler.	_____
7.10	Rear Wheel Drive.	_____
7.11	Differential: 3.73 axle ratio, heavy duty locking or limited slip.	_____
7.12	Heavy duty alternator approx. 220 amp: state amperage .	_____
7.13	Block heater/pan heater with cord through grille.	_____

- 7.14 Coolant: antifreeze to -35°C. _____
- 7.15 Dual Batteries: heavy duty battery approx. 70 amp/hour each, **state**. _____
- 7.16 Steering: tilt and power. _____
- 7.17 Brakes: power with ABS. _____
- 7.18 Rims: 16 inch steel road wheels. _____
- 7.19 Tires - Front & rear: All season radials, **state** size. _____
- 7.20 Full-size spare wheel & tire with carrier. _____
- 7.21 Mud-flaps: front and rear. _____
- 7.22 Stability and traction control. _____
- 7.23 Mirrors: Interior rear view and heated dual power exterior with turn signals. _____
- 7.24 Windshield wipers: Intermittent. _____
- 7.25 Wiper blades: winter blades with heavy duty rubber boot. _____
- 7.26 Five (5) remote keyless entry – key fobs and five (5) sets of Ignition keys or if the keys and key fobs are one unit, supply 5 key fobs. _____
- 7.27 Remote start. _____
- 7.28 Air conditioning. _____
- 7.29 Auxiliary rear heater: factory installed with insulated hoses. _____
- 7.30 Cruise control: with message center. _____
- 7.31 Door locks: power. _____
- 7.32 Seats: two (2) bucket seats, cloth with seatback storage pockets (each seat). Manual seat adjustment. _____
- 7.33 Front door side pockets. _____
- 7.34 Passenger side sliding door cargo door with tinted window. _____
- 7.35 Rear cargo door: 50/50 hinged with rear tinted glass windows. _____
- 7.36 Rear window defrost. _____
- 7.37 Interior lights: dome with door switches on front, side and rear doors. _____
- 7.38 Map lights: front and rear. _____
- 7.39 Interior cargo lights: factory LED lights. _____
- 7.40 Radio: AM-FM with CD or MP3 player and Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit. _____
- 7.41 Cup holders: front. _____
- 7.42 Front door side pockets. _____
- 7.43 Air bags: front driver’s and passenger. _____
- 7.44 12-Volt power point. _____

- 7.45 Power Inverter 12V to 110V. _____
- 7.46 Bumper: Black, moulded-in-color. _____
- 7.47 Rear Bumper: Black, Moulded-In-Colour with Integral step. _____
- 7.48 Colour Interior: black or grey, cloth. _____
- 7.49 Colour exterior: white. _____
- 7.50 Windows: tinted glass. _____
- 7.51 Backup alarm, approx. 97 dB. _____
- 7.52 Rear view camera. _____
- 7.53 Rear park assist w/audible warning. _____
- 7.54 Perimeter anti-theft alarm. _____
- 7.55 Towing: towing package with 7-pin trailer wiring provision (sealed), trailer brake controller for approx. 6000 lbs. trailer capacity or greater. _____

8.0 **WARRANTY**

- 8.1 All warranty information shall be detailed and include all exclusions. _____

The Contractor shall provide all published warranty information upon delivery of the equipment.

Bidder shall state all warranty information.

- 8.2 Basic vehicle (Comprehensive): **State.** _____
- 8.3 Drivetrain coverage: **State.** _____
- 8.4 Roadside assistance: **State.** _____
- 8.5 Corrosion (Sheet metal) **State.** _____
- 8.6 Corrosion (Sheet metal rust-through): **State.** _____

9.0 **DELIVERY**

- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.V.I.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____
- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____
- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____
- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

10.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD or USB is preferred where available.

10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered:

FORM N: DETAILED SPECIFICATIONS 18019

MINI PASSENGER VAN 6000LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a Mini Passenger Van and other equipment and features as specified herein.
- 1.2 The Mini Passenger Van shall be a new 2018 model year or newer.
- 1.3 Mini Passenger Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The Mini Passenger Van shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

7.0 SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
7.1 GVWR: Approx. 6000lbs.	_____
7.2 Wheelbase: Approx.120 in., state .	_____
7.3 Engine: V6- gasoline approx. 275-280HP.	_____
7.4 Front wheel drive.	_____
7.5 Block heater/pan heater with cord through grille.	_____
7.6 Coolant Extended Life Coolant, -35°C.	_____
7.7 Battery: state CCA.	_____
7.8 Transmission: Automatic.	_____
7.9 Payload: approx. 1500lbs. with flat load floor.	_____
7.10 Vehicle height: approx. 70 in., state .	_____
7.11 Steering: power.	_____
7.12 Brakes: Power with ABS, traction control and stability control.	_____

- 7.13 Wheels: Standard manufacturer's wheels, without locking nuts. _____
- 7.14 Tires/Wheels: 16 x 6.5 inch Steel wheels with All Season Tires. _____
- 7.15 **State optional price** to supply and install four (4) All-terrain Winter Rated Tires or All-weather Winter Rated Tires in place of standard equipment all-season tire (tires must have the mountain snow flake symbol and meets specific snow traction performance requirements set by the Rubber Association of Canada). \$ _____
- 7.16 Spare wheel & tire with carrier. _____
- 7.17 Mud Flaps: (4) mud flaps (front and rear). _____
- 7.18 Mirrors: Interior rearview and dual power exterior. _____
- 7.19 Windshield wipers: Intermittent. _____
- 7.20 Wiper blades: winter blades with heavy duty rubber boot. _____
- 7.21 Three (3) Remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. _____
- 7.22 Air conditioning. _____
- 7.23 Tilt steering. _____
- 7.24 Cruise control. _____
- 7.25 Door locks: Power. _____
- 7.26 Windows: Power. _____
- 7.27 Seating: 7 passenger seating. _____
- 7.28 Front seating: Two (2) front bucket seats, cloth or cloth face and vinyl back. _____
- 7.29 Rear seating: 2nd row bench seat, removable. _____
- 7.30 Rear seating: 3rd row fold down seating for all rear seats. (Folded down seats flush with floor so it can be utilized as a cargo vehicle when needed). _____
- 7.31 Cargo area with rear seats stowed or removed can accommodate a traffic barricade measuring 102"L x 11"W x 1.5" T with the rear tailgate closed. **State** cargo area length from under the front passenger seat to the closed tailgate. _____
- 7.32 Dual sliding side doors with windows. _____
- 7.33 Rear lift gate with window. _____
- 7.34 Rear window defroster: Electric. _____
- 7.35 Radio: AM-FM with CD or MP3 player and Bluetooth® technology, for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit. _____
- 7.36 Air bags: front driver's and passenger w/curtains. _____
- 7.37 12-Volt power point. _____
- 7.38 Rear view backup camera. _____

7.39 Colour: Exterior White. _____

8.0 **WARRANTY**

8.1 All warranty information shall be detailed and include all exclusions. _____

The Contractor shall provide all published warranty information upon delivery of the equipment.

Bidder shall state all warranty information.

8.2 Basic vehicle (Comprehensive): **State.** _____

8.3 Drivetrain coverage: **State.** _____

8.4 Roadside assistance: **State.** _____

8.5 Corrosion (Sheet metal) **State.** _____

8.6 Corrosion (Sheet metal rust-through): **State.** _____

9.0 **DELIVERY**

9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____

9.2 **Delivery Time: twelve to fifteen (12-15) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____

9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____

9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

10.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, USB is preferred where available. _____

10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____

FORM N: DETAILED SPECIFICATIONS 18020

LOW ROOF CARGO VAN 9000LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a Low Roof Cargo Van and other equipment and features as specified herein.
- 1.2 The Low Roof Cargo Van shall be a new 2018 model year or newer.
- 1.3 The Low Roof Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The Low Roof Cargo Van shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

7.0 SPECIFICATION

BIDDER TO STATE "YES" OR STATE DEVIATION

- | | | |
|------|---|-------|
| 7.1 | GVWR: Approx. 9000 lbs. | _____ |
| 7.2 | Wheelbase: Approximately 130-140", state . | _____ |
| 7.3 | Low roof: Height approximately 84", state | _____ |
| 7.4 | Interior height: approximately 56", state . | _____ |
| 7.5 | Engine: V6, Gasoline 270-275 HP. | _____ |
| 7.6 | Transmission: 6-speed automatic Heavy Duty Transmission. | _____ |
| 7.7 | External transmission oil cooler. | _____ |
| 7.8 | Rear Wheel Drive. | _____ |
| 7.9 | Differential: 3.73 axle ratio, heavy duty locking or limited slip. | _____ |
| 7.10 | Heavy duty alternator approx. 220 amp: state amperage | _____ |
| 7.11 | Block heater/pan heater with cord through grille. | _____ |
| 7.12 | Coolant: Antifreeze to -35°C. | _____ |
| 7.13 | Dual Batteries: Heavy duty battery approx. 70 amp/hour each, state . | _____ |

- 7.14 Steering: Tilt and power. _____
- 7.15 Brakes: Power with ABS. _____
- 7.16 Rims: 16 inch steel road wheels. _____
- 7.17 Tires: wheels with All-terrain Winter Rates Tires or All-weather Winter Rated Tires (tire must have the mountain snow flake symbol and meets specific snow traction performance requirements set by the Rubber Association of Canada) , **state** size. _____
- 7.18 Full-size spare wheel & tire with carrier. _____
- 7.19 Mud-flaps: Front and rear. _____
- 7.20 Stability and traction control. _____
- 7.21 Mirrors: Interior rear view and heated dual power exterior with turn signals. _____
- 7.22 Windshield wipers: Intermittent. _____
- 7.23 Wiper blades: Winter blades with heavy duty rubber boot. _____
- 7.24 Three (3) Remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. _____
- 7.25 Remote start. _____
- 7.26 Air conditioning. _____
- 7.27 Cruise control: with message center. _____
- 7.28 Door locks: Power. _____
- 7.29 Seats: Two (2) bucket seats, cloth or cloth and vinyl with seatback storage pockets (each seat). _____
- 7.30 Passenger side sliding door cargo door. _____
- 7.31 Rear cargo door: 50/50 hinged rear. _____
- 7.32 Interior lights: Dome with door switches on front, side and rear doors. _____
- 7.33 Map lights: front and rear _____
- 7.34 Radio: AM-FM with CD or MP3 player and Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit. _____
- 7.35 Cup holders: front _____
- 7.36 Front door side pockets _____
- 7.37 Air bags: front driver’s and passenger _____
- 7.38 12-Volt power point _____
- 7.39 Front Bumper: Black, molded-in-color. _____
- 7.40 Rear Bumper: Black, molded-in-color with Integral Step. _____
- 7.41 Colour Interior: Black, cloth. _____
- 7.42 Colour Exterior: White. _____

- 7.43 Windows: tinted glass. _____
- 7.44 Backup alarm, approx. 97 dB. _____
- 7.45 Backup camera. _____
- 7.46 Rear park assist w/audible warning _____
- 7.47 Perimeter anti-theft alarm. _____
- 7.48 Rubber anti slip floor in cargo area. _____

8.0 **WARRANTY**

- 8.1 All warranty information shall be detailed and include all exclusions. _____

The Contractor shall provide all published warranty information upon delivery of the equipment.

Bidder shall state all warranty information.

- 8.2 Basic vehicle (Comprehensive): **State.** _____
- 8.3 Drivetrain coverage: **State.** _____
- 8.4 Roadside assistance: **State.** _____
- 8.5 Corrosion (Sheet metal) **State.** _____
- 8.6 Corrosion (Sheet metal rust-through): **State.** _____

9.0 **DELIVERY**

- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____

- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____

- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____

- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

- 10.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, USB is preferred where available. _____

- 10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____

FORM N: DETAILED SPECIFICATIONS 18028

MINI CARGO VAN 5200LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a Mini Cargo Van and other equipment and features as specified herein.
- 1.2 The Mini Cargo Van shall be a new 2018 model year or newer.
- 1.3 The Mini Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The Mini Cargo Van shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

7.0 SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
7.1 GVWR: Approx. 5200lbs.	_____
7.2 Wheelbase: Approx.120 in., state .	_____
7.3 Engine: 4-cylinder, gasoline approx. 169HP.	_____
7.4 Front wheel drive.	_____
7.5 Block heater/pan heater with cord through grille.	_____
7.6 Coolant Extended Life Coolant, -35°C.	_____
7.7 Battery: state CCA.	_____
7.8 Transmission: 6 speed automatic.	_____
7.9 Alternator: approx. 150 amps.	_____
7.10 Steering: Power.	_____
7.11 Brakes: Power with ABS, traction control and stability control.	_____
7.12 Wheels: Standard manufacturer's wheels, without locking nuts.	_____

- 7.13 Tires/Wheels: 16 x 6.5 inch Steel wheels with All Season Tires. _____
- 7.14 Spare wheel & tire with carrier. _____
- 7.15 Mud flaps: (4) front and rear. _____
- 7.16 Mirrors: Interior rearview and dual power exterior. _____
- 7.17 Windshield wipers: Intermittent. _____
- 7.18 Ignition keys: Three (3) sets. _____
- 7.19 Remote keyless entry: Three (3) fobs. _____
- 7.20 Air conditioning. _____
- 7.21 Tilt steering. _____
- 7.22 Cruise control. _____
- 7.23 Door locks: Power. _____
- 7.24 Windows: Power. _____
- 7.25 Front seating: Two (2) front bucket seats, cloth. _____
- 7.26 Colour: Interior Charcoal black. _____
- 7.27 Dual sliding side doors with windows. _____
- 7.28 Fixed 2rd row glass driver side and passenger side. _____
- 7.29 Rear split cargo doors 180° swing-out with windows. _____
- 7.30 Rear window grilles. _____
- 7.31 Rear window defroster: Electric. _____
- 7.32 Air bags: front driver's and passenger w/curtains. _____
- 7.33 12-Volt power point. _____
- 7.34 Radio: AM-FM with CD or MP3 player and Bluetooth® technology, for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit. _____
- 7.35 Rear view camera. _____
- 7.36 Colour: Exterior white. _____
- 7.37 Perimeter Anti-Theft Alarm System. _____
- 7.38 Rear LED cargo area light. _____
- 7.39 Backup alarm, approx. 97 dB. _____
- 7.40 Front vinyl floor cover. _____
- 7.41 Rubber anti slip floor in cargo area. _____
- 7.42 Cargo area partition: between front cabin and rear cargo area contoured with perforated window. _____

8.0 **WARRANTY**

8.1 All warranty information shall be detailed and include all exclusions. _____

The Contractor shall provide all published warranty information upon delivery of the equipment.

Bidder shall state all warranty information.

8.2 Basic vehicle (Comprehensive): **State.** _____

8.3 Drivetrain coverage: **State.** _____

8.4 Roadside assistance: **State.** _____

8.5 Corrosion (Sheet metal) **State.** _____

8.6 Corrosion (Sheet metal rust-through): **State.** _____

9.0 **DELIVERY**

9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____

9.2 **Delivery Time: twelve to fifteen (12-15) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____

9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____

9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

10.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, USB is preferred where available. _____

10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____

FORM N: DETAILED SPECIFICATIONS 18030

LOW ROOF CARGO VAN 8600LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a Low Roof Cargo Van and other equipment and features as specified herein.
- 1.2 The Low Roof Cargo Van shall be a new 2018 model year or newer.
- 1.3 The Low Roof Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The Low Roof Cargo Van shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

7.0 SPECIFICATION

BIDDER TO STATE "YES" OR STATE DEVIATION

- | | | |
|------|---|-------|
| 7.1 | GVWR: Approx. 8600 lbs. | _____ |
| 7.2 | Wheelbase: Approximately 130-140", state . | _____ |
| 7.3 | Low roof: Height approximately 84", state | _____ |
| 7.4 | Interior height: approximately 56", state . | _____ |
| 7.5 | Engine: V6, Gasoline 270-275 HP. | _____ |
| 7.6 | Transmission: 6-speed automatic Heavy Duty Transmission. | _____ |
| 7.7 | External transmission oil cooler. | _____ |
| 7.8 | Rear Wheel Drive. | _____ |
| 7.9 | Differential: 3.73 axle ratio, heavy duty locking or limited slip. | _____ |
| 7.10 | Heavy duty alternator approx. 220 amp: state amperage | _____ |
| 7.11 | Block heater/pan heater with cord through grille. | _____ |
| 7.12 | Coolant: Antifreeze to -35°C. | _____ |
| 7.13 | Dual Batteries: Heavy duty battery approx. 70 amp/hour each, state . | _____ |

- 7.14 Steering: Tilt and power. _____
- 7.15 Brakes: Power with ABS. _____
- 7.16 Rims: 16 inch steel road wheels. _____
- 7.17 Tires - Front & rear: All season radials, **state** size. _____
- 7.18 Full-size spare wheel & tire with carrier. _____
- 7.19 Mud-flaps: Front and rear. _____
- 7.20 Stability and traction control. _____
- 7.21 Mirrors: Interior rear view and heated dual power exterior with turn signals. _____
- 7.22 Windshield wipers: Intermittent. _____
- 7.23 Wiper blades: Winter blades with heavy duty boot. _____
- 7.24 Three (3) Remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. _____
- 7.25 Remote start. _____
- 7.26 Air conditioning. _____
- 7.27 Cruise control: with message center. _____
- 7.28 Door locks: Power. _____
- 7.29 Seats: Two (2) bucket seats, cloth or cloth and vinyl with seatback storage pockets (each seat). _____
- 7.30 Passenger side sliding door cargo door. _____
- 7.31 Rear cargo door: 50/50 hinged rear. _____
- 7.32 Interior lights: Dome with door switches on front, side and rear doors. _____
- 7.33 Map lights: front and rear _____
- 7.34 Radio: AM-FM with CD or MP3 player and Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit. _____
- 7.35 Cup holders: front _____
- 7.36 Front door side pockets _____
- 7.37 Air bags: front driver’s and passenger _____
- 7.38 12-Volt power point _____
- 7.39 Front Bumper: Black, molded-in-color. _____
- 7.40 Rear Bumper: Black, molded-in-color with Integral Step. _____
- 7.41 Colour Interior: Black, cloth _____
- 7.42 Colour Exterior: White _____
- 7.43 Windows: tinted glass _____
- 7.44 Backup alarm, approx. 97 dB. _____

- 7.45 Backup camera. _____
- 7.46 Rear park assist w/audible warning _____
- 7.47 Perimeter anti-theft alarm. _____
- 7.48 Rubber anti slip floor in cargo area. _____
- 7.49 Cargo area partition: between front cabin and rear cargo area contoured with perforated window. _____
- 7.50 Ladder Rack: One (1) slide down ladder rack mounted to roof (can carry 1 ladder, passenger side of van). **State optional price.** \$ _____

8.0 **WARRANTY**

- 8.1 All warranty information shall be detailed and include all exclusions. _____

The Contractor shall provide all published warranty information upon delivery of the equipment.

Bidder shall state all warranty information.

- 8.2 Basic vehicle (Comprehensive): **State.** _____
- 8.3 Drivetrain coverage: **State.** _____
- 8.4 Roadside assistance: **State.** _____
- 8.5 Corrosion (Sheet metal) **State.** _____
- 8.6 Corrosion (Sheet metal rust-through): **State.** _____

9.0 **DELIVERY**

- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____
- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____
- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____
- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

- 10.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, USB is preferred where available. _____
- 10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____