


**1 SUPPORT PANEL LAYOUT**  
NTS

NOTE: MAX BOARD SIZE IS 4' [1219mm] BY 8' [2438mm]. MAX ALLOWABLE GAP BETWEEN BOARDS IS 1/4" [6mm]. STAGGER BOARDS BETWEEN ROWS APPROXIMATELY HALF THE LENGTH OF THE BOARD. ON STEEL DECKS, INSTALL THE LONG EDGE PERPENDICULAR WITH THE FLUTES IN THE DECK. EDGES MUST REST ON THE TOP RIB OF THE DECK 1" [25mm] MIN.



**2 SUPPORT PANEL MECH. FASTENED**  
NTS

RMIS ENGINEERING



389 MAXWELL CRESCENT  
Regina, SK S4N 5X9  
www.rmiseng.ca  
Phone 306.352.4606  
Fax 306.352.4607



FIRE HALL #23  
C.13.MB.35-18.05.03

880 DALHOUSIE DRIVE  
WINNIPEG, MB R3T 2Z9

CITY OF WINNIPEG

4TH FLOOR - 185 KING STREET  
WINNIPEG, MB R3B 1J1

No.	DATE	DESCRIPTION

DESIGNED BY SMC 05/04/2018  
DRAWN BY CJB 05/04/2018  
REVIEWED BY SMC 05/04/2018

SUPPORT PANEL  
DETAILS

**A 4.01**