

DOOR SCHEDULE

HINGED DOOR (1 - LEFT HAND OUTSWING)
SIZE - 806 x 1937 (31 3/4" X 76 1/4")
TYPE - COMMERCIAL ALUMINUM DOOW W/ SOLID ALUMINUM
PANELS TO MATCH FP1
FINISH - CLEAR ANODIZED
HARDWARE:
PUSH BAR/PULL HANDLE
3 - 114 (4 1/2") BUTT HINGES
WEATHERSTRIPPING
DOOR CLOSER
DEADBOLT LOCK

ELECTRICAL LEGEND

P 100A, 120/240V, 1Ø, 3 WIRE, 16/32 CCT. ELECTRICAL PANEL C/W 100 AMP MAIN BREAKER

H 4000 WATT FAN FORCED AIR HEATER C/W INTEGRAL THERMOSTAT

300 x 1200 RECESSED L.E.D. LIGHT FIXTURE WITH ACRYLIC LENS

\$ SINGLE POLE LIGHT SWITCH

P DUPLEX RECEPTACLE


RACEWAY IN FLOOR FOR INCOMING SERVICES

13500 BTU ROOF TOP AIR CONDITIONER C/W INTEGRAL THERMOSTAT


ELECTRICAL LEGEND

 ELECTRICAL SITE SERVICE CONNECTION BY OWNER.

3 ELEVATION 1:20







1 ELEVATION
1:20

2 ELEVATION E-01 1:20

METRIC

WHOLE NUMBERS INDICATE MILLIMETRES DECIMALIZED NUMBERS INDICATE METRES

B.M. ELEV.			DESIGNED BY BKB	'	ENGINEER'S SEAL	Winnipeg Transit	
			DRAWN BY SCK	DILLON CONSULTING RELEASED FOR CONSTRUCTION NOT FOR CONSTRUCTION DATE CONSULTANT PROJECT NUMBER 187412		Winnipeg Point Patrol Kiosks	
			CHECKED BY BLM			POINT PATROL KIOSKS	CITY DRAWING NUMBER XXXXXX
			APPROVED BY MH			POINT PATROL RIOSKS	SHEET OF 1
A ISSUED FOR 99% REVIEW	11/05/18	BLM	HOR. SCALE AS SHOWN VERTICAL -			GENERAL ARRANGEMENT	CONSULTANT DRAWING NUMBER E-01
NO. REVISIONS	DATE	BY	DATE			L-01	