

ROOF FRAMING PLAN

TYP. AT LINTEL & BEAM LOC'NS PROVIDE MATCHING # STUDS/PLY EA. END, C/W SINGLE KING STUD FULL HEIGHT. STUD WIDTH TO MATCH WALL TYPE WIDTH.

ALL EXTERIOR STEEL TO BE HOT DIPPED GALVANIZED

REFER TO ARCH A-201 ROOF PLAN FOR TOP OF ROOF DECK ELEVATIONS

1 : 50

DESIGN LOADS:

DEAD LOAD: 1.0 kPa SNOW LOAD: 1.72 kPa UPLIFT: 1.0 kPa q 1/60: 0.45 kPa OPEN TERRAIN



ISSUED FOR ADDENDUM

ISSUED FOR CONSTRUCTION

2018.09.20 JCR

2018.07.27 JCR

DATE

CONSULTING ENGINEERS 345 WARDLAW AVENUE WINNIPEG,CANADA R3L 0L5 (204)452-0041 FAX: 284-8680 E-Mail: info@wolfromeng.com

No. REVISION

CRESCENT DRIVE PARK PAVILION

WINNIPEG, MB.

STUD WALL SCHEDULE

SW-1: 38x140 SPF #2 @ 610 O/C

C/W 13 EXT. GRADE PLYWOOD SHEATHING O.F.
W/ DOUBLE TOP PLATE, SINGLE P.T. BOTTOM PLATE

ROOF FRAMING PLAN

DRAWN BY	SCALE	DRAWING NO.
AVP	AS NOTED	G_3
FILE NO.	DATE	0 -3
W15085	SEPT 20, 2018	REVISION NO. 1