

GENERAL NOTES

A. ALL ABANDONED EQUIPMENT AND SERVICES WITHIN AREA OF

WORK SHALL BE REMOVED.

- B. THIS BUILDING MAY CONTAIN ASBESTOS. REFER TO FRONT END SPECIFICATIONS FOR FURTHER INFORMATION.
- C. REFER TO ROOF DETAILS AND SPECIFICATIONS FOR ALL NEW AND CAPPED OPENINGS.


DEMOLITION KEY NOTES

- DEMOLISH AND REMOVE NATURAL GAS PIPING AND VENT BACK TO ISOLATION VALVE AS SHOWN. REPAIR AND SEAL PRV VENT ROOF OPENING (REFER TO STRUCTURAL AND ROOFING SPECIFICATION / DETAILS).
- EXISTING ROOF DRAINS TO REMAIN.
 REMOVE EXISTING NATURAL GAS LINE SERVING MUA-14 C
- 3. REMOVE EXISTING NATURAL GAS LINE SERVING MUA-14 ON THE ROOF BACK TO SOURCE IN MECHANICAL ROOM 004 (REFER TO DRAWING M1.2 FOR CONTINUATION). REPAIR AND SEAL ROOF OPENINGS (REFER TO STRUCTURAL AND ROOFING SPECIFICATION/DETAIL.
- CONTROLLER AND THERMOSATAT.


 5. REMOVE EXISTING THERMOSTAT SERVING INFRARED HEATERS.

4. REMOVE EXISTING INFRARED HEATER AND ASSOCIATED

- EXISTING INFRARED HEATER TO REMAIN.
 RELOCATE EXISTING PRV VENT THROUGH THE ROOF AWAY FROM LOCATION OF NEW HRU. REFER TO DRAWING M2.1.
- 8. RELOCATE EXISTING ROOF DRAIN AWAY FROM LOCATION OF NEW HRU STEEL PLATFORM STANDS. REFER TO M2.1 NEW CONSTRUCTION DRAWING.



AREA OF WORK-





Drawing Title
MAIN FLOOR AND ROOF PLAN -
TRACK 13-24 - DEMOLITION -
PLUMBING

1	M1.1	1 of 12
Revision Number	Drawing Number	Sheet Order
AS NOTED	NOVEMBER, 2018	18-240-01
Scale	Date	Project No.
JC/AS	XZ	JH
a,	0.1001104 = 7	, .pp. 0 . 0 a = j