

FORM A: BID
(See B8)

1. Contract Title 2019 Regional Street Renewal Program – Corydon Avenue Pavement

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

(Choose one)

The Bidder is:

☐ a sole proprietor

☐ a partnership

☐ a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. **Bid Security** In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. **Commencement of the Work** The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. **Contract** By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. **Addenda** The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |
11. **Time** This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12. **Indigenous Self-Declaration** The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
- ☐ YES, 51% or more Indigenous ownership
- ☐ NO, it is not
- This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>CORYDON AVENUE CONCRETE PAVEMENT RECONSTRUCTION: BOREBANK STREET TO BROCK STREET (EASTBOUND) AND LANARK STREET TO CORDOVA STREET (WESTBOUND)</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m ³	8,100		
A.2	Sub-Grade Compaction	CW 3110-R19	m ²	10,000		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	575		
ii)	50 mm - Limestone		tonne	4,000		
iii)	100 mm - Limestone		tonne	10,000		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	750		
A.5	Grading of Boulevards	CW 3110-R19	m ²	3,300		
A.6	Imported Fill Material	CW 3110-R19	m ³	250		
A.7	Separation Geotextile Fabric	CW 3130-R4	m ²	10,000		
A.8	Supply and Install Geogrid	CW 3135-R1	m ²	9,200		
	ROADWORKS - REMOVALS/RENEWALS					
A.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	8,150		
ii)	Asphalt Pavement		m ²	1,000		
A.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	325		
ii)	28.6 mm Diameter		each	275		
A.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	80		
A.12	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	35		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	40		
b)	5 sq.m. to 20 sq.m.		m ²	130		
c)	Greater than 20 sq.m.		m ²	850		
A.14	Removal of Existing Interlocking Paving Stones	E13	m ²	10		
A.15	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	20		
A.16	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	175		
ii)	Splash Strip Monolithic		m	225		
A.17	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	40		
ii)	Splash Strip (180 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	200		
A.18	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	40		
b)	3 m to 30 m		m	40		
A.19	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	10		
A.20	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	65		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	85		
A.21	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	125		
ii)	50 - 100 mm Depth (Asphalt)		m ²	125		
A.22	Detectable Warning Surface Tiles	CW 3326-R3	each	51		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORK - NEW CONSTRUCTION						
A.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled), Slip Form Paving		m ²	5,600		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m ²	700		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	410		
iv)	Construction of Monolithic Curb and Sidewalk	SD-228B	m ²	200		
v)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	10		
A.24	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m ²	200		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m ²	700		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m ²	410		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	410		
A.25	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	100		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	195		
iii)	Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width), Slip Form Paving	SD-223A	m	1,085		
iv)	Construction of Splash Strip (180 mm ht, Monolithic Modified Barrier Curb, 750 mm width)	SD-223A	m	215		
A.26	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1,625		
A.27	100 mm Concrete Sidewalk	CW 3325-R5	m ²	130		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.28	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
	JOINT AND CRACK SEALING					
A.29	Reflective Crack Maintenance	CW 3250-R7	m	100		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.30	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	14		
A.31	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.32	Sewer Service	CW 2130-R12				
i)	250 mm, PVC, LDS					
a)	In a Trench, Class B Type Sand Bedding, Class 3 Backfill		m	160		
A.33	Drainage Connection Pipe	CW 2130-R12	m	2		
A.34	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-015		vert. m	20		
A.35	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	16		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	16		
A.36	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	3		
A.37	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
A.38	Connecting to Existing Sewer	CW 2130-R12				

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 300 mm (Type Clay) Combined Sewer		each	4		
b)	Connecting to 375 mm (Type Clay) Combined Sewer		each	3		
c)	Connecting to 1650 mm (Type Concrete) Storm Relief Sewer		each	1		
d)	Connecting to 1800 mm (Type Concrete) Combined Sewer		each	3		
A.39	Removal of Existing Catch Basins	CW 2130-R12	each	11		
A.40	Removal of Existing Catch Pit	CW 2130-R12	each	1		
A.41	Installation of Subdrains	CW 3120-R4	m	150		
ADJUSTMENTS						
A.42	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	16		
A.43	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2.0		
A.44	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	11		
A.45	Adjustment of Valve Boxes	CW 3210-R8	each	11		
A.46	Valve Box Extensions	CW 3210-R8	each	10		
A.47	Adjustment of Curb Stop Boxes	CW 3210-R8	each	4		
A.48	Curb Stop Extensions	CW 3210-R8	each	4		
LANDSCAPING						
A.49	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	150		
ii)	width > or = 600 mm		m ²	150		
A.50	Salt Tolerant Grass Seeding	E12	m ²	3,200		
A	<u>CORYDON AVENUE CONCRETE PAVEMENT RECONSTRUCTION: BOREBANK STREET TO BROCK STREET (EASTBOUND) AND LANARK STREET TO CORDOVA STREET (WESTBOUND)</u>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>SEWER REPAIRS:</u>					
	CORYDON AVENUE (MH60006463)					
B.1	Remove and Replace Risers	CW 2130-R12				
i)	SD-010					
a)	750 mm Diameter Risers		vert.m.	1		
B.2	Manhole Inspection	CW 2145-R4	each	1		
B	<u>SEWER REPAIRS:</u>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B17.2.1, B18.4, D2, D13.2-3, D14.4, E16)						
C	<u>NEW STREET LIGHT INSTALLATION: CORYDON AVENUE WESTBOUND</u>					
C.1	Installation of 50 mm conduit(s)	E16.	lin.m	462		
C.2	Installation of 25'/35' precast concrete base	E16.	each	10		
C.3	Installation of one (1) 10' ground rod at every 3rd street light, at the end of every street light circuit and anywhere else as shown on the design drawings. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E16.	each	6		
C	<u>NEW STREET LIGHT INSTALLATION: CORYDON AVENUE WESTBOUND</u>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 CITY FUNDED WORK						
A	<u>CORYDON AVENUE CONCRETE PAVEMENT RECONSTRUCTION: BOREBANK STREET TO BROCK STREET (EASTBOUND) AND LANARK STREET TO</u>				Subtotal:	
B	<u>SEWER REPAIRS:</u>				Subtotal:	
(total price) PART 1						
PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B17.2.1, B18.4, D2, D13.2-3, D14.4, E16)						
C	<u>NEW STREET LIGHT INSTALLATION: CORYDON AVENUE WESTBOUND</u>				Subtotal:	
(total price) PART 2						
TOTAL BID PRICE (GST extra)				(in figures)	_____	

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 184-2019

2019 Regional Street Renewal Program – Corydon Avenue Pavement

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

TENDER NO. 184-2019

2019 REGIONAL STREET RENEWAL PROGRAM – CORYDON AVENUE PAVEMENT

The Surety agrees to issue for the Principal:

1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)