

FORM A: BID
(See B9)

1. Contract Title 2019 Streets Maintenance Program – Asphalt Overlay and Concrete Pavement Preservations

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B14.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | _____ | Dated | _____ |
|-----|-------|-------|-------|
| | _____ | | _____ |
| | _____ | | _____ |
11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
- YES, 51% or more Indigenous ownership
- NO, it is not
- This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>EB NAIRN AVENUE - GREY STREET TO PANET ROAD, ASPHALT OVERLAY</u>					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	10		
A.2	Grading of Boulevards	CW 3110-R19	m ²	100		
	ROADWORKS - RENEWALS					
A.3	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	80		
A.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	170		
A.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	20		
ii)	230 mm Concrete Pavement (Type B)		m ²	55		
iii)	230 mm Concrete Pavement (Type D)		m ²	15		
A.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	35		
ii)	230 mm Concrete Pavement (Type B)		m ²	105		
iii)	230 mm Concrete Pavement (Type D)		m ²	30		
A.7	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	610		
A.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	260		
ii)	25 M Deformed Tie Bar		each	420		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	270		
b)	5 sq.m. to 20 sq.m.		m ²	80		
c)	Greater than 20 sq.m.		m ²	220		

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	150 mm Reinforced Sidewalk					
a)	Less than 5 sq.m.		m ²	10		
b)	5 sq.m. to 20 sq.m.		m ²	10		
A.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier		m	20		
A.11	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	20		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)		m	33		
A.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	60		
b)	3 m to 30 m		m	160		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	325		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	2200		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	200		
A.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	120		
A.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	50		
A.16	Supply and Install Interlocking Paving Stones	CW 3330-R5	m ²	10		
A.17	Detectable Warning Surface Tiles	CW 3326-R3	each	28		
	JOINT AND CRACK SEALING					
A.18	Reflective Crack Maintenance	CW 3250-R7	m	1000		

Name of Bidder

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.19	Frames & Covers	CW 3210-R8				
i)	AP-011 Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 Barrier Curb and Gutter Cover		each	1		
ADJUSTMENTS						
A.20	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	30		
A.21	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.22	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	76 mm		each	6		
A.23	Adjustment of Valve Boxes	CW 3210-R8	each	5		
A.24	Valve Box Extensions	CW 3210-R8	each	2		
A.25	Adjustment of Curb Stop Boxes	CW 3210-R8	each	3		
A.26	Curb Stop Extensions	CW 3210-R8	each	1		
A.27	Adjustment of Traffic Signal Service Box Frames	CW 3210-R8	each	5		
LANDSCAPING						
A.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
A	<i>EB NAIRN AVENUE - GREY STREET TO PANET ROAD, ASPHALT OVERLAY</i>				Subtotal:	

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>WB NAIRN AVENUE - PANET ROAD TO GREY STREET, CONCRETE PAVEMENT PRESERVATION</u>					
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R19	m ²	100		
	ROADWORKS - RENEWALS					
B.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	120		
B.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	230		
B.4	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	10		
ii)	230 mm Concrete Pavement (Type B)		m ²	70		
iii)	230 mm Concrete Pavement (Type D)		m ²	5		
B.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	20		
ii)	230 mm Concrete Pavement (Type B)		m ²	140		
iii)	230 mm Concrete Pavement (Type D)		m ²	10		
B.6	Partial Depth Concrete Repairs	E9	m ²	122		
B.7	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	580		
B.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	180		
ii)	25 M Deformed Tie Bar		each	410		
B.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m ²	20		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m ²	180		
ii)	Safety Median	SD-226B	m ²	135		

Name of Bidder

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	35		
b)	5 sq.m. to 20 sq.m.		m ²	165		
c)	Greater than 20 sq.m.		m ²	35		
iv)	Bullnose	SD-227C	m ²	30		
B.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
B.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
B.13	Concrete Curb Removal	CW 3240-R10				
i)	Barrier		m	20		
B.14	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)		m	33		
B.15	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	30		
b)	3 m to 30 m		m	160		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	60		
B.16	Detectable Warning Surface Tiles	CW 3326-R3	each	28		
JOINT AND CRACK SEALING						
B.17	Joint Sealing	CW 3250-R7	m	1700		
B.18	Crack Sealing	CW 3250-R7				
i)	2 mm to 10 mm Wide		m	20		
ii)	>10 mm to 25 mm Wide		m	100		
ADJUSTMENTS						
B.19	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	10		
B.20	Adjustment of Valve Boxes	CW 3210-R8	each	1		
B.21	Valve Box Extensions	CW 3210-R8	each	4		

Name of Bidder

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.22	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1		
B.23	Curb Stop Extensions	CW 3210-R8	each	1		
B.24	Adjustment of Traffic Signal Service Box Frames	CW 3210-R8	each	1		
LANDSCAPING						
B.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
B	<u>WB NAIRN AVENUE - PANET ROAD TO GREY STREET, CONCRETE PAVEMENT PRESERVATION</u>				Subtotal:	

Name of Bidder

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>NB PEMBINA HIGHWAY - MINERVA AVENUE TO ST. NORBERT BRIDGE,</u> <u>CONCRETE PAVEMENT PRESERVATION</u>					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	10		
C.2	Grading of Boulevards	CW 3110-R19	m ²	50		
	ROADWORKS - RENEWALS					
C.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	400		
C.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	60		
ii)	230 mm Concrete Pavement (Type B)		m ²	160		
iii)	230 mm Concrete Pavement (Type D)		m ²	70		
C.5	Partial Depth Concrete Repairs	E9	m ²	80		
C.6	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	700		
C.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	230		
ii)	25 M Deformed Tie Bar		each	480		
C.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	6		
b)	5 sq.m. to 20 sq.m.		m ²	30		
c)	Greater than 20 sq.m.		m ²	30		
ii)	Bullnose	SD-227C	m ²	10		
C.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	50		
ii)	Splash Strip (180 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	5		

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
C.10	Joint Sealing	CW 3250-R7	m	1500		
C.11	Crack Sealing	CW 3250-R7				
i)	2 mm to 10 mm Wide		m	20		
ii)	>10 mm to 25 mm Wide		m	100		
C.12	Modified Asphalt Repair Sealing	E13	m	800		
	ADJUSTMENTS					
C.13	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
	LANDSCAPING					
C.14	Salt Tolerant Grass Seeding	E11	m ²	50		
C	<u>NB PEMBINA HIGHWAY - MINERVA AVENUE TO ST. NORBERT BRIDGE, CONCRETE PAVEMENT PRESERVATION</u>				Subtotal:	

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>WB STERLING LYON PARKWAY - VICTOR LEWIS DRIVE TO KENASTON BLVD, CONCRETE PAVEMENT PRESERVATION</u>					
	EARTH AND BASE WORKS					
D.1	Grading of Boulevards	CW 3110-R19	m ²	30		
	ROADWORKS - RENEWALS					
D.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	155		
D.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m ²	5		
ii)	230 mm Concrete Pavement (Type B)		m ²	35		
iii)	230 mm Concrete Pavement (Type D)		m ²	140		
D.4	Partial Depth Concrete Repairs	E9	m ²	30		
D.5	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	350		
D.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	110		
ii)	25 M Deformed Tie Bar		each	240		
D.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Bullnose	SD-227C	m ²	10		
D.8	Concrete Curb Renewal	CW 3240-R10				
i)	Splash Strip (180 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	75		
D.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	15		
	JOINT AND CRACK SEALING					
D.10	Joint Sealing	CW 3250-R7	m	500		
D.11	Crack Sealing	CW 3250-R7				
i)	2 mm to 10 mm Wide		m	20		
ii)	>10 mm to 25 mm Wide		m	100		

Name of Bidder

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.12	ADJUSTMENTS Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
D.13	LANDSCAPING Salt Tolerant Grass Seeding	E11	m ²	30		
D	<u>WB STERLING LYON PARKWAY - VICTOR LEWIS DRIVE TO KENASTON BLVD, CONCRETE PAVEMENT PRESERVATION</u>				Subtotal:	

FORM B: PRICES
(SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>EB NAIRN AVENUE - GREY STREET TO PANET ROAD, ASPHALT OVERLAY</u>				Subtotal:	
B	<u>WB NAIRN AVENUE - PANET ROAD TO GREY STREET, CONCRETE PAVEMENT PRESERVATION</u>				Subtotal:	
C	<u>NB PEMBINA HIGHWAY - MINERVA AVENUE TO ST. NORBERT BRIDGE, CONCRETE PAVEMENT PRESERVATION</u>				Subtotal:	
D	<u>WB STERLING LYON PARKWAY - VICTOR LEWIS DRIVE TO KENASTON BLVD, CONCRETE PAVEMENT PRESERVATION</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B14)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 369-2019

2019 Streets Maintenance Preservation Program - Asphalt Overlay and Concrete Pavement Preservations as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B14)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

TENDER NO. 369-2019

2019 STREETS MAINTENANCE PROGRAM – ASPHALT OVERLAY AND CONCRETE PAVEMENT PRESERVATIONS

The Surety agrees to issue for the Principal:

1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)