



## 522-2019 ADDENDUM 2

### 2019 SEWER INSPECTIONS

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE  
TENDER**

ISSUED: June 3, 2019  
BY: Chris Mitchell  
TELEPHONE NO. 204 928 9259

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE TENDER AND SHALL FORM A PART  
OF THE CONTRACT DOCUMENTS**

Template Version: A20190115

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Tender, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART E – SPECIFICATIONS**

Add: E5.1.11 as follows:

E5.1.11 Cleaning of sewers and manholes not meeting E5 requirements shall be rejected. The Contract Administrator shall instruct the Contractor to remobilize, reclean and reinspect the asset as per the specifications to the satisfaction of the Contract Administrator unless the Contractor can demonstrate site limitations and conditions that prevent adequate cleaning. Additional costs incurred by the Contractor associated with the recleaning and reinspection shall be the responsibility of the Contractor. Accepted cleaning and corresponding inspection shall be paid as per E5.1.10.