



685-2019 ADDENDUM 2

2019 BRIDGE MAINTENANCE NORWOOD AND MAIN STREET BRIDGES

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
TENDER**

ISSUED: September 5, 2019
BY: Bill Ebenspanger
TELEPHONE NO. 204 977-8370

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE TENDER AND SHALL FORM A PART
OF THE CONTRACT DOCUMENTS**

Template Version: A20190115

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Tender, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 12:00 noon Winnipeg time, September 17, 2019.

PART E – SPECIFICATIONS

Revise: E7.5.16(c) to read: The tests shall be conducted prior to application of any coating. If any of the tests exhibit less than 700 psi (4.83 MPa), additional tests shall be conducted to determine the extent of the deficient material.

Revise: E7.5.17(e) to read: The personnel managing the QC Program shall possess a minimum classification as a NACE CP Level 2, or shall provide evidence of successful inspection of three (3) projects of similar or greater complexity and scope completed in the last two (2) years. References shall include the name, address, and telephone number of a contact person employed by the facility owner.