# FORM A: BID (See B8)

1.	Contract Title	SUPPLY AND DELIVER	RY OF ALL-TERRAIN VEHICLI	ES (ATVS)
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder as it appears on Invoice (if different from above)		
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if	applicable)	
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to represer the Bidder for purposes of the Bid.		
		Contact Person	Title	
		Telephone Number	Facsimile Number	
		Email Address		
4.	Definitions		sed in the Contract shall ha General Conditions and D3.	ave the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.
7.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.
10.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

11.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this	
		Day of	, 20
		Signature of Bidder or Bidder's Authorized Official or Officials	
		(Print here name and official capacity of individual whose sign	nature appears above)
		(Print here name and official capacity of individual whose sign	nature appears above)

(See B9)

(000 23)					
SUPPLY AND DELIVERY OF ALL-TERRAIN VEHICLES (ATVS)					
PRICES					
DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	
All-Terrain Vehicle	19028	Each	2		
	•			·	
Name of Bidder					
	PRICES DESCRIPTION	SUPPLY AND DELIVERY OF ALL PRICES DESCRIPTION SPEC. REF.	SUPPLY AND DELIVERY OF ALL-TERRAIN VE  PRICES  DESCRIPTION  SPEC. UNIT REF.  All-Terrain Vehicle  19028  Each	SUPPLY AND DELIVERY OF ALL-TERRAIN VEHICLES (ATVS)  PRICES DESCRIPTION SPEC. UNIT QUANTITY REF.	

The City of Winnipeg

Bid Submission
Tender No. 716-2019

Bid Submission
Page 5 of 11

Template Version: E020190115 - Fleet

## FORM N: DETAILED SPECIFICATIONS 19028 ATV

### 1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe an <u>ATV</u> and other equipment and features as specified herein.
- 1.2 The **ATV** shall be a new 2019 model year or newer.
- 1.3 The <u>ATV</u> and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

### 2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 <u>Where applicable</u>, the <u>ATV</u> shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM: http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm

Manitoba Safety and Health Regulation, Parts 12, 16, 22: http://web2.gov.mb.ca/laws/regs/current/217.06.pdf

Canadian Motor Vehicle Safety Standards C.M.V.S.S. http://laws-lois.justice.gc.ca/eng/regulations/C.R.C., c. 1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker. http://web2.gov.mb.ca/laws/regs/index.php?act=h60

Canadian Standards Association, CSA:

http://www.csagroup.org/

Under Writers of Canada, U/L:

http://www.ulc.ca/

Society of Automotive Engineers, SAE:

http://www.sae.org/

City of Winnipeg Lighting Visibility Standard:

http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf

Manitoba Building Code:

https://web2.gov.mb.ca/laws/regs/current/ pdf-regs.php?reg=31/2011

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0	REFERE	NCES

4.1	If available, please provide five (5) references where this equipment is used in a working environment where climatic conditions are similar to the City of Winnipeg.
5.0	MAKE & MODEL
5.1	State year, make and model being bid:

### 6.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- All items in these specifications must be answered indicating compliance or non-compliance.

  BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations and/or equivalents shall be clearly stated and fully detailed. Deviations and/or equivalents will be considered subject to evaluation. In every instance where a brand name or design specification is used, the City will also consider deviations and/or equivalents.
- 6.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

### 7.0 PERFORMANCE RELIABILITY

- 7.1 The responsibility for the design of the <u>ATV</u> its performance and reliability shall rest upon the Contractor.
- 7.2 The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 7.3 Where the <u>ATV</u> develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.

- 7.4 The equipment shall be capable of consistent top performance in City of Winnipeg Environment.

  Note: The City of Winnipeg has four seasons with ambient temperatures ranging from approximately 90°F (32°C) to -40°F (-40°C).
- 8.0 FUEL
- 8.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).
- 9.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR
- 9.1 The manufacturer of the <u>ATV</u> shall have five (5) years continuous experience manufacturing **ATV**.
- 9.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.
- 9.3 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining **ATV** of the type being offered.

## 10.0 **SPECIFICATIONS**:

#### Requirement:

The City of Winnipeg requires two (2) ATVs meeting the following specifications:

- Horsepower = approximately 60 HP
- Four Wheel ATV
- Electric start
- Winch
- Back rack with a capacity of approximately 200 lbs.

### Purpose of the ATV:

The Department will be using these units to conduct spraying in different sites throughout the city to control weeds

## Work location of the ATV:

Around Retention Ponds and/or on boulevards

#### Payload of the ATV:

ATV Boomless sprayer with a 25 gallon poly tank

#### Make and Model

10.1	Make	State:	
10.2	Model	State:	
	Engine		
10.3	Engine Type	State:	
10.4	Horsepower	Approximately 60 HP State: horsepower	
10.5	Displacement	Approximately 650 cc State:	

10.6	Starting System	Electric	
		State:	
10.7	Cooling System	Liquid <b>State:</b>	
	Drivetrain		
10.8	Transmission	State: type	
10.9	Drivetrain	Selectable 2WD and 4WD	
10.9	Diivettaiii	State:	
10.10	Locking Front Differential	State:	
	Brakes		
10.11	Front	State:	
10.12	Rear	State:	
10.13	Park Brake	State:	
	Suspension		
10.14	Front Suspension	State:	
10.15	Front Shocks	State:	
10.16	Rear Suspension	State:	
10.17	Rear Shocks	State:	
	Lighting		
10.18	Lighting - LED	Headlights	
		<ul><li>Turn signals</li><li>Tail lights</li></ul>	
		Brake lights     State:	
	D: 10 10	State.	
40.40	Dimensions / Capacities	•	
10.19	Wheel Base	State:	
10.20	Weight	State: wet weight	
10.21	Length	State:	
10.22	Width	State:	
10.23	Height	State:	
10.24	Seat Height	State:	
10.25	Ground Clearance	State:	
10.26	Rack Capacity	State: front and rear	
10.27	Storage Capacity	State:	
10.28	Towing Capacity	State: front and rear	

10.29	Fuel Capacity	State:	
	Instrumentation / Gauges		
10.30	Check all that apply:		
	<ul> <li>Speedometer</li> <li>Odometer</li> <li>Tachometer</li> <li>Trip Meter</li> <li>Hour Meter</li> <li>Service Indicator</li> <li>Diagnostic Indicator</li> <li>Fuel Gauge</li> <li>4WD Indicator</li> <li>Hi Temperature</li> <li>Engine Lights</li> <li>Engine Coolant Temperature</li> <li>Parking Brake Indicator</li> <li>Oil Level</li> <li>Battery Charge Status</li> </ul>		
	Tires / Wheels		
10.31	Front Tires	State:	
10.32	Rear Tires	State:	
10.33	Wheels	State:	
	Accessories		
10.34	Anti-Theft System	State:	
10.35	DC Outlet	Lighter type DC outlet in console State:	
10.36	Bumpers	Heavy duty front and rear State:	
10.37	Mud Guards	Mud guards State:	
10.38	Windshield	State: size	
10.39	Handlebar Protection	Handlebar wind deflectors State:	
10.40	Back Rack Extension	State:	
10.41	Winch Kit	<ul> <li>Approximately 3000 lbs. pulling capacity WARN winch – Front Mount</li> <li>Removable from front to rear of unit</li> <li>Supply and install all necessary mounting hardware</li> <li>State:</li> </ul>	

Days.

Template Version: F020190115 - Fleet 10.42 Rear Receiver Hitch State: 10.43 Colour State: available colours Safety 10.44 Fire Extinguisher • ABC type (2 lb.) Securely mounted with quick release State: location 10.45 Amber Strobes • Whelen TIR3 LED Amber lights complete with mounting grommets • Qty six (6) to achieve 360 degree visibility • Two (2) front, two (2) back and one (1) each side · Wired directly to the ignition i.e. no switch Location to be determined at preproduction meeting 10.46 **Battery Disconnect Switch** Lockable with padlock 10.47 Horn Horn 10.48 Back Up Alarm Required State: dB 10.49 Slow Moving Vehicle Sign Mounted 11.0 **WARRANTY:** All warranty information shall be detailed and include all exclusions. 11.1 The Contractor shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. 11.2 Factory State: 12.0 **DELIVERY**: 12.1 **Delivery Point:** The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.V.I.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. 12.2 **Delivery Time:** 

Equipment shall be delivered between 8:00 am and 2:00 pm on Business

State: earliest delivery time from date of award: \_

12.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. 12.4 <u>P.D.I:</u> A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list 13.0 **MANUALS:** 13.1 **Operator's Manual:** Two (2) per unit shall be supplied with the units when delivered 14.0 **PARTS/LABOUR PRICING:** 14.1 Bidder to provide City of Winnipeg Parts Discount % Pricing from retail parts pricing. State percentage discount 14.2 Bidder to provide City of Winnipeg Labor Discount % Pricing from Retail shop labor rate. State percentage discount 15.0 FIRST SERVICE PREVENTATIVE MAINTENANCE KIT: 15.1 In order to assure minimum downtime of the Equipment in future service, the Contractor must provide one (1) complete replacement set of new OEM filters for each unit purchased. The set of required filters shall include (if applicable to the equipment type) air, fuel, oil, cab and hydraulic, or otherwise all known necessary common replacement filters required for the first preventative maintenance servicing. 15.2 The Contractor must provide a list of factory recommended lubricants to be used with the equipment, as well as a complete cross reference guide for all warranty approved lubricants and filters that can be used during Preventative Maintenance servicing.