



942-2020 ADDENDUM 3

PARTIAL ROOF REPLACEMENT AT FORT ROUGE GARAGE – 421 OSBORNE STREET

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
BID/PROPOSAL**

ISSUED: February 22, 2021
BY: Adolfo Laufer
TELEPHONE NO. 204 986-2380

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID/PROPOSAL AND SHALL FORM
A PART OF THE CONTRACT DOCUMENTS**

Template Version: A20190115

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

PART E – SPECIFICATIONS

- Add: E7.4(a)(iv) Approved item: Expanded Polystyrene Insulation (EPS)
- (i) Description: Closed-cell rigid insulation manufactured to CAN/ULC-S701, Type 2
 - (ii) Specified product: PlastiSpan HD
 - (iii) A minimum of 2" of polyisocyanurate insulation is required to cover the EPS insulation. Total minimum system R-25 effective value required.